Author index*

A

ABILDGAARD, CHARLES F. (*See* Simone, Vanderheiden, and Abildgaard), 706

AGOSTONI, A., VERGANI, C., AND LOMANTO, B. Characterization of serum proteins by thin-layer gel filtration combined with immunodiffusion, 522

ALLGOOD, J. WILLIAM. (*See* Brown, Hwang, and Allgood), 382

ALLISON, FRED, JR., AND LANCASTER, MARGIE G. Studies on the pathogenesis of acute inflammation. VIII. The failure of ADP and other nucleotides to modify phagocytosis and clumping by human leukocytes, 15

AMSTEY, MARVIN S. Purification of ferritin-conjugated antibody by DEAE-cellulose chromatography, 997

APRILL, CHARLES N., III. (*See* Blackard and Aprill), 960

ARMOUR, P. D., III. (*See* Halpern, Young, Dolkart, Armour, and Dolkart), 467

AXELROD, D. ROBERT. (*See* Sass, Caruso, and Axelrod), 447

B

BARKER, NANCY. (*See* Rand, Lacombe, and Barker), 862

BECK, I. T. (*See* Geokas, Eisenstein, McKenna, and Beck), 530

BELLEAU, LOUIS J. (*See* Friedler, Belleau, Martino, and Earley), 565

BERMAN, A. R. (*See* Huser, Rieber, and Berman), 405

BILKA, PAUL J. (*See* Rodman, Williams, Bilka, and Müller-Eberhard), 141

BLACKARD, WILLIAM G., AND APRILL, CHARLES N., III. Mechanism of action of diazoxide, 960

BOLE, GILES G., JR. With the technical assistance of Leutz, Janet C. Hydrocortisone induced changes in sugar nucleotide content of sponge biopsy connective tissue in the absence of comparable changes in the liver, 610

BONKOWSKY, H. L. (*See* Guggenheim, Bonkowsky, Harris, and Webster), 357

BRECKENRIDGE, ROBERT T. (*See* Prentice, Breckenridge, and Ratnoff), 229

BREWER, GEORGE J. (*See* Dern, Brewer, and Wiorkowski), 968

BRICKER, NEAL S. (*See* Daughaday, Bricker, and Fletcher), 1

BRISCOE, ANNE M., AND RAGAN, CHARLES. Coated charcoal assay of serum calcium fractions, 351

BROWN, ELMER B., HWANG, YUN-FEI, AND ALLGOOD, J. WILLIAM. Studies of the site of action of deferoxamine, 382

BROWN, HAROLD. (*See* Davis, Brown, Huff, and Cashaw), 132, 787

BROWN, R. R. (*See* Hankes, Brown, Lippincott, and Schmaeler), 313

BULLARD, W. J. (*See* Sassoon, Watson, Bullard, Johnson, and Watson), 842

BURKE, GERALD. Failure of immunologic reaction of long acting thyroid stimulator (LATS) to thyroid components, and the demonstration of a plasma inhibitor of LATS, 713

C

CAMPBELL, THOMAS N. (*See* Lawrence, Craddock, and Campbell), 88

CAMPR, J. (*See* Komárová, Záhoř, and Czabanová), 102

CAREY, JAMES B., JR. (*See* Zaki, Carey, Hoffbauer, and Nwokolo), 737

CARTER, NORMAN W. (*See* Seldin, Coleman, Carter, and Rector), 893

CARUSO, CARMINE J. (*See* Sass, Caruso, and Axelrod), 447

CASHAW, JESSE L. (*See* Davis, Brown, Huff, and Cashaw), 132, 787

CASTANEDO, J. P., AND WILLIAMS, RALPH C., JR. Anticomplementary activity of sera from patients with connective tissue disease and normal subjects, 217

CASTERLINE, JAMES L., JR., AND WILLIAMS, CLARA H. The detection of cholinesterase inhibition in erythrocytes of rats fed low levels of the carbamate Banol, 325

*January, pp. 1-176; February, pp. 177-356; March, pp. 357-536; April, pp. 537-712; May, pp. 713-892; June, pp. 893-1068.

CHEEK, D. B. (*See* Graystone, Seitchik, Milch, Shulman, and Cheek), 885
CLAMAN, HENRY N. (*See* Merrill, Hartley, and Claman), 151
COHN, JOSEPH D., AND DEL GUERCIO, LOUIS R. M. Clinical applications of indicator dilution curves as gamma functions, 675
COLE, CHRISTINE. (*See* Summers, Concannon, Weil, and Cole), 919
COLEMAN, ALAN J. (*See* Seldin, Coleman, Carter, and Rector), 893
COLEMAN, RICHARD D. (*See* Wolfson, Yakulis, Coleman, and Heller), 728
CONCANNON, JOSEPH P. (*See* Summers, Concannon, Weil, and Cole), 919
COOK, JAMES R., POLLARD, JOHN W., AND COOLEY, JACK C. Myocardial contractile force in the treatment of ouabain intoxication with disodium EDTA, potassium chloride, and magnesium sulfate, 292
COOLEY, JACK C. (*See* Cook, Pollard, and Cooley), 292
CRADDOCK, CHARLES G., JR. (*See* Lawrence, Craddock, and Campbell), 88
CURTIS, F. K., FELLOWS, H., AND RICH, CLAYTON. Estimation of human calcium absorption by external radioisotope counting, 1036
CZABANOVÁ, V. (*See* Komárková, Záhoř, and Czabanová), 102

D

DANIEL, THOMAS M. (*See* Smink, Daniel, Ratnoff, and Stavitsky), 819
DAUGHADAY, WILLIAM H., BRICKER, NEAL S., AND FLETCHER, ANTHONY P. Letter from the Editors, 1
DAVIS, VIRGINIA E., BROWN, HAROLD, HUFF, JAMES A., AND CASHAW, JESSE L. The alteration of serotonin metabolism to 5-hydroxytryptophol by ethanol ingestion in man, 132
—, —, —, AND —. Ethanol-induced alterations of norepinephrine metabolism in man, 787
DEL GUERCIO, LOUIS R. M. (*See* Cohn and Del Guercio), 675
DENCKLA, W. D., AND DEWEY, HENRY K. The determination of tryptophan in plasma, liver, and urine, 160
DERN, RAYMOND J., BREWER, GEORGE J., AND WIORKOWSKI, JOHN J. Studies on the preservation of human blood. II. The relationship of erythrocyte adenosine triphosphate levels and other in vitro measures to red cell storageability, 968
DEWEY, HENRY K. (*See* Denckla and Dewey), 160
DOLKART, J. (*See* Halpern, Young, Dolkart, Armour, and Dolkart), 467
DOLKART, R. E. (*See* Halpern, Young, Dolkart, Armour, and Dolkart), 467

E

EARLEY, LAURENCE, E. (*See* Friedler, Belleau, Martino, and Earley), 565
EBAUGH, FRANKLIN G., JR. (*See* Seibert and Ebaugh), 177
ECHEVERRIA-CRUZ, SARA. (*See* Paronetto, Schaffner, and Popper), 979
EISENSTEIN, S. (*See* Geokas, Eisenstein, McKenna, and Beck), 530
ELVEBACK, LILA R. (*See* Kelly, Jowsey, Riggs, and Elveback), 110
EPSTEIN, WALLACE V. (*See* Levine, Mills, and Epstein), 749
ESSER, A. H. (*See* Kahane, Esser, Kline, and Vestergaard), 1042
EVATT, BRUCE L. (*See* Smith and Evatt), 1018

F

FALLIS, BRUCE D. (*See* Jackson, Southern, Pierce, Fallis, and Sanford), 833
FEKETY, F. ROBERT, JR. (*See* Gump and Fekety), 428
FELDMAN, S. (*See* Medado, Izak, and Feldman), 776
FELLOWS, H. (*See* Curtis, Fellows, and Rich), 1036
FERGUSON, J. LYNN. (*See* Fink, Ferguson, and Smiley), 950
FINCH, CLEMENT A. (*See* Hillman, Morgan, and Finch), 874
—. (*See* Morgan, Marsaglia, Giblett, and Finch), 370
FINK, CHESTER W., FERGUSON, J. LYNN, AND SMILEY, J. DONALD. Effect of hyperthyroidism and hypothyroidism on collagen metabolism, 950
FISCH, LEON. (*See* Miller, Fisch, and Kleeman), 270
FISCHBEIN, JEROME W. (*See* Rutenburg, Smith, and Fischbein), 504
FLETCHER, ANTHONY P. (*See* Daughaday, Bricker, and Fletcher), 1
FOLEN, VICTOR. (*See* Small, Folen, and Marcus), 879
FORMÁNEK, M. (*See* Komárková, Záhoř, and Czabanová), 102
FRANKLIN, JAMES. (*See* Metz, Mako, Stevens, Franklin), 494
FRIED, W. (*See* Weisman, Martinson, Fried, and Gurney), 438
FRIEDLER, ROBERT M., BELLEAU, LOUIS J., MARTINO, JOSEPH A., AND EARLEY, LAURENCE E. Hemodynamically induced natriuresis in the presence of sodium retention resulting from constriction of the thoracic inferior vena cava, 565
FROST, HAROLD M. (*See* Wu, Jett, and Frost), 810
FUKUI, H. (*See* Shanberge and Fukui), 927

G

GEOKAS, M. C., EISENSTEIN, S., MCKENNA, R. D., AND BECK, I. T. Colorimetric method of measuring elastolytic activity in extracts of whole pancreatic tissue, 530
GIBLETT, ELOISE R. (*See* Morgan, Marsaglia, Giblett, and Finch), 370

GOETZ, FREDERICK C., MANEY, JOHN W., AND GREENBERG, BERYL Z. The regulation of insulin secretion: effects of the infusion of glucose, ribose, and other sugars into the portal veins of dogs, 537

GOH, KONG-OO. Pseudodiploid chromosomal pattern in chronic lymphocytic leukemia, 938

GOOD, ROBERT A. Presidential Address; the whetstones, 6

GRABER, S. E., MCKEE, L. C., AND HEYSSEL, R. M. The use of benzene phosphinic acid to prepare mixed samples of ^{55}Fe and ^{59}Fe for liquid scintillation counting, 170

GRAYSTONE, JOAN, SEITCHIK, JOY, MILCH, R., SHULMAN, G. P., AND CHEEK, D. B. Measurement of D_2O in plasma water by freezing point elevation, falling drop, infra-red absorption, and gas chromatography, 885

GREENBERG, BERYL Z. (*See* Goetz, Maney, and Greenberg), 537

GREENE, ELIZABETH A. (*See* Hardison, Greene, and Norman), 245

GRIGGS, ROBERT C. (*See* Halsted, Griggs, and Harris), 116

GRUNFELD, ANDREW. (*See* Nitowsky and Grunfeld), 472

GUGGENHEIM, S. J., BONKOWSKY, H. L., HARRIS, J. W., AND WEBSTER, L. T., JR. The preparation and characterization of mitochondria from developing red blood cells, 357

GUMP, DIETER W., AND FEKETY, F. ROBERT, JR. The relationship of infection and DNA-synthesizing cells in human blood, 428

GURNEY, C. W. (*See* Weisman, Martinson, Fried, and Gurney), 438

H

HALPERN, B., YOUNG, J. J., DOLKART, J., ARMOUR, P. D., III, AND DOLKART, R. E. The serologic response of patients with amebiasis compared by gel-diffusion, hemaggultination, and phagocytosis techniques with a common *Entamoeba histolytica* antigen preparation, 467

HALSTED, CHARLES H., GRIGGS, ROBERT C., AND HARRIS, JOHN W. The effect of alcoholism on the absorption of folic acid (H^3-PGA) evaluated by plasma levels and urine excretion, 116

HANKES, L. V., BROWN, R. R., LIPPINCOTT, S., AND SCHMAELER, M. Effects of L-tryptophan load on the metabolism of tryptophan-2-C^{14} in man, 313

HARDISON, WILLIAM G. M., GREENE, ELIZABETH A., AND NORMAN, JOHN C. The viability and effect of flow upon function of the ex vivo perfused pig liver, 245

HARRIS, J. W. (*See* Guggenheim, Bonkowsky, Harris, and Webster), 357

—. (*See* Halsted, Griggs, and Harris), 116

—. (*See* Overly, Rosenberg, and Harris), 62

HARTLEY, THOMAS F. (*See* Merrill, Hartley, and Claman), 151

HAWBECKER, SARA C. (*See* Seibert and Ebaugh), 177

HELLER, PAUL. (*See* Wolfson, Yakulis, Coleman, and Heller), 728

HENRY, PATRICK, REICH, PAUL, KARON, MYRON, AND WEISSMAN, SHERMAN M. Characteristics of RNA synthesized in vitro by lymphocytes of chronic lymphocytic leukemia, 47

—. (*See* Pierce, Resnick, and Henry), 485

HEYSSEL, R. M. (*See* Graber, McKee, and Heyssel), 170

HILLMAN, ROBERT S., MORGAN, EVAN H., AND FINCH, CLEMENT A. A comparison of total iron binding capacity methods in the iron deficient state, 874

HOFFBAUER, FREDERICK W. (*See* Zaki, Carey, Hoffbauer, and Nwokolo), 737

HOROWITZ, HERBERT I., AND PAPAYOANOU, MITSU F. Release of nonsedimentable platelet factor 3 during coagulation, 1003

HOYE, ROBERT C. Simultaneous measurement of red cell, plasma, and extracellular fluid volume in the surgical patient, 683

HUFF, JAMES A. (*See* Davis, Brown, Huff, and Cashaw), 132, 787

HUSER, H.-J., RIEBER, E. E., AND BERMAN, A. R. Experimental evidence of excess hemolysis in the course of chronic iron deficiency anemia, 405

HWANG, YUN-FEI. (*See* Brown, Hwang, and Allgood), 382

I

IMARISIO, JOHN J., AND JAMISON, THEODORE R. Radiophosphate "closed" system efflux rate constant and ATP metabolism in intact human red cells, 23

IZAK, G. (*See* Medado, Izak, and Feldman), 776

J

JACKSON, A. E., SOUTHERN, PAUL M., PIERCE, ALAN K., FALLIS, BRUCE D., AND SANFORD, JAY P. Pulmonary clearance of gram-negative bacilli, 833

JAMISON, THEODORE R. (*See* Imarisio and Jamison), 23

JEFFRIES, IRIS. (*See* Weissman, Jeffries, and Karon), 183

JETT, SAM. (*See* Wu, Jett, and Frost), 810

JOHNSON, B. CONNOR. (*See* Sassoon, Watson, Bullard, Johnson, and Watson), 842

JOWSEY, JENIFER. (*See* Kelly, Jowsey, Riggs, and Elveback), 110

K

KAHANE, Z., ESSER, A. H., KLINE, N. S., AND VESTERGAARD, P. Estimation of conjugated epinephrine and norepinephrine in urine, 1042

KARON, MYRON. (*See* Henry, Reich, Karon, and Weissman), 47

—. (*See* Weissman, Jeffries, and Karon), 183

KELLY, PATRICK J., JOWSEY, JENIFER, RIGGS, B. LAWRENCE, AND ELVEBACK, LILA R. Relationship between serum phosphate concentration and bone resorption in osteoporosis, 110

KERBY, GRACE P., AND TAYLOR, S. M. The effect of added ATP on the pathways of glucose utilization by human washed platelets in vitro, 194

KIMBALL, HARRY R., VOGEL, JAMES M., PERRY, SEYMOUR, AND WOLFF, SHELDON M. Quantitative aspects of pyrogenic and hematologic responses to etiocholanolone in man, 415

KLEEMAN, CHARLES R. (*See* Miller, Fisch, and Kleeman), 270

KLINE, N. S. (*See* Kahane, Esser, Kline, and Vestergaard), 1042

KOMÁRKOVÁ, A., ZÁHOŠ, Z., AND CZABANOVÁ, V. With the technical assistance of Formánek, M., Campr, J., and Němec, Z. The effect of lactation of the composition of long bones in rats, 102

KOTTKE, BRUCE A. (*See* Wollenweber, Kottke, and Owen), 584

L

LACOMBE, ELEANOR. (*See* Rand, Lacombe, and Barker), 862

LANCASTER, MARGIE G. (*See* Allison and Lancaster), 15

LAWRENCE, JOHN S., CRADDOCK, CHARLES G., JR., AND CAMPBELL, THOMAS N. Antineutrophilic serum, its use in studies of white blood cell dynamics, 88

LEMPERLE, GOTTFRIED. A simple, precise method for quantitative recovery of cells for the peritoneal cavity of the mouse, 336

LENNETTE, EDWIN H., WOODIE, JAMES D., AND SCHMIDT, NATHALIE J. A modified indirect immunofluorescent staining technique for the demonstration of rubella antibodies in human sera, 689

LEUTZ, JANET C. (*See* Bole), 610

LEVINE, GERALD B., MILLS, PHILIP E., JR., AND EPSTEIN, WALLACE V. Circulating IgG globulin anti-IgG globulin complex in a patient with carcinoma of the lung and severe neuromyopathy, 749

LEVITAN, RUVEN. Salt and water absorption from the normal human colon: effect of 9-alpha-fluorohydrocortisone administration, 558

LIPPINCOTT, S. (*See* Hankes, Brown, Lippincott, and Schmaeler), 313

LOMANTO, B. (*See* Agostoni, Vergani, and Lomanto), 522

LOOMEIJER, F. J. (*See* Sie, Valkema, and Loomeijer), 989

LOYKE, HUBERT F. The pressor response to serum and exogenous renin in rats, 1013

LURINSKY, GERTRUDE. (*See* Piomelli, Lurinsky, and Wasserman), 659

M

MCKEE, L. C. (*See* Graber, McKee, and Heyssel), 170

MCKENNA, R. D. (*See* Geokas, Eisenstein, McKenna, and Beck), 530

MAKO, MARY. (*See* Metz, Mako, Stevens, and Franklin), 494

MANEY, JOHN W. (*See* Goetz, Maney, and Greenberg), 537

MANFREDI, FELICE. Effects of hypocapnia and hypercapnia on intracellular acid-base equilibrium in man, 304

MARCUS, AARON J. (*See* Nachman, Marcus, and Zucker-Franklin), 651

MARCUS, FRANK I. (*See* Small, Folen, and Marcus), 879

MARSAGLIA, GEORGE. (*See* Morgan, Marsaglia, Giblett, and Finch), 370

MARTINO, JOSEPH A. (*See* Friedler, Belleau, Martino, and Earley), 565

MARTINSON, D. (*See* Weisman, Martinson, Fried, and Gurney), 438

MEDADO, P., IZAK, G., AND FELDMAN, S. The effect of electrical stimulation of the central nervous system on erythropoiesis in the rat. II. Localization of a specific brain structure capable of enhancing red cell production, 776

MERRILL, DEBORAH, HARTLEY, THOMAS F., AND CLAMAN, HENRY N. Electroimmunodiffusion (EID): a simple, rapid method for quantitation of immunoglobulins in dilute biological fluids, 151

METZ, ROBERT, MAKO, MARY, STEVENS, THOMAS, AND FRANKLIN, JAMES. The metabolism of fructose in diabetes mellitus, 494

MILCH, R. (*See* Graystone, Seitchik, Milch, Shulman, and Cheek), 885

MILLER, LOUIS, FISCH, LEON, AND KLEEMAN, CHARLES R. Relative potency of arginine-8-vasopressin and lysine-8-vasopressin in humans, 270

MILLS, PHILIP E., JR. (*See* Levine, Mills, and Epstein), 749

MORGAN, EVAN H., MARSAGLIA, GEORGE, GIBLETT, ELOISE R., AND FINCH, CLEMENT A. A method of investigating internal iron exchange utilizing two types of transferrin, 370

—. (*See* Hillman, Morgan, and Finch), 874

MÜLLER-EBERHARD, HANS J. (*See* Rodman, Williams, Bilka, and Müller-Eberhard), 141

MULLINS, LORINE E. (*See* Newton, Murphy, and Mullins), 518

MURPHY, JOHN R. The influence of pH and temperature on some physical properties of normal erythrocytes and erythrocytes from patients with hereditary spherocytosis, 758

MURPHY, JOSEPHINE. (*See* Newton, Murphy, and Mullins), 518

N

NACHMAN, RALPH L., MARCUS, AARON, J., AND ZUCKER-FRANKLIN, DOROTHEA. Immunologic studies of proteins associated with subcellular fractions of normal human platelets, 651

NAKAYAMA, FUMIO. Quantitative microanalysis of bile, 594

NĚMEC, Z. (*See* Komárková, Záhoř, and Czabanová), 102

NEWTON, WILLIAM T., MURPHY, JOSEPHINE, AND MULLINS, LORINE E. Determination of radiosulfate in biologic fluids and tissues, 518

NITOWSKY, HAROLD M., AND GRUNFELD, ANDREW. Lysosomal alpha glucosidase in type II glycogenosis; activity in leukocytes and cell cultures in relation to genotype, 472

NORMAN, JOHN C. (*See* Hardison, Greene, and Norman), 245

NWOKOLO, CHUKUEDU. (*See* Zaki, Carey, Hoffbauer, and Nwokolo), 737

O

OBERLEAS, DONALD. (*See* Prasad, Tranchida, Oberleas, and Poulik), 456

OVERLY, WYLIE L., ROSENBERG, ARTHUR, AND HARRIS, JOHN W. Hemoglobin $M_{Reserve}$: studies on identification and characterization, 62

OWEN, CHARLES A., JR. (*See* Wollenweber, Kottke, and Owen), 584

P

PAGE, C. O'NEAL, JR., AND REMINGTON, JACK S. Immunologic studies in normal human sweat, 634

PAPAYOANOU, MITSU F. (*See* Horowitz and Papayoanou), 1003

PARONETTO, FIORENZO, SCHAFFNER, FENTON, AND POPPER, HANS. With the technical assistance of Echeverria-Cruz, Sara. Antibodies to cytoplasmic antigens in primary biliary cirrhosis and chronic active hepatitis, 979

PERRY, SEYMOUR. (*See* Kimball, Vogel, Perry, and Wolff), 415

PIERCE, ALAN K. (*See* Jackson, Southern, Pierce, Fallis, and Sanford), 833

PIERCE, JOHN A., RESNICK, HAROLD, AND HENRY, PATRICK H. Collagen and elastin metabolism in the lungs, skin, and bones of adult rats, 485

PIOMELLI, SERGIO, LURINSKY, GERTRUDE, AND WASSERMAN, LOUIS R. The mechanism of red cell aging. I. Relationship between cell age and specific gravity evaluated by ultracentrifugation in a discontinuous density gradient, 659

POFF, S. A. (*See* Vavra and Poff), 904

POLLARD, JOHN W. (*See* Cook, Pollard, and Cooley), 292

POPPER, HANS. (*See* Paronetto, Schaffner, and Popper), 979

POULIK, M. DAVE. (*See* Prasad, Tranchida, Oberleas, and Poulik), 456

PRASAD, ANANDA S., TRANCHIDA, L., OBERLEAS, DONALD, AND POULIK, M. DAVE. Studies in macrocryoglobulinemia: possible role of SH groups in cryoprecipitation, 456

PRENTICE, COLIN R. M., BRECKENRIDGE, ROBERT T., AND RATNOFF, OSCAR D. Studies on the conversion of prothrombin to thrombin: with notes on the cation requirement for this reaction, 229

R

RAGAN, CHARLES. (*See* Briscoe and Ragan), 351

RAND, PETER W., LACOMBE, ELEANOR, AND BARKER, NANCY. Effect of hemoglobin concentration of spectrophotometrically determined oxygen saturation, 862

RATNOFF, OSCAR D. (*See* Prentice, Breckenridge, and Ratnoff), 229

—. (*See* Smink, Daniel, Ratnoff, and Stavitsky), 819

RECTOR, FLOYD C., JR. (*See* Seldin, Coleman, Carter, and Rector), 893

REICH, PAUL. (*See* Henry, Reich, Karon, and Weissman), 47

REMINGTON, JACK S. (*See* Page and Remington), 634

RESNICK, HAROLD. (*See* Pierce, Resnick, and Henry), 485

RHOADES, RODNEY A., WEISS, HAROLD S., AND WRIGHT, RONALD A. A multiplace metabolimeter with a Servo-driven volume meter for use with artificial atmospheres, 330

RICH, CLAYTON. (*See* Curtis, Fellows, and Rich), 1036

RIEBER, E. E. (*See* Huser, Rieber, and Berman), 405

RIGBY, PERRY G. The effect of immune organ transplants on homograft rejection in tumor-bearing mice, 800

RIGGS, B. LAWRENCE. (*See* Kelly, Jowsey, and Elveback), 110

RODMAN, WILLIAM S., WILLIAMS, RALPH C., JR., BILKA, PAUL J., AND MÜLLER-EBERHARD, HANS J. Immunofluorescent localization of the third and fourth component of complement in synovial tissue from patients with rheumatoid arthritis, 141

ROSALKI, S. B. An improved procedure for serum creatine phosphokinase determination, 696

ROSENBERG, ARTHUR. (*See* Overly, Rosenberg, and Harris), 62

ROSSI, ENNIO C. Effects of ethylenediaminetetraacetate (EDTA) and citrate upon platelet glycolysis, 204

RUTENBERG, ALEXANDER M., SMITH, EDGAR E., AND FISCHBEIN, JEROME W. Electrophoretic mobilities of serum gamma glutamyl transpeptidase and its clinical application in hepatobiliary disease, 504

S

SANFORD, JAY P. (*See* Jackson, Southern, Pieree, Fallis, and Sanford), 833

SASS, MARTIN D., CARUSO, CARMINE J., AND AXELROD, D. ROBERT. Accumulation of methylene blue by metabolizing erythrocytes, 447

SASSOON, H. F., WATSON, J. R., BULLARD, W. J., JOHNSON, B. CONNOR, AND WATSON, JULIA. Preparation of aortic tissue for measurement of enzyme activity, 842

SCHAFFNER, FENTON. (*See* Paronetto, Schaffner, and Popper), 979

SCHALCH, DON S. The influence of physical stress and exercise on growth hormone and insulin secretion in man, 256

SCHMAELER, M. (*See* Hankes, Brown, Lippincott, and Schmaeler), 313

SCHMIDT, NATHLIE J. (*See* Lennette, Woodie, and Schmidt), 689

SEIBERT, DEAN J., AND EBAUGH, FRANKLIN G., JR. With the technical assistance of Hawbecker, Sara C. Assessment of tissue anoxemia in chronic anemia by the arterial lactate/pyruvate ratio and excess lactate formation, 177

SEITCHIK, JOY. (*See* Graystone, Seitchik, Milch, Shulman, and Cheek), 885

SHANBERGE, J. N., AND FUKUI, H. Studies on the anticoagulant action of heparin, protamine, and Polybrene in the activation of factor IX, 927

SHELDIN, DONALD W., COLEMAN, ALAN J., CARTER, NORMAN W., AND RECTOR, FLOYD C., JR. The effect of Na_2SO_4 on urinary acidification in chronic renal disease, 893

SHULMAN, G. P. (*See* Graystone, Seitchik, Milch, Shulman, and Cheek), 885

SIE, H. G., VALKEMA, A. J., AND LOOMEIJER, F. J. A lipid-soluble inert indicator in fat absorption studies in the rat, 989

SIMONE, JOSEPH V., VANDERHEIDEN, JANE, AND ABILDGAARD, CHARLES F. A semiautomatic one-stage factor VIII assay with a commercially prepared standard, 706

SMALL, MELVIN, D., FOLEN, VICTOR, AND MARCUS, FRANK I. An in vivo method for study of intestinal absorption in the unanesthetized rat, 879

SMILEY, J. DONALD. (*See* Fink, Ferguson, and Smiley), 950

SMINK, MARJORIE MCL., DANIEL, THOMAS M., RATNOFF, OSCAR D., AND STAVITSKY, ABRAM B. Immunologic demonstration of a deficiency of Hageman factor-like material in Hageman trait, 819

SMITH, EDGAR E. (*See* Rutenberg, Smith, and Fischbein), 504

SMITH, ERNEST W., AND EVATT, BRUCE L. Electrophoresis of hemoglobins following the application of whole blood samples to acrylamide gel, 1018

SOUTHERN, PAUL M. (*See* Jackson, Southern, Pierce, Fallis, and Sanford), 833

STEVENS, THOMAS. (*See* Metz, Mako, Stevens, and Franklin), 494

SUMMERS, ROY E., CONCANNON, JOSEPH P., WEIL, CARROL, AND COLE, CHRISTINE. Determination of simultaneous effective renal plasma flow and glomerular filtration rate with ^{131}I-orthoiodohippurate and ^{125}I-allyl inulin, 919

T

TAKEDA, Y. Studies of the metabolism and distribution of fibrinogen in patients with rheumatoid arthritis, 624

TAYLOR, S. M. (*See* Kerby and Taylor), 194

TRANCHIDA, L. (*See* Prasad, Tranchida, Oberleas, and Poulik), 456

V

VALKEMA, A. J. (*See* Sie, Valkema, and Loomeijer), 989

VANDENHEUVEL, FRANTZ A. Equipment and techniques for the quantitative recovery of steroids from thin-layer chromatography plates, 343

VANDERHEIDEN, JANE. (*See* Simone, Vanderheiden, and Abildgaard), 706

VAVRA, JOHN D., AND POFF, S. A. Heme and porphyrin synthesis in sideroblastic anemia, 904

VERGANI, C. (*See* Agostoni, Vergani, and Lomanto), 522

VESTERGAARD, P. (*See* Kahane, Esser, Kline, and Vestergaard), 1042

VOGEL, JAMES M. (*See* Kimball, Vogel, Perry, and Wolff), 415

W

WASSERMAN, LOUIS R. (*See* Piomelli, Lurinsky, and Wasserman), 659

WATSON, J. E. (*See* Sassoon, Watson, Bullard, Johnson, and Watson), 842

WATSON, JULIA. (*See* Sassoon, Watson, Bullard, Johnson, and Watson), 842

WEBSTER, L. T., JR. (*See* Guggenheim, Bonkowsky, Harris, and Webster), 357

WEIL, CARROL. (*See* Summers, Concannon, Weil, and Cole), 919

WEIL-MALHERBE, H. The estimation of 3,4-dihydroxymandelic acid in urine and its excretion by man, 1025

WEISMAN, M., MARTINSON, D., FRIED, W., AND GURNEY, C. W. A Comparison of the rates at which colony forming units and erythropoietin responsive cells recover after 200 r total body x-irradiation, 438

WEISS, HAROLD S. (*See* Rhoades, Weiss, and Wright), 330

WEISS, HARVEY J. The effect of clinical dextran on platelet aggregation, adhesion, and ADP release in man: in vivo and in vitro studies, 37

WEISSMAN, SHERMAN M., JEFFRIES, IRIS, AND KARON, MYRON. The synthesis of alpha, beta, and delta peptide chains by reticulocytes from subjects with thalassemia of hemoglobin Lepore, 183

—. (*See* Henry, Reich, Karon, and Weissman), 47

WILLIAMS, CLARA H. (*See* Casterline and Williams), 325

WILLIAMS, RALPH C., JR. (*See* Castanedo and Williams), 217

—. (*See* Rodman, Williams, Bilka, and Müller-Eberhard), 141

WIORKOWSKI, JOHN J. (*See* Dern, Brewer, and Wiorkowski), 968

WOLFF, SHELDON M. (*See* Kimball, Vogel, Perry, and Wolff), 415

WOLFSON, RONALD, YAKULIS, VINCENT, COLEMAN, RICHARD D., AND HELLER, PAUL. Studies on fetal myoglobin, 728

WOLLENWEBER, JUERGEN, KOTTKE, BRUCE A., AND OWEN, CHARLES A., JR. Pool size and turnover of bile acids in six hypercholesteremic patients with and without administration of nicotinic acid, 584

WOODIE, JAMES D. (*See* Lennette, Woodie, and Schmidt), 689

WOOLF, C. R. The in vitro and in vivo use of an oxygen microelectrode, 853

WRIGHT, RONALD A. (*See* Rhoades, Weiss, and Wright), 330

WU, KENT, JETT, SAM, AND FROST, HAROLD M. Bone resorption rates in rib in physiological, senile, and postmenopausal osteoporoses, 810

Y

YAKULIS, VINCENT. (*See* Wolfson, Yakulis, Coleman, and Heller), 728

YOUNG, J. J. (*See* Halpern, Young, Dolkart, Armour, and Dolkart), 467

Z

ZÁHOŇ, Z. (*See* Komárková, Záhoň, and Czabanová), 102

ZAKI, F. GEORGE, CAREY, JAMES B., JR., HOFFBAUER, FREDERICK W., AND NWOKOLO, CHUKUEDU. Biliary reaction and choledocholithiasis induced in the rat by lithocholic acid, 737

ZUCKER-FRANKLIN, DOROTHEA. (*See* Nachman, Marcus, and Zucker-Franklin), 651

Subject index*

A

Acid(s), benzene phosphinic, used to prepare mixed samples of ^{55}Fe and ^{59}Fe for liquid scintillation counting, 170
bile, pool size and turnover in six hypercholesteremic patients with and without administration of nicotinic acid, 584
3,4-dihydroxymandelic, estimation in urine and its excretion by man, 1025
folic, effect of alcoholism on absorption, evaluated by plasma levels and urine excretion, 116
lithocholic, biliary reaction and choledocholithiasis induced in rat by, 737
Acid-base equilibrium, intracellular, effects of hypocapnia and hypercapnia on, in man, 304
Acidification, urinary, effect of Na_2SO_4 on, in chronic renal disease, 893
Acrylamide gel, from whole blood samples, electrophoresis of hemoglobins following application, 1018
ADP and other nucleotides, failure to modify phagocytosis and clumping by human leukocytes, 15
release, platelet aggregation, and adhesion, effect of clinical dextran on, in man, 37
Alcoholism, effect on absorption of folic acid evaluated by plasma levels and urine excretion, 116
Amebiasis, serologic response of patients with, compared by gel-diffusion, hemagglutination, and phagocytosis techniques with common *Entamoeba histolytica* antigen preparation, 467
Anemia, chronic, assessment of tissue anoxemia in, by arterial lactate/pyruvate ratio and excess lactate formation, 177
iron deficiency, experimental evidence of excess hemolysis in course, 405
sideroblastic, heme and porphyrin synthesis in, 904
Anoxemia, tissue, assessment in chronic anemia by arterial lactate/pyruvate ratio and excess lactate formation, 177
Antibodies to cytoplasmic antigens in primary biliary cirrhosis and chronic active hepatitis, 979
rubella, in human sera, modified indirect immunofluorescent staining technique for demonstration, 689
Antibody, ferritin-conjugated, purification by DEAE-cellulose chromatography, 997
Anticoagulant action of heparin, protamine, and Polybrene, studies on, in activation of factor IX, 927
Anticomplementary activity of sera from patients with connective tissue disease and normal subjects, 217
Antigens, cytoplasmic, antibodies to, in primary biliary cirrhosis and chronic active hepatitis, 979
preparation, common *Entamoeba histolytica*, serologic response of patients with amebiasis compared by gel-diffusion, hemagglutination, and phagocytosis techniques, 467
Antineutrophilic serum, its use in studies of white blood cell dynamics, 88
Aortic tissue, preparation for measurement of enzyme activity, 842
Arginine-8-vasopressin and lysine-8-vasopressin, relative potency in humans, 270
Arthritis, rheumatoid, immunofluorescent localization of third and fourth component of complement in synovial tissue from patients with, 141
studies of metabolism and distribution of fibrinogen in patients with, 624
Assay, semiautomatic one-stage factor VIII, with commercially prepared standard, 706
Atmospheres, artificial, multiplace metabolimeter with Servo-driven volume meter for use with, 330
ATP, added, effect on pathways of glucose utilization by human washed platelets in vitro, 194
levels, erythrocyte, and other in vitro measures to red cell storageability, relationship; studies on preservation of human blood, 968
metabolism and radiophosphate closed system efflux rate constant in intact human red cells, 23

B

Bacilli, gram-negative, pulmonary clearance, 833
Benzene phosphinic acid, used to prepare mixed samples of ^{55}Fe and ^{59}Fe for liquid scintillation counting, 170
Benzothiadiazine, antidiuretic (diazoxide), mechanism of action, 960

*January, pp. 1-176; February, pp. 177-356; March, pp. 357-536; April, pp. 537-712; May, pp. 713-892; June, pp. 893-1068.

Bile acids, pool size and turnover in six hypercholesteremic patients with and without administration of nicotinic acid, 584
quantitative microanalysis, 594
Biliary cirrhosis, primary, and chronic active hepatitis, antibodies to cytoplasmic antigens in, 979
reaction and choledocholithiasis induced in rat by lithocholic acid, 737
Blood cell dynamics, white, antineutrophilic serum, its use in studies, 88
red, metabolizing, accumulation of methylene blue by, 447
preparation and characterization of mitochondria from developing, 357
of rats fed low levels of carbamate Banol, detection of cholinesterase inhibition in, 325
white, human, failure of ADP and other nucleotides to modify phagocytosis and clumping by, 15
human, relationship of infection and DNA-synthesizing cells in, 428
studies on preservation; relationship of erythrocyte ATP levels and other in vitro measures to red cell storageability, 968
samples, whole, following application to acrylamide gel, electrophoresis of hemoglobins, 1018
Bone resorption rates in rib in physiological, senile, and postmenopausal osteoporoses, 810
and serum phosphate concentration in osteoporosis, relationship between, 110
Bones, long, effect of lactation on composition in rats, 102
skin, and lungs of adult rats, collagen and elastin metabolism in, 485
Brain structure, specific, localization, capable of enhancing red cell production; effect of electrical stimulation of central nervous system on erythropoiesis in rat, 776

C

Calcium absorption, human, estimation by external radioisotope counting, 1036
fractions, serum, coated charcoal assay, 351
Carbamate Banol, detection of cholinesterase inhibition in erythrocytes of rats fed low levels, 325
Carcinoma of lung and severe neuromyopathy, circulating IgG globulin anti-IgG globulin complex in patient with, 749
Cation requirement for reaction, studies on conversion of prothrombin to thrombin, 229
Cell(s) aging, red mechanism: relationship between cell age and specific gravity evaluated by ultracentrifugation in discontinuous density gradient, 659
blood, white, dynamics, antineutrophilic serum, its use in studies, 88
DNA-synthesizing, and infection, relationship in human blood, 428
Cell(s)—Cont'd
erythropoietin responsive, and colony forming units, comparison of recovery rates after 200 r total body x-irradiation, 438
red blood, preparation and characterization of mitochondria from developing, 357
intact human, radiophosphate closed system efflux rate constant and ATP metabolism in, 23
plasma, and extracellular fluid volume, simultaneous measurement in surgical patient, 683
production, localization of specific brain structure capable of enhancing; effect of electrical stimulation of central nervous system on erythropoiesis, in rat, 776
storageability, other in vitro measures to, relationship of erythrocyte ATP levels and; studies on preservation of human blood, 968
simple precise method for quantitative recovery from peritoneal cavity of mouse, 336
white blood, human, failure of ADP and other nucleotides to modify phagocytosis and clumping by, 15
Charcoal assay, coated, of serum calcium fractions, 351
Choledocholithiasis and biliary reaction induced in rat by lithocholic acid, 737
Cholinesterase inhibition, detection in erythrocytes of rats fed low levels of carbamate Banol, 325
Chromatography, DEAE-cellulose, purification of ferritin-conjugated antibody by, 997
gas, freezing point elevation, falling drop, and infra-red absorption, measurement of D_2O in plasma water by, 885
plates, thin-layer, equipment and techniques for quantitative recovery of steroids from, 343
Chromosomal pattern, pseudodiploid, in chronic lymphocytic leukemia, 938
Cirrhosis, primary biliary, and chronic active hepatitis, antibodies to cytoplasmic antigens in, 979
Citrate and ethylenediaminetetraacetate, effects upon platelet glycolysis, 204
Coagulation, release of nonsedimentable platelet factor 3 during, 1003
Collagen and elastin metabolism in lungs, skin, and bones of adult rats, 485
metabolism, effect of hyperthyroidism and hypothyroidism on, 950
Colon, normal human, salt and water absorption from; effect of 9-alpha-fluorohydrocortisone administration, 558
Colony forming units and erythropoietin responsive cells, comparison of recovery rate after 200 r total body x-irradiation, 438
Complement, immunofluorescent localization of third and fourth component, in synovial tissue from patients with rheumatoid arthritis, 141

Component, third and fourth, of complement, immunofluorescent localization, in synovial tissue from patients with rheumatoid arthritis, 141
Connective tissue disease, anticomplementary activity of sera from patients with, and normal subjects, 217
Creatine phosphokinase, serum, determination, improved procedure for, 696
Cryoprecipitation, possible role of SH groups in, studies in macrocryoglobulinemia, 456
Curves, dilution, indicator, clinical applications as gamma functions, 675
Cytoplasmic antigens, antibodies to, in primary biliary cirrhosis and chronic active hepatitis, 979

D

DEAE-cellulose chromatography, purification of ferritin-conjugated antibody by, 997
Deferoxamine, studies of site of action, 382
Density gradient, discontinuous, relationship between cell age and specific gravity evaluated by ultracentrifugation in: mechanism of red cell aging, 659
Dextran, clinical, effect on platelet aggregation adhesion, and ADP release in man, in vivo and in vitro studies, 37
Diabetes mellitus, metabolism of fructose in, 494
Diazoxide, mechanism of action, 960
3,4-Dihydroxymandelic acid in urine and its excretion by man, 1025
Dilution curves, indicator, clinical applications as gamma functions, 675
Disease, connective tissue, anticomplementary activity of sera from patients with, and normal subjects, 217
DNA-synthesizing cells and infection, relationship in human blood, 428
D_2O, measurement in plasma water by freezing point elevation, falling drop, infra-red absorption, and gas chromatography, 885

E

Editors, letter from, 1
EDTA, disodium, potassium chloride, and magnesium sulfate, myocardial contractile force in treatment of ouabain intoxication with, 292
ethylenediaminetetraacetate and citrate, effects upon platelet glycolysis, 204
Efflux rate constant, radiophosphate closed system, and ATP metabolism in intact human red cells, 23
Elastin and collagen metabolism in lungs, skin, and bones of adult rats, 485
Elastolytic activity, colorimetric method of measuring in extracts of whole pancreatic tissue, 530
Electrical stimulation, effect of central nervous system on erythropoiesis in rat; localization of specific brain structure capable of enhancing red cell production, 776
Electroimmunodiffusion, simple, rapid method for quantitation of immunoglobulins in dilute biological fluids, 151
Electrophoresis of hemoglobins following application of whole blood samples to acrylamide gel, 1018
Entamoeba histolytica antigen preparation, serologic response of patients with amebiasis compared by gel-diffusion, hemagglutination, and phagocytosis techniques with, 467
Enzyme activity, preparation of aortic tissue for measurement, 842
Epinephrine, conjugated, and norepinephrine, estimation in urine, 1042
Erythrocyte(s) aging, mechanism: relationship between cell age and specific gravity evaluated by ultracentrifugation in discontinuous density gradient, 659
ATP levels and other in vitro measures to red cell storageability, relationship; studies on preservation of human blood, 968
metabolizing, accumulation of methylene blue by, 447
normal, and erythrocytes from patients with hereditary spherocytosis, influence of pH and temperature on some physical properties, 758
preparation and characterization of mitochondria from developing, 357
in rats fed low levels of carbamate Banol, detection of cholinesterase inhibition in, 325
Erythropoiesis, effect of electrical stimulation of central nervous system on, in rat; localization of specific brain structure capable of enhancing red cell production, 776
Erythropoietin responsive cells and colony forming units, comparison of recovery rates after 200 r total body x-irradiation, 438
Ethanol ingestion in man, alteration of serotonin metabolism to 5-hydroxytryptophol by, 132
Ethanol-induced alterations of norepinephrine metabolism in man, 787
Ethylenediaminetetraacetate and citrate, effects upon platelet glycolysis, 204
Etiocholanolone, quantitative aspects of pyrogenic and hematologic responses to, in man, 415

F

Factor 3, platelet, nonsedimentable, release during coagulation, 1003
VIII assay, semiautomatic one-stage, with commercially prepared standard, 706
IX, activation, studies, on anticoagulant action of heparin, protamine, and Polybrene in, 927
Falling drop, freezing point elevation, infra-red absorption, and gas chromatography, measurement of D_2O in plasma water by, 885
Fat absorption studies in rat, lipid-soluble inert indicator in, 989

^{55}Fe and ^{59}Fe, use of benzene phosphinic acid to prepare mixed samples, for liquid scintillation counting, 170
Ferritin-conjugated antibody, purification by DEAE-cellulose chromatography, 997
Fetal myoglobin, studies on, 728
Fibrinogen, metabolism and distribution, studies in patients with rheumatoid arthritis, 624
Fluid volume, extracellular, red cell, and plasma, simultaneous measurement in surgical patient, 683
Fluids and tissues, biologic, determination of radiosulfate in, 518
Fluorohydrocortisone, 9-alpha-, administration, effect; salt and water absorption from normal human colon, 558
Folic acid, effect of alcoholism on absorption, evaluated by plasma levels and urine excretion, 116
Fractions, serum calcium, coated charcoal assay, 351
Freezing point elevation, falling drop, infrared absorption, and gas chromatography, measurement of D_2O in plasma water by, 885
Fructose, metabolism in diabetes mellitus, 494

G

Gamma functions, clinical applications of indicator dilution curves as, 675
Gel, acrylamide, from whole blood samples, electrophoresis of hemoglobins following application, 1018
filtration, thin-layer, combined with immunodiffusion, characterization of serum proteins by, 522
Gel-diffusion, hemagglutination, and phagocytosis techniques with common *Entamoeba histolytica* antigen preparation, 467
Genotype, activity in leukocytes and cell cultures in relation to, lysosomal alpha glucosidase in type II glycogenosis, 472
Globulin, IgG, circulating, anti-IgG globulin complex in patient with carcinoma of lung and severe neuromyopathy, 749
Glomerular filtration rate and renal plasma flow, simultaneous effective, determination with ^{131}I-ortho-iodohippurate and ^{125}I-allyl inulin, 919
Glucose, ribose, and other sugars into portal veins of dogs, effects of infusion; regulation of insulin secretion, 537
utilization, effect of added ATP on pathways, by human washed platelets in vitro, 194
Glucosidase, alpha, lysosomal, in type II glycogenosis, activity in leukocytes and cell cultures in relation to genotype, 472
Glutamyl, gamma, transpeptidase, serum electrophoretic mobilities, and its clinical application in hepatobiliary disease, 504
Glycogenosis, type II, lysosomal alpha glucosidase in, activity in leukocytes and cell cultures in relation to genotype, 472
Glycolysis, platelet, effects of ethylenediaminetetraacetate and citrate upon, 204
Gram-negative bacilli, pulmonary clearance, 833
Growth hormone and insulin secretion in man, influence of physical stress and exercise on, 256

H

Hageman factor-like material in Hageman trait, immunologic demonstration of deficiency, 819
Hemagglutination, gel-diffusion, and phagocytosis techniques with common *Entamoeba histolytica* antigen preparation, serologic response of patients with ambiasis compared by, 467
Hematologic and pyrogenic responses to etiocholanolone, quantitative aspects in man, 415
Heme and porphyrin synthesis in sideroblastic anemia, 904
Hemoglobin concentration, effect on spectrophotometrically determined oxygen saturation, 862
electrophoresis, following application of whole blood samples to acrylamide gel, 1018
Lepore or thalassemia, synthesis of alpha, beta, and delta peptide chains by reticulocytes from subjects with, 183
$M_{Reserve}$, studies on identification and characterization, 62
Hemolysis, excess, experimental evidence in course of chronic iron deficiency anemia, 405
Heparin, protamine, and Polybrene, studies on anticoagulant action, in activation of factor IX, 927
Hepatic function, viability and effect of flow upon function of ex vivo perfused pig liver, 245
Hepatitis, chronic active, and primary biliary cirrhosis, antibodies to cytoplasmic antigens in, 979
Hepatobiliary disease, clinical application in, electrophoretic mobilities of serum gamma glutamyl transpepidase and, 504
Homograft, rejection, effect of immune organ transplants on, in tumor-bearing mice, 800
Hormone, growth, and insulin secretion in man, influence of physical stress and exercise on, 256
Hydrocortisone induced changes in sugar nucleotide content of sponge biopsy connective tissue in absence of comparable changes in liver, 610
5-Hydroxytryptophol by ethanol ingestion in man, alteration of serotonin metabolism to, 132

Hypercapnia and hypocapnia, effects on intracellular acid-base equilibrium in man, 304
Hypercholesteremic patients, six, pool size and turnover of bile acids in, with and without administration of nicotinic acid, 584
Hyperthyroidism and hypothyroidism, effect on collagen metabolism, 950
Hypocapnia and hypercapnia, effects on intracellular acid-base equilibrium in man, 304
Hypothyroidism and hyperthyroidism, effect on collagen metabolism, 950

I

^{125}I-allyl inulin and ^{131}I-ortho-iodohippurate, determination of simultaneous effective renal plasma flow and glomerular filtration rate with, 919
^{131}I-ortho-iodohippurate and ^{125}I-allyl inulin, determination of simultaneous effective renal plasma flow and glomerular filtration rate with, 919
Immunodiffusion, characterization of serum proteins by thin-layer gel filtration combined with, 522
Immunofluorescent localization of third and fourth component of complement in synovial tissue from patients with rheumatoid arthritis, 141
  staining technique, modified indirect, for demonstration of rubella antibodies in human sera, 689
Immunoglobulins in dilute biological fluids, simple, rapid method for quantitation, 151
Immunologic demonstration of deficiency of Hageman factor-like material in Hageman trait, 819
  reaction, failure of long acting thyroid stimulator to thyroid components, and demonstration of plasma inhibitor of LATS, 713
  studies in normal human sweat, 634
    of proteins associated with subcellular fractions of normal human platelets, 651
Infection and DNA-synthesizing cells, relationship in human blood, 428
Inflammation, acute, studies on pathogenesis; failure of ADP and other nucleotides to modify phagocytosis and clumping by human leukocytes, 15
Infra-red absorption, freezing point elevation, falling drop, and gas chromatography, measurement of D_2O in plasma water by, 885
Insulin secretion and growth hormone in man, influence of physical stress and exercise on, 256
  regulation: effects of infusion of glucose, ribose, and other sugars into portal veins of dogs, 537
Intestinal absorption, in vivo method for study in unanesthetized rat, 879
Intoxication, ouabain, myocardial contractile force in treatment, with disodium EDTA, potassium chloride, and magnesium sulfate, 292
Intracellular acid-base equilibrium, effects of hypocapnia and hypercapnia on, in man, 304
Inulin, ^{125}I-allyl, and ^{131}I-ortho-iodohippurate, determination of simultaneous effective renal plasma flow and glomerular filtration rate with, 919
Iron binding capacity methods, total, comparison in iron deficient state, 874
  deficiency anemia, chronic, experimental evidence of excess hemolysis in course, 405
  exchange, internal, method of investigating, utilizing two types of transferrin, 370

L

Lactate/pyruvate ratio, arterial, and excess lactate formation, assessment of tissue anoxemia in chronic anemia by, 177
Lactation, effect on composition of long bones in rats, 102
Lepore, hemoglobin, or thalassemia, synthesis of alpha, beta, and delta peptide chains by reticulocytes from subjects with, 183
Letter from the Editors, 1
Leukemia, chronic lymphocytic, characteristics of RNA synthesized in vitro by lymphocytes, 47
  lymphocytic, chronic, pseudodiploid chromosomal pattern in, 938
Leukocyte(s) and cell cultures in relation to genotype, lysosomal alpha glucosidase in type II glycogenosis, 472
  dynamics, antineutrophilic serum, its use in studies, 88
  human, failure of ADP and other nucleotides to modify phagocytosis and clumping by, 15
Lipid-soluble inert indicator in fat absorption studies in rat, 989
Lithocholic acid, biliary reaction and choledocholithiasis induced in rat by, 737
Liver, hydrocortisone induced changes in sugar nucleotide content of sponge biopsy connective tissue in absence of comparable changes in, 610
  pig, ex vivo perfused, viability and effect of flow upon function, 245
  plasma, and urine, determination of tryptophan in, 160
L-tryptophan load, effects on metabolism of tryptophan-2-C^{14} in man, 313
Lungs, skin, and bones of adult rats, collagen and elastin metabolism in, 485
Lymphocytes, characteristics of RNA synthesized in vitro by, chronic lymphocytic leukemia, 47
Lymphocytic leukemia, chronic, pseudodiploid chromosomal pattern in, 938
Lysine-8-vasopressin and arginine-8-vasopressin, relative potency in humans, 270

M

Macrocryoglobulinemia, studies in: possible role of SH groups in cryoprecipitation, 456
Metabolimeter, multiplace, with Servo-driven volume meter for use with artificial atmospheres, 330
Metabolism, ATP, and radiophosphate closed system efflux rate constant in intact human red cells, 23
collagen, effect of hyperthyroidism and hypothyroidism on, 950
and elastin, in lungs, skin, and bones of adult rats, 485
and distribution of fibrinogen, studies in patients with rheumatoid arthritis, 624
of fructose in diabetes mellitus, 494
immunoglobulins in dilute biological fluids, simple, rapid method for quantitation, 151
norepinephrine, in man, ethanol-induced alterations, 787
serotonin, alteration to 5-hydroxytryptophol by ethanol ingestion in man, 132
of tryptophan-2-C^{14} in man, effects of L-tryptophan load on, 313
Methylene blue, accumulation by metabolizing erythrocytes, 447
Microanalysis, of bile, quantitative, 594
Microelectrode, oxygen, in vitro and in vivo use, 853
Mitochondria, preparation and characterization from developing red blood cells, 357
Myocardial contractile force in treatment of ouabain intoxication with disodium EDTA, potassium chloride, and magnesium sulfate, 292
Myoglobin, fetal, studies on, 728

N

Na_2SO_4, effect on urinary acidification in chronic renal disease, 893
Natriuresis, hemodynamically induced, in presence of sodium retention resulting from constriction of thoracic inferior vena cava, 565
Nervous system, central, effect of electrical stimulation on erythropoiesis in rat; localization of specific brain structure capable of enhancing red cell production, 776
Neuromyopathy, severe, and carcinoma of lung, circulating IgG globulin anti-IgG globulin complex in patient with, 749
Nicotinic acid, pool size and turnover of bile acids in six hypercholesteremic patients with and without administration, 584
Norepinephrine and conjugated epinephrine, estimation in urine, 1042
metabolism in man, ethanol-induced alterations, 787
Nucleotide content, sugar, hydrocortisone induced changes in, of sponge biopsy connective tissue in absence of comparable changes in liver, 610
Nucleotide—Cont'd
other, and ADP, failure to modify phagocytosis and clumping by human leukocytes, 15

O

Organ transplants, immune, effect on homograft rejection in tumor-bearing mice, 800
Osteoporoses, physiological, senile, and postmenopausal, bone resorption rates in rib in, 810
Osteoporosis, relationship between serum phosphate concentration and bone resorption in, 110
Ouabain intoxication, myocardial contractile force in treatment, with disodium EDTA, potassium chloride, and magnesium sulfate, 292
Oxygen microelectrode, in vitro and in vivo use, 853
saturation, spectrophotometrically determined, effect of hemogobin concentration on, 862

P

Pancreatic tissue, whole, colorimetric method of measuring elastolytic activity in extracts, 530
Pathogenesis, studies on acute inflammation; failure of ADP and other nucleotides to modify phagocytosis and clumping by human leukocytes, 15
Peptide chains, alpha, beta, and delta, synthesis by reticulocytes from subjects with thalassemia or hemoglobin Lepore, 183
Peritoneal cavity of mouse, simple precise method for quantitative recovery of cells from, 336
pH and temperature, influence on some physical properties of normal erythrocytes and erythrocytes from patients with hereditary spherocytosis, 758
Phagocytosis and clumping by human leukocytes, failure of ADP and other nucleotides to modify, 15
gel-diffusion, and hemagglutination techniques with common *Entamoeba histolytica* antigen preparation, serologic response of patients with amebiasis compared by, 467
Phosphate, serum, concentration, and bone resorption in osteoporosis, relationship between, 110
Phosphinic acid, benzene, used to prepare mixed samples of ^{55}Fe and ^{59}Fe for liquid scintillation counting, 170
Phosphokinase, serum creatine, determination, improved procedure for, 696
Plasma flow, renal, and glomerular filtration rate, simultaneous effective, determination with ^{131}I-ortho-iodohippurate and ^{125}I-allyl inulin, 919
inhibitor of LATS, demonstration, failure of immunologic reaction of long acting thyroid stimulator to thyroid components, 713

Plasma—Cont'd
levels and urine excretion, effect of alcoholism on absorption of folic acid evaluated by, 116
liver, and urine, determination of tryptophan in, 160
red cell, and extracellular fluid volume, simultaneous measurement in surgical patient, 683
water, measurement of D_2O in, by freezing point elevation, falling drop, infrared absorption, and gas chromatography, 885
Platelet aggregation, adhesion, and ADP release in man, effect of clinical dextran on, 37
factor 3, nonsedimentable, release during coagulation, 1003
glycolysis, effects of ethylenediaminetetraacetate and citrate upon, 204
human washed, in vitro, effect of added ATP on pathways of glucose utilization by, 194
normal human, immunologic studies of proteins associated with subcellular fractions, 651
Polybrene, heparin, and protamine, studies on anticoagulant action, in activation of factor IX, 927
Porphyrin and heme synthesis in sideroblastic anemia, 904
Potassium chloride, disodium EDTA, and magnesium sulfate, myocardial contractile force in treatment of ouabain intoxication with, 292
Presidential address; whetstones, 6
Pressor response to serum and exogenous renin in rats, 1013
Protamine, heparin, and Polybrene, studies on anticoagulant action, in activation of factor IX, 927
Proteins associated with subcellular fractions, immunologic studies of normal human platelets, 651
serum, characterization by thin-layer gel filtration combined with immunodiffusion, 522
Prothrombin to thrombin, studies on conversion: with notes on cation requirement for reaction, 229
Pseudodiploid chromosomal pattern in chronic lymphocytic leukemia, 938
Pulmonary clearance of gram-negative bacilli, 833
Pyrogenic and hematologic responses to etiocholanolone, quantitative aspects in man, 415
Pyruvate, lactate/, ratio, arterial, and excess lactate formation, assessment of tissue anoxemia in chronic anemia by, 177

R

Radioisotope counting, external, estimation of human calcium absorption by, 1036
Radiophosphate closed system efflux rate constant and ATP metabolism in intact human red cells, 23
Radiosulfate, determination in biologic fluids and tissues, 518
Rate constant, radiophosphate closed system efflux, and ATP metabolism in intact human red cells, 23
Red blood cells, preparation and characterization of mitochondria from developing, 357
cells, human, intact, radiophosphate closed system efflux rate constant and ATP metabolism in, 23
Renal disease, chronic effect of Na_2SO_4 on urinary acidification in, 893
plasma flow and glomerular filtration rate, simultaneous effective, determination with ^{131}I-ortho-iodohippurate and ^{125}I-allyl inulin, 919
Renin, exogenous, and serum, pressor response to, in rats, 1013
Reticulocytes, synthesis of alpha, beta, and delta peptide chains by, from subjects with thalassemia or hemoglobin Lepore, 183
Rheumatoid arthritis, immunofluorescent localization of third and fourth component of complement in synovial tissue from patients with, 141
studies of metabolism and distribution of fibrinogen in patients with, 624
Rib, bone resorption rates in, in physiological, senile, and postmenopausal osteoporoses, 810
Ribose, glucose, and other sugars into portal veins of dogs, effects of infusion; regulation of insulin secretion, 537
RNA synthesized, characteristics in vitro by lymphocytes of chronic lymphocytic leukemia, 47
Rubella antibodies in human sera, modified indirect immunofluorescent staining technique for demonstration, 689

S

Salt and water absorption from normal human colon: effect of 9-alpha-fluorohydrocortisone administration, 558
Scintillation counting, liquid, use of benzene phosphinic acid to prepare mixed samples of ^{55}Fe and ^{59}Fe for, 170
Sera, anticomplementary activity, from patients with connective tissue disease and normal subjects, 217
human, modified indirect immunofluorescent staining technique for demonstration of rubella antibodies in, 689
Serotonin metabolism, alteration to 5-hydroxytryptophol by ethanol ingestion in man, 132
Serum, antineutrophilic, its use in studies of white blood cell dynamics, 88
calcium fractions, coated charcoal assay, 351
creatine phosphokinase determination, improved procedure for, 696
and exogenous renin, pressor response to, in rats, 1013
phosphate concentration and bone resorption in osteoporosis, relationship between, 110

Serum—Cont'd
proteins, characterization by thin-layer gel filtration combined with immunodiffusion, 522
SH groups, possible role in cryoprecipitation, studies in macrocryoglobulinemia, 456
Sideroblastic anemia, heme and porphyrin synthesis in, 904
Skin, lungs, and bones of adult rats, collagen and elastin metabolism in, 485
Sodium retention resulting from constriction of thoracic inferior vena cava, hemodynamically induced natriuresis in presence, 565
Spectrophotometrically determined oxygen saturation, effect of hemoglobin concentration on, 862
Spherocytosis, hereditary, influence of pH and temperature on some physical properties of normal erythrocytes and erythrocytes from patients with, 758
Staining technique, immunofluorescent, modified indirect, for demonstration of rubella antibodies in human sera, 689
Steroids, equipment and techniques for quantitative recovery, from thin-layer chromatography plates, 343
Stress, physical, and exercise, influence on growth hormone and insulin secretion in man, 256
Subcellular fractions of normal human platelets, immunologic studies of proteins associated with, 651
Sugar nucleotide content, hydrocortisone induced changes in, of sponge biopsy connective tissue in absence of comparable changes in liver, 610
other, glucose, and ribose into portal veins of dogs, effects of infusion; regulation of insulin secretion, 537
Sweat, normal human, immunologic studies in, 634
Synovial tissue, immunofluorescent localization of third and fourth component of complement in, from patients with rheumatoid arthritis, 141

T

Temperature and pH, influence on some physical properties of normal erythrocytes and erythrocytes from patients with hereditary spherocytosis, 758
Thalassemia or hemoglobin Lepore, synthesis of alpha, beta, or delta peptide chains by reticulocytes from subjects with, 183
Thin-layer chromatography plates, equipment and techniques for quantitative recovery of steroids from, 343
Thoracic inferior vena cava, sodium retention resulting from constriction, hemodynamically induced natriuresis in presence, 565
Thrombin from prothrombin, studies on conversion: with notes on cation requirement for reaction, 229
Thyroid stimulator, long acting, failure of immunologic reaction, to thyroid components, and demonstration of plasma inhibitor of LATS, 713
Tissue anoxemia, assessment in chronic anemia by arterial lactate/pyruvate ratio and excess lactate formation, 177
aortic, preparation for measurement of enzyme activity, 842
disease, connective, anticomplementary activity of sera from patients with, and normal subjects, 217
sponge biopsy connective, in absence of comparable changes in liver, hydrocortisone induced changes in sugar nucleotide content, 610
synovial, immunofluorescent localization of third and fourth component of complement in, from patients with rheumatoid arthritis, 141
whole pancreatic, colorimetric method of measuring elastolytic activity in extracts, 530
Tissues and fluids, biologic, determination of radiosulfate in, 518
Transferrin, utilizing two types, method of investigating internal iron exchange, 370
Transpeptidase, gamma glutamyl, serum, electrophoretic mobilities, and its clinical application in hepatobiliary disease, 504
Transplants, organ, immune, effect on homograft rejection in tumor-bearing mice, 800
Tryptophan in plasma, liver, and urine, determination, 160
Tumor-bearing mice, effect of immune organ transplants on homograft rejection in, 800

U

Urinary acidification, effect of Na_2SO_4 on, in chronic renal disease, 893
Urine, estimation of conjugated epinephrine and norephinephrine in, 1042
of 3,4-dihydroxymandelic acid in, and its excretion by man, 1025
excretion and plasma levels, effect of alcoholism on absorption of folic acid evaluated by, 116
plasma, and liver, determination of tryptophan in, 160

V

Vasopressin, arginine-8-, and lysine-8-vasopressin, relative potency in humans, 270
Vena cava, thoracic inferior, sodium retention resulting from constriction, hemodynamically induced natriuresis in presence, 565

Volume meter, Servo-driven, for use with artificial atmospheres, multiplace metabolimeter with, 330

W

Water and salt absorption from normal human colon: effect of 9-alpha-fluorohydrocortisone administration, 558

Whetstones, Presidential address, 6

X

X-irradiation, 200 r total body colony forming units and erythropoietin responsive cells, comparison of recovery rate after, 438

Index to Volume 70

Author index*

A

ABRAHAM, NANCY. (*See* Tobian, Abraham, and Smith), 1019 (Abst.)

ADLER, SHELDON. (*See* Lindeman, Adler, Yiengst, and Beard), 236

AIKAWA, JERRY K. The role of magnesium in biologic processes, 883 (Abst.)

ALEXANDER, JAMES K., AND PETTIGROVE, JOHN R. Obesity and congestive heart failure, 857 (Abst.)

ALEXANIAN, RAYMOND, VAUGHN, WILLIAM K., AND RUCHELMAN, MARYON W. With the technical assistance of Prewitt, Brenda. Erythropoietin excretion in man following androgens, 777

—. (*See* Alperin, Levin, Alexanian, and Houston), 983 (Abst.)

ALFORD, DOROTHY A. (*See* Lewis, Alford, Dickinson, Mulherin, Wright, Gardner, and Moores), 862 (Abst.)

ALFREY, CLARENCE P., JR., LYNCH, EDWARD C., AND WHITLEY, CARL E. Characteristics of ferritin isolated from human marrow, spleen, liver, and reticulocytes, 419

ALI, MIR VILAYAT, AND NOLAN, JAMES P. Alcohol induced depression of reticuloendothelial function in the rat, 295

ALKJAERSIG, NORMA. (*See* Fisher, Fletcher, Alkjaersig, and Sherry), 903

ALPERIN, JACK B., LEVIN, WILLIAM C., ALEXANIAN, RAYMOND, AND HOUSTON, ELSIE W. Familial erythrocytosis: a disorder due to increased erythropoietin production, 983 (Abst.)

AL-SAADI, A. Precursor cytogenetic changes of transplantable thyroid carcinoma in iodine deficient goiters, 1023 (Abst.)

ANDERSON, TRUMAN O. (*See* Grieble, Bach, Spies, and Anderson), 1012 (Abst.)

—. (*See* Grieble, Zschocke, and Anderson), 1013 (Abst.)

AOKI, MICHIKO. (*See* Aoki, Merkel, Aoki, and McCabe), 204

AOKI, SHIGEHISA, MERKEL, M., AOKI, MICHIKO, AND MCCABE, W. R. Immunofluorescent localization of bacterial antigen in pyelonephritis. I. The use of antisera against the common enterobacterial antigen in experimental renal lesions, 204

ARIAS, IRWIN M. (*See* DeLeon, Gartner, and Arias), 273

ARMSTRONG, MARK L., FITZ, ANNETTE E., AND PETERSON, RICHARD E. Characteristics of the hypertensive state produced by deoxycorticosterone pivalate, 1004 (Abst.)

ASOKAN, SANKARAN K. (*See* Regan, Moschos, Oldewurtel, Weisse, and Asokan), 221

ASTER, RICHARD H. Studies of the mechanism of "hypersplenic" thrombocytopenia in rats, 736

ATKINS, INA C. (*See* Prager, Young, and Atkins), 768

AVAMPATO, J. E. (*See* Cabasso, Chappell, Avampato, and Bittle), 170

AVIOLI, LOUIS V., AND SLATOPOLSKY, EDUARDO. An explanation for the apparent vitamin D resistance in chronic renal disease, 882 (Abst.)

B

BACH, GERHARD L. (*See* Grieble, Bach, Spies, and Anderson), 1012 (Abst.)

BACHMANN, FEDOR. (*See* Wochner, Kulapongs, and Bachmann), 997 (Abst.)

BALALONG, GLORIA. (*See* Gabuzda, Laforet, and Gardner), 581

BALCERZAK, STANLEY P., WESTERMAN, MAXWELL P., AND HEINLE, EDWARD W. Mechanism of anemia in Zieve's syndrome, 1024 (Abst.)

BALL, DENNIS. (*See* Goodfriend and Ball), 884 (Abst.)

BARBORIAK, JOSEPH J. (*See* Fink, Barboriak, and Sosman), 880 (Abst.)

BARZUNE, LAWRENCE S. (*See* Seltzer and Barzune), 1004 (Abst.)

BASHOUR, F. A., LEHMANN, JAMES, AND PRATI, RONALD. Prophylactic use of Dilantin in acute myocardial infarction, 893 (Abst.)

BASS, HELEN B. (*See* Bradford, Furman, and Bass), 998 (Abst.)

BATTIFORA, HECTOR A., MCCREARY, PATRICIA A., HAHNEMAN, BETTY M., LAING, GRANT H., AND HASS, GEORGE M. Chronic granulocytic leukemia induced in the rat by magnesium deficiency, 858 (Abst).

BAUM, GERALD L. (*See* Chester, Baum, and Wilkes), 888 (Abst.)

*July, pp. 1-178; August, pp. 179-360; September, pp. 361-534; October, pp. 535-714; November, pp. 715-894; December, pp. 895-1064.

BAUMAN, JOHN H., AND HARRIS, JOHN W. Estimation of hepatic iron stores by in vivo measurement of magnetic susceptibility, 246

BAYRD, EDWIN D. (*See* Kyle, Gleich, and Bayrd), 991 (Abst.)

BEAR, EDWARD S. (*See* James, Bear, Lang, and Green), 876 (Abst.)

BEARD, ELSIE S. (*See* Lindeman, Adler, Yiengst, and Beard), 236

BEASLEY, JANET S. (*See* Hamburger, Garancis, Scott, Carleton, and Beasley), 786

BEDELL, GEORGE N. (*See* Clarke, Steine, and Bedell), 992 (Abst.)

BELLE, CLYDE. (*See* Randall, Singh, Laster, Belle, and Setter), 129

BEN-PORATH, MOSHE. (*See* Toigo and Ben-Porath), 892 (Abst.)

BENTLEY, DAVID W., HAQUE, RIAZ-UL, FIEDLER, MARY ANN, AND LEPPER, MARK H. Transmission patterns of coagulase negative staphylococci, 1006 (Abst.)

BERNIER, GEORGE M., AND HINES, JOHN D. Chemical heterogeneity of intrinsic factor autoantibodies, 1008 (Abst.)

BERNIK, MARIA B., AND KWAAN, HAU C. Origin of fibrinolytic activity in cultures of the human kidney, 650

BERUMEN, FERNANDO OVALLE, LOBSENZ, IRVING L., AND UTIGER, ROBERT D. Neutralization of the long-acting thyroid stimulator by thyroid subcellular fractions, 640

BEST, MAURICE M., AND BEST, MICHAEL M. Some effects in the rat of the neonatal administration of thyroxin, 887 (Abst.)

BEST, MICHAEL M. (*See* Best and Best), 887 (Abst.)

BEUTLER, ERNEST. (*See* Wood and Beutler), 287

BING, RICHARD J. (*See* Puri and Bing), 864 (Abst.)

BITTLE, J. L. (*See* Cabasso, Chappell, Avampato, and Bittle), 170

BOLE, GILES G., AND LEUTZ, JANET C. The participation of inflammatory connective tissue in synthesis of acute phase serum glycoproteins, 880 (Abst.)

BOLINGER, ROBERT E. (*See* Kyner, Cordell, Meek, and Bolinger), 1002 (Abst.)

BOLT, MERRY G. (*See* Palmer and Bolt), 873 (Abst.)

BONAVIDA, BEN, SAPSE, ALFRED T., AND SERCARZ, ELI E. Human tear lysozyme. I. Purification, physiochemical, and immunochemical characterization, 951

BORDER, WAYNE. (*See* Little, Border, and Freidin), 874 (Abst.)

BOURGOIGNIE, JACQUES. (*See* Klahr, Guerra, Yates, Bourgoignie, and Bricker), 1026 (Abst.)

BOWIE, E. J. WALTER, CHAN, JOHN Y. S., DIDISHEIM, PAUL, THOMPSON, JOHN H., JR., MUHRER, MERLE E., AND OWEN, CHARLES A., JR. The factor VIII "stimulating factor" in procine von Willebrand's disease, 991 (Abst.)

BOZIAN, RICHARD C. (*See* Ford, Bozian, Schubert), 1027 (Abst.)

BRADFORD, REAGAN H., FURMAN, ROBERT H., AND BASS, HELEN B. Triglyceride-fatty acid specificity of plasma post-heparin lipolytic activity in controls and hyperglyceridemic subjects, 998 (Abst.)

BRAUN, GEORGE A. (*See* Clark, Braun, Hewson, Serafetinides, Colmore, and Rahal), 889 (Abst.)

BRAUN, HILDEGARD. (*See* McKeever, Braun, and Farrell), 999 (Abst.)

BRAVO, EMMANUEL L., AND TRAVIS, RANDALL H. A quantitative gas-liquid chromatographic method for aldosterone in human urine, 831

BREWER, GEORGE J. Metabolism of ATP in thalassemic and iron-deficient erythrocytes, 1016 (Abst.)

BRICKER, NEAL S. (*See* Klahr, Guerra, Yates, Bourgoignie, and Bricker), 1026 (Abst.)

BROCK, FRANCE E. (*See* Morrison and Brock), 116

BRODWALL, ERLING KRUGE, SCHWARTZ, FRANKLIN D., MATTENHEIMER, HERMAN, AND KARK, ROBERT M. Relations among oxygen consumption, sodium reabsorption, renal function, and enzyme activity in diseased kidneys, 985 (Abst.)

BROITMAN, SELWYN A., FLINT, DOROTHY, AND ZAMCHECK, NORMAN. Neomycin feeding in the rat: studies of intestinal absorption of glucose and xylose, 9

BROMBERG, PHILIP A., AND JENSEN, WALLACE N. With the technical assistance of McDonough, Marilyn. Blood oxygen dissociation curves in sickle cell disease, 480

BROWN, G. B. (*See* Muirhead, Leach, Brown, Daniels, and Hinman), 986 (Abst.)

BUNN, H. FRANKLIN. Effect of sulfhydryl reagents on the binding of human hemoglobin to haptoglobin, 606

BURCH, ROBERT E. Ketosis: a control mechanism in cholesterol and fatty acid synthesis, 878 (Abst.)

BURKHALTER, EDWARD L. (*See* Theil and Burkhalter), 994 (Abst.)

BURNS, CYNTHIA R. (*See* McGiff and Burns), 892 (Abst.)

BURNS, THOMAS W., AND LANGLEY, PAUL E. Effects of epinephrine and peptide hormones on isolated human adipose tissue cells, 1009 (Abst.)

C

CABASSO, V. J., CHAPPELL, W. A., AVAMPATO, J. E., AND BITTLE, J. L. Correlation of B virus and herpes simplex virus antibodies in human sera, 170

—, STEBBINS, M. R., KARELITZ, S., CERINI, C. P., RUEGSEGGER, J. M., AND STILLERMAN, M. Attenuation of rubella virus: studies in monkeys and man, 429

CADY, ALLAN B., RHODES, JAMES B., LITTMAN, ARMAND, AND CRANE, ROBERT K. Significance of lactase deficit in ulcerative colitis, 279

CAIN, WILLIAM A., VAN ALTEN, PIERSON J., GOOD, ROBERT A., AND COOPER, MAX D. Dysgammaglobulinemia produced by developmental arrest, 882 (Abst.)

CANTERBURY, JANET. (*See* Reiss and Canterbury), 1012 (Abst.)

CAREY, JAMES B., JR. (*See* Wilson, Onstad, Williams, Carey, and Yount), 879 (Abst.)

CARLETON, JUDITH. (*See* Hamburger, Garancis, Scott, Carleton, and Beasley), 786

CARLETON, RICHARD A. (*See* Clark and Carleton), 1015 (Abst.)

CARLISLE, HAROLD N. (*See* Saslaw, Perkins, Carlisle, and Sparks), 885 (Abst.)

CARPENTER, ANNA-MARY. (*See* Kelly, Lillehei, Merkel, Idezuki, Carpenter, and Goetz), 872 (Abst.)

CARROLL, HUGH J. (*See* Gorstein, Carroll, and Puszkin), 938

CARSON, PAUL E. (*See* McNamara, Frischer, Rieckmann, Stockert, Powell, and Carson), 989 (Abst.)

CARUSO, CARMINE J. (*See* Sass, Caruso, and Farhangi), 760

CASTELL, DONALD O. (*See* McEwen and Castell), 36

CASTOLDI, G. L. (*See* Yam, Castoldi, and Mitus), 699

CATT, KEVIN, NIALL, H. D., AND TREGEAR, G. W. A solid phase disc radioimmunoassay for human growth hormone, 820

CERINI, C. P. (*See* Cabasso, Stebbins, Karelitz, Cerini, Ruegsegger, and Stillerman), 429

CHALLONER, DAVID R. Mechanisms of oxygen utilization as related to work function in isolated perfused rat heart, 995 (Abst.)

CHAN, JOHN Y. S. (*See* Bowie, Chan, Didisheim, Thompson, Muhrer, and Owen), 991 (Abst.)

CHANDLER, JOHN W., JR. (*See* Newberry, Chandler, Chin, and Kirkpatrick), 875 (Abst.)

CHAPMAN, LLOYD W. (*See* Massry, Coburn, Chapman, and Kleeman), 563

CHAPPELL, W. A. (*See* Cabasso, Chappell, Avampato, and Bittle), 170

CHEN, ALAN Y. (*See* Takeda and Chen), 678

CHESTER, EDWARD H., BAUM, GERALD L., AND WILKES, EDWARD A. Dynamic measurement of airway resistance parameters, 888 (Abst.)

CHIN, TOM D. Y. (*See* Newberry, Chandler, Chin, and Kirkpatrick), 875 (Abst.)

CHO, CHAI MOO. (*See* Kaplan, Graham, Kannbrocki, Cho, and Veatch), 867 (Abst.)

CHUTKOW, JERRY G., AND MEYERS, SANFORD. Magnesium deficiency and the nervous system, 884 (Abst.)

CLANCY, WILLIAM T. (*See* Kann, Mengel, Clancy, and Timms), 150

CLARK, JAMES G., AND CARLETON, RICHARD A. Altered myocardial mechanics following left ventricular contrast medium injection, 1015 (Abst.)

CLARK, MERVIN L., BRAUN, GEORGE A., HEWSON, J. ROBERT, SERAFETINIDES, E. A., COLMORE, JOHN P., AND RAHAL, DONE K. The effect of trifluperidol on cholestrol biosynthesis in man, 889 (Abst.)

CLARKE, B. G., STEINE, MARK, AND BEDELL, GEORGE N. The energy cost of cycling and walking, 992 (Abst.)

COBURN, JACK W. (*See* Massry, Coburn, Chapman, and Kleeman), 563

COHEN, ALFRED M., AND WALKER, W. GORDON. The use of renal clearances of enzymes as an indicator of selective permeability of the renal glomerulus, 571

COHEN, PHIN. (*See* Cooley and Cohen), 69

COLIGADO, EDUARDO Y. (*See* Fleshler and Coligado), 883 (Abst.)

COLMORE, JOHN P. (*See* Clark, Braun, Hewson, Serafetinides, Colmore, and Rahal), 889 (Abst.)

COLTMAN, CHARLES A., JR. (*See* Costanzi, Coltman, and Donaldson), 988 (Abst.)

CONLEY, C. LOCKARD. (*See* Morse, Jackson and Conley), 106

CONN, HAROLD O. Ammonia tolerance in the diagnosis of esophageal varices. A comparison of endoscopic, radiologic, and biochemical techniques, 442

CONN, JEROME W. (*See* Knopf, Floyd, Sanbar, Fajans, Pek, and Conn), 1025 (Abst.)

—. (*See* Louis and Conn), 1016 (Abst.)

CONRAD, MARCEL E. (*See* George, Sears, McCurdy, and Conrad), 80

CONWAY, J. (*See* Julius and Conway), 1026 (Abst.)

COOK, H. BRAMWELL. (*See* French and Cook), 1005 (Abst.)

COOK, JOHN S. Size determination of human erythrocytes with an electronic counter, 849

COOLEY, MARK H., AND COHEN, PHIN. Potassium transport in human blood platelets, 69

COOPER, GAIL. (*See* McDonald and Lange), 48

COOPER, MAX D. (*See* Cain, Van Alten, Good, and Cooper), 882 (Abst.)

CORDELL, LARRY D. (*See* Kyner, Cordell, Meek, and Bolinger), 1002 (Abst.)

CORNBLATH, MARVIN, SWIATEK, KENNETH R., GENTZ, JOHAN, AND KIPNIS, DAVID M. Starvation hypoglycemia in newborn pigs, 1001 (Abst.)

COSTANZI, JOHN J., COLTMAN, CHARLES S., JR., AND DONALDSON, VIRGINIA H. Activation of complement by a monoclonal cryoglobin associated with cold urticaria, 988 (Abst.)

COUNCIL, ANNE. (*See* Gabuzda, Laforet, and Gardner), 581

CRANE, ROBERT K. (*See* Cady, Rhodes, Littman, and Crane), 279

CREWS, H. DENNISTON. (*See* Ginn, Frost, Crews, and Lacy), 984 (Abst.)

CUTLER, RALPH E. (*See* Skeith, Healey, and Cutler), 213

D

DALAKOS, THEODORE. (*See* Streeten, Eich, Smulyan, Dalakos, Obeid, and Stevenson), 1022 (Abst.)

DALY, JOHN S. F. (*See* Lester, Daly, Little, and Troxler), 1001 (Abst.)

DANIELS, E. G. (*See* Muirhead, Leach, Brown Daniels and Hinman), 986 (Abst.)

DAUGHADAY, WILLIAM H. (*See* Takahashi, Parker, Daughaday, and Kipnis), 1021 (Abst.)

DAVIDSON, CHARLES S. (*See* Ning, Lowenstein, and Davidson), 554

DEGOWIN, RICHARD L. Effect of erythropoietin on the recovery of erythropoiesis after partial-body irradiation, 869 (Abst.)

—. Erythroid differentiation during stem cell proliferation, 23

DEINHARDT, F. (*See* Möhr, Holmes, Deinhardt, and Mattenheimer), 860 (Abst.)

DE LA PAZ, ADRIAN, DEMAKIS, JOHN, MEADOWS, W. ROBERT, SUTTON, GEORGE C., AND TOBIN, JOHN R., JR. Postpartum cardiomyopathy: the course of the disease in 16 patients followed for 2 to 18 years, 1006 (Abst.)

DELEON, ANTONIO, GARTNER, LAWRENCE M., AND ARIAS, IRWIN M. The effect of phenobarbital on hyperbilirubinemia in glucuronyl transferase deficient rats, 273

DEMAKIS, JOHN. (*See* De La Paz, Demakis, Meadows, Sutton, and Tobin), 1006 (Abst.)

DEPREY, CECELIA. (*See* Pisciotta, Westring, and DePrey), 229

DESFORGES, JANE F. (*See* Merritt and Desforges), 452

DEVROEDE, G. J., AND PHILLIPS, S. F. Conservation of electrolytes and water by the human colon, 990 (Abst.)

DICKINSON, MARY M. (*See* Lewis, Alford, Dickinson, Mulherin, Wright, Gardner, and Moores), 862 (Abst.)

DIDISHEIM, PAUL. (*See* Bowie, Chan, Didisheim, Thompson, Muhrer, and Owen), 991 (Abst.)

DILLION, HUGH C., JR., AND MAXTED, W. R. The role of the 25/Imp.19, M-2 streptococcus in skin infections and acute glomerulonephritis, 1019 (Abst.)

DI LUZIO, NICHOLAS R. (*See* Salky, Di Luzio, Levin, and Goldsmith), 393

DIMITROV, NIKOLAY V., STJERNHOLM, RUNE L., AND WEIR, DAVID R. Propionic acid metabolism of polymorphonuclear leukocytes in rheumatoid arthritis, 866 (Abst.)

DOBRILOVIC, LJUBICA. (*See* Jones and Dobrilovic), 1010 (Abst.)

DOIZAKI, WILLIAM. (*See* Zieve and Doizaki), 885 (Abst.)

DOMINGO, ERNESTO O. (*See* Warren and Domingo), 871 (Abst.)

DOMINGO, M., MAIS, R. F., WEISKOPF, R., AND FINK, S. Detection of Schistosome ova by fluorescence microscopy, 865 (Abst.)

DONALDSON, VIRGINIA H. (*See* Costanzi, Coltman, and Donaldson), 988 (Abst.)

DRUCKER, ROBERT P. (*See* Schlatter, Drucker, and Drucker), 983 (Abst.)

DRUCKER, WILLIAM R. (*See* Schlatter, Drucker, and Drucker), 983 (Abst.)

DUNN, F. LOWELL. (*See* Paustian, Lemon, Haack, Passer, and Dunn), 890 (Abst.)

DUSTAN, HARRIET P. (*See* Tarazi, Dustan, and Frohlich), 994 (Abst.)

E

EASTERLING, RONALD E. (*See* Haig, Easterling, Gros, Greene, and Weller), 891 (Abst.)

EATON, R. PHILIP, AND KIPNIS, DAVID M. Stimulation of lipoprotein and albumin synthesis by dietary monosaccharide in the rat, 878 (Abst.)

EDSON, J. ROGER, KRIVIT, WILLIAM, AND WHITE, JAMES G. Kaolin partial thromboplastin time: high levels of procoagulants producing short clotting times or masking deficiences of other procoagulants or low concentrations of anticoagulants, 463

EGAN, JOHN D. (*See* Sullivan, Woodbury, and Egan), 894 (Abst.)

EICH, ROBERT H. (*See* Streeten, Eich, Smulyan, Dalakos, Obeid, and Stevenson), 1022 (Abst.)

ELLMAN, GEORGE L., AND LYSKO, HIRO. Disulfide and sulfhydryl compounds in TCA extracts of human blood and plasma, 518

ENGBRING, NORMAN H. (*See* Holmes and Engbring), 1017 (Abst.)

ENGLISH, E. C. (*See* Muller-Eberhard and English), 619

ENGSTEDT, LARS, JOHANSSON, STIG, AND NYBERG, ALF. Estimation of human erythrocyte life-span from bilirubin turnover, 195

ENRIQUEZ, PABLO. (*See* O'Connell, Enriquez, Linman, Gleich, and McDuffie), 715

EPSTEIN, MICHAEL. (*See* Mandal, Muehrcke, Epstein, and Volini), 872 (Abst.)

ERLANGER, MARGARET. (*See* Perry, Erlanger, Yunice, and Perry), 963

EZEKIEL, ERIC. Intestinal iron absorption by neonates and some factors affecting it, 138

F

FAJANS, STEFAN S. (*See* Knopf, Floyd, Sanbar, Fajans, Pek, and Conn), 1025 (Abst.)

FALABELLA, FRANCISCO. Bleeding mice: a successful technique of cardiac puncture, 981

FARHANGI, MEHDI. (*See* Sass, Caruso, and Farhangi), 760

FARMER, SILAS. (*See* Waisbren, Hensley, Lutsky, and Farmer), 989 (Abst.)

FARRELL, KATHLEEN. (*See* McKeever, Braun, and Farrell), 999 (Abst.)

FIEDLER, MARY ANN. (*See* Bentley, Haque, Fiedler, and Lepper), 1006 (Abst.)

FINK, JORDAN N., BARBORIAK, JOSEPH J., AND SOSMAN, ABE J. Anti-pigeon antibodies in the serum of pigeon breeders, 880 (Abst.)

FINK, SIDNEY, AND MAIS, ROLAND F. Cell-mediated immune reaction to autologous colon, 868 (Abst.)

—. (*See* Domingo, Mais, Weiskopf, and Fink), 865 (Abst.)

FISHER, SHARON, FLETCHER, ANTHONY P., ALKJAERSIG, NORMA, AND SHERRY, SOL. Immunoelectrophoretic characterization of plasma fibrinogen derivatives in patients with pathological plasma proteolysis, 903

FITZ, ANNETTE E. (*See* Armstrong, Fitz, and Peterson), 1004 (Abst.)

FLESHLER, BERTRAM, AND COLIGADO, EDUARDO Y. Neutral amino acid absorption in humans: the effect of side-chain length, 883 (Abst.)

FLESSA, HERBERT. (*See* Glueck and Flessa), 877 (Abst.)

FLETCHER, ANTHONY P. (*See* Fisher, Fletcher, Alkjaersig, and Sherry), 903

FLINK, E. B. (*See* Shane, Jones, and Flink), 984 (Abst.)

FLINT, DOROTHY. (*See* Broitman, Flint, and Zamcheck), 9

FLITMAN, ROBERT. (*See* Worth and Flitman), 352

FLORES, PLACIDO, AND SCHEDL, HAROLD P. Intestinal transport of 3-0-methyl-D-glucose in the normal and alloxan diabetic rat, 865 (Abst.)

FLOYD, JOHN C., JR. (*See* Knopf, Floyd, Sanbar, Fajans, Pek, and Conn), 1025 (Abst.)

FORD, STARR, JR., BOZIAN, RICHARD C., AND SCHUBERT, WILLIAM K. The physiological significance of lipoprotein lipase in hypertriglyceridemia: enzymic and kinetic studies in a kindred with familial hyperchylomicronemia, 1027 (Abst.)

FORESTNER, JOHN E., FORMAN, DONALD T., GARVIN, JAMES E., AND TAYLOR, C. BRUCE. The effect of an oral hydrophilic colloid on fecal bile acid excretion and serum cholesterol levels, 863 (Abst.)

FORMAN, DONALD T. (*See* Forestner, Forman, Garvin, and Taylor), 863 (Abst.)

FOROOZAN, PARVIZ. (*See* Kopp, Trier, Stiehm, and Foroozan), 884 (Abst.)

FREIDIN, RALPH. (*See* Little, Border, and Freidin), 874 (Abst.)

FREIER, ESTHER F. (*See* Lindstrom, Williams, Swaim, and Freier), 862 (Abst.)

FRENCH, ARTHUR B., AND COOK, H. BRAMWELL. Effect of pancreatic replacement therapy on metabolic balance in adolescent fibrocystic disease, 1005 (Abst.)

FRIED, WALTER, JOHNSON, CURTIS, AND HELLER, PAUL. The effect of bone marrow activity on the regulation of plasma erythropoietin levels, 987 (Abst.)

—, RISHPON-MEYERSTEIN, NAOMI, AND GURNEY, CLIFFORD W. With technical assistance of Truss, Dolores. The effect of testosterone on erythropoiesis of WW_v mice, 813

FRIEDMANN, T., AND JOHNSON, P. The structure of Tamm-Horsfall mucoprotein in fibrocystic disease, 404

FRISCHER, HENRI. (*See* McNamara, Frischer, Rieckmann, Stockert, Powell, and Carson), 989 (Abst.)

FROHLICH, EDWARD D. (*See* Tarazi, Dustan, and Frohlich), 994 (Abst.)

FROST, ANN B. (*See* Ginn, Frost, Crews, and Lacy), 984 (Abst.)

FURMAN, ROBERT H. (*See* Bradford, Furman, and Bass), 998 (Abst.)

G

GABUZDA, THOMAS G., LAFORET, MITSUKO T., AND GARDNER, FRANK H. With the technical assistance of Council, Anne, and Balalong, Gloria. Oxidative precipitation of hemoglobin H and its relation to reduced glutathione, 581

GALLO, GUILLERMO E., POTTER, ELIZABETH V., AND HERDSON, PETER B. Localization of immunofluorescent deposits in renal diseases, 1015 (Abst.)

GANTT, CLARENCE L. (*See* Oates and Gantt), 1017 (Abst.)

GARANCIS, JOHN C. (*See* Hamburger, Garancis, Scott, Carleton, and Beasley), 786

GARCIA, MANUEL. (*See* Wallace, Smith, Garcia, and Petersdorf), 408

GARDNER, EDWARD, JR. (*See* Lewis, Alford, Dickinson, Mulherin, Wright, Gardner, and Moores), 862 (Abst.)

GARDNER, FRANK H. (*See* Cabuzda, Laforet, and Gardner), 581

GARTNER, LAWRENCE M. (*See* DeLeon, Gartner, and Arias), 273

GARVIN, JAMES E. (*See* Forestner, Forman, Garvin, and Taylor), 863 (Abst.)

GEIMAN, QUENTIN M. (*See* Rowley, Siddiqui, and Geiman), 933

GENTON, EDWARD, AND WOLF, PHILLIP S. Experimental pulmonary embolism: effects of urokinase therapy on organizing thrombi, 311

GENTZ, JOHAN. (*See* Cornblath, Swiatek, Gentz, and Kipnis), 1001 (Abst.)

GEORGE, JAMES N., SEARS, DAVID A., MCCURDY, PAUL R., AND CONRAD, MARCEL E. Primaquine sensitivity in Caucasians: hemolytic reactions induced by primaquine in G-6-PD deficient subjects, 80

GINN, H. EARL, FROST, ANN B., CREWS, H. DENNISTON, AND LACY, WILLIAM. Nitrogen balance during intermittent hemodialysis, 984 (Abst.)

GLEICH, GERALD J. (*See* Kyle, Gleich, and Bayrd), 991 (Abst.)

—. (*See* O'Connell, Enriquez, Linman, Gleich, and McDuffie), 715

GLUECK, HELEN I., AND FLESSA, HERBERT. The control of hemorrhage with a combination of norethynodrel-mestranol, 877 (Abst.)

GOBEL, FREDERICK L., MEDINA, JOSE R., GUENTER, CLARENCE A., AND WANG, YANG. The hemodynamic response to electrical pacing, 1011 (Abst.)

GOETZ, FREDERICK. (*See* Kelly, Lillehei, Merkel, Idezuki, Carpenter, and Goetz), 872 (Abst.)

GOLDRING, DAVID. (*See* Hernandez, Pagtakhan, and Goldring), 894 (Abst.)

GOLDSMITH, HARRY S. (*See* Salky, Di Luzio, Levin, and Goldsmith), 393

GOOD, ROBERT A. (*See* Cain, Van Alten, Good, and Cooper), 882 (Abst.)

—. (*See* Perey, Herdman, Vernier, and Good), 881 (Abst.)

GOODFRIEND, THEODORE, AND BALL, DENNIS. Radioimmunoassay of angiotensin and measurement of renin activity, 884 (Abst.)

GOODMAN, S. I., ROGERSON, D. O., AND KAUFFMAN, JANICE. Hypercupremia in a patient with multiple myeloma, 57

GOODWIN, RICHARD S. (*See* Wooley, Klassen, Leighton, Goodwin, and Ryan), 999 (Abst.)

GORSTEIN, FRED, CARROLL, HUGH J., AND PUSZKIN, ELENA. Electrolyte concentrations, potassium flux kinetics, and the metabolic dependence of potassium transport in human platelets, 938

GRAHAM, LEONARD A. (*See* Kaplan, Graham, Kanabrocki, Cho, and Veatch), 867 (Abst.)

GRANDE, FRANCISCO. (*See* Schultz, Werner, Potter, and Grande), 63

GREEN, EDWARD W. (*See* James, Bear, Lang, and Green), 876 (Abst.)

GREENE, JAMES A., JR. (*See* Haig, Easterling, Gros, Greene, and Weller), 891 (Abst.)

GRIEBLE, HANS G., BACH, GERHARD L., SPIES, HAROLD W., AND ANDERSON, TRUMAN O. C'lq, an acute phase reactant to viral and bacterial infections, 1012 (Abst.)

—, ZSCHOCKE, RAINER H., AND ANDERSON, TRUMAN O. Isolation and characterization of gammaA-globulin from pooled normal human plasma, 1013 (Abst.)

GROB, DAVID. (*See* Namba, Himei, and Grob), 258

GROS, GERARD. (*See* Haig, Easterling, Gros, Greene, and Weller), 891 (Abst.)

GUENTER, CLARENCE A. (*See* Gobel, Medina, Guenter, and Wang), 1011 (Abst.)

GUERRA, LEVI. (*See* Klahr, Guerra, Yates, Bourgoignie, and Bricker), 1026 (Abst.)

GURNEY, CLIFFORD W. (*See* Fried, Rishpon-Meyerstein, and Gurney), 813

GUTMANN, FRANK D., AND RIESELBACH, RICHARD E. Inhibitory effect of advanced uremia on the adaptive increase in maximum rate of para-aminohippurate transport (TM_{PAH}) by residual nephrons of the severely diseased dog kidney, 1014 (Abst.)

GUZE, LUCIEN B. (*See* Montgomerie, Kalmanson, and Guze), 539

H

HAACK, DALE B. (*See* Paustian, Lemon, Haack, Passer, and Dunn), 890 (Abst.)

HAHNEMAN, BETTY M. (*See* Battifora, McCreary, Hahneman, Laing, and Hass), 858 (Abst.)

HAIG, OWEN G., EASTERLING, RONALD E., GROS, GERARD, GREENE, JAMES A., JR., AND WELLER, JOHN M. High biologic value protein diets in the treatment of uremia, 891 (Abst.)

HAMBURGER, MORTON, GARANCIS, JOHN C., SCOTT, NANCY J., CARLETON, JUDITH, AND BEASLEY, JANET S. Studies in experimental staphylococcal endocarditis in dogs. V. Treatment with oxacillin, 786

HAMMARSTRÖM, STEN. (*See* Hinz, Perlmann, and Hammarström), 752

HAQ, ANWARUL. (*See* Wall, Haq, and Moore), 861 (Abst.)

HAQUE, RIAZ-UL. (*See* Bentley, Haque, Fiedler, and Lepper), 1006 (Abst.)

HARRIS, JOHN W. (*See* Bauman and Harris), 246

—. (*See* Messer and Harris), 1008 (Abst.)

HARRISON, CAROL A. (*See* Preuss, Keller, and Harrison), 997 (Abst.)

HARRISON, D. D. (*See* Kater, Harrison, and Mistilis), 1020 (Abst.)

HEALEY, L. A. (*See* Skeith, Healey, and Cutler), 213

HEINLE, EDWARD W. (*See* Balcerzak, Westerman, and Heinle), 1024 (Abst.)

HEINRICHS, RICHARD W., AND MOORHOUSE, JOHN A. Sensory perception thresholds in blind diabetic subjects in relation to the reading of Braille type, 998 (Abst.)

HELLER, PAUL. (*See* Fried, Johnson, and Heller), 987 (Abst.)

HENSLEY, GEORGE. (*See* Waisbren, Hensley, Lutsky, and Farmer), 989 (Abst.)

HERDMAN, ROGER C. (*See* Perey, Herdman, Vernier, and Good), 881 (Abst.)

HERDSON, PETER B. (*See* Gallo, Potter, and Herdson), 1015 (Abst.)

HERNANDEZ, ANTONIO, PAGTAKHAN, REYNALDO, AND GOLDRING, DAVID. Effects of digoxin upon the fetal lamb, 894 (Abst.)

HESS, EVELYN V., SCHNEIDER, HAROLD, AND ROUSH, GEORGE. Clinical studies in occupational acroosteolysis—a new disease, 1023 (Abst.)

HEWSON, J. ROBERT. (*See* Clark, Braun, Hewson, Serafetinides, Colmore, and Rahal), 889 (Abst.)

HIMEI, HAJIME. (*See* Namba, Himei, and Grob), 258

HINES, JOHN D. (*See* Bernier and Hines), 1008 (Abst.)

HINMAN, J. W. (*See* Muirhead, Leach, Brown, Daniels, and Hinman), 986 (Abst.)

HINZ, CARL F., JR., PERLMANN, PETER, AND HAMMARSTRÖM, STEN. Reactivity in vitro of lymphocytes from patients with ulcerative colitis, 752

HLAVACEK, C. (*See* Kalousek, Hlavacek, Nedoss, and Pollak), 1028 (Abst.)

HOAK, JOHN C., WILSON, WILLIAM R., WARNER, EMORY D., AND THEILEN, ERNEST O. Production of factor VIII and fibrinogen in subjects with drug induced hypermetabolism, 888 (Abst.)

HOFMANN, ALAN F. (*See* Poley and Hofmann), 1024 (Abst.)

HOLMES, A. W. (*See* Möhr, Holmes, Deinhardt, and Mattenheimer), 860 (Abst.)

HOLMES, RICHARD A., AND ENGBRING, NORMAN H. Circulating iodoprotein of possible extrathyroidal origin, 1017 (Abst.)

HORWITZ, JEROME P. (*See* Prasad, Oberleas, Wolf, and Horwitz), 887 (Abst.)

HOUGIE, C. Studies on an acquired anticoagulant directed against factor VIII, 384

HOUK, PAUL, AND WOLF, STEWART. Cardiac mechanisms in anaphylactic shock, 1002 (Abst.)

HOUSTON, ELSIE W. (*See* Alperin, Levin, Alexanian, and Houston), 983 (Abst.)

HRODEK, OTTO. (*See* Rabiner and Hrodek), 870 (Abst.)

HSIA, DAVID Y-Y. (*See* Nadler and Hsia), 886 (Abst.)

I

IDEZUKI, Y. (*See* Kelly, Lillehei, Merkel, Idezuki, Carpenter, and Goetz), 872 (Abst.)

J

JACKSON, CHARLES E., AND MEIER, DONALD W. Routine serum magnesium analysis: correlation with clinical state in 5,100 patients, 993 (Abst.)

JACKSON, DUDLEY P. (*See* Morse, Jackson, and Conley), 106

JACKSON, JOHN F. Chromosome abnormalities in myeloproliferative disorders, 993 (Abst.)

JAMES, THOMAS N., BEAR, EDWARD S., LANG, KLAUS F., AND GREEN, EDWARD W. Evidence for adrenergic alpha receptor depressant activity in the heart, 876 (Abst.)

JARETT, LEONARD. Evidence for the use of high energy intermediate(s) for protein synthesis in isolated fat cells, 1021 (Abst.)

JENSEN, WALLACE N. (*See* Bromberg and Jensen), 480

JOHANSSON, STIG. (*See* Engstedt, Johansson, and Nyberg), 195

JOHNSON, CURTIS. (*See* Fried, Johnson, and Heller), 987 (Abst.)

JOHNSON, P. (*See* Friedmann and Johnson), 404

JONES, J. E. (*See* Shane, Jones, and Flink), 984 (Abst.)

JONES, RICHARD J., AND DOBRILOVIC, LJUBICA. Thoracic versus abdominal aortic cholesterol deposition and plasma lipoproteins in the chick, 1010 (Abst.)

JULIUS, S., AND CONWAY, J. Hemodynamics in patients with transient blood pressure elevation, 1026 (Abst.)

K

KAHANE, ZDZISLAW, AND VESTERGAARD, PER. Fluorometric assay for metanephrine and normetanephrine in urine, 333

KALKOFF, R. K., RICHARDSON, B. L., AND STODDARD, F. J. Defective plasma insulin response during steroid glucose tolerance tests in subclinical diabetic mothers of heavy infants, 1007 (Abst.)

KALMANSON, GEORGE M. (*See* Montgomerie, Kalmanson, and Guze), 539

KALOUSEK, G., HLAVACEK, C., NEDOSS, B., AND POLLAK, V. E. Circadian rhythm of renal function of healthy pregnant women, 1028 (Abst.)

KANABROCKI, EUGENE L. (*See* Kaplan, Graham, Kanabrocki, Cho, and Veatch), 867 (Abst.)

KANN, HERBERT E., JR., MENGEL, CHARLES E., CLANCY, WILLIAM T., AND TIMMS, RICHARD. Effects of in vivo hyperoxia on erythrocytes. VI. Hemolysis occurring after exposure to oxygen under high pressure, 150

KAPLAN, ERVIN, GRAHAM, LEONARD A., KANABROCKI, EUGENE L., CHO, CHAI MOO, AND VEATCH, ROGER L. The effect of serial venipuncture upon serum copper concentration, 867 (Abst.)

KAPLAN, MANUEL E., AND TAN, ENG M. Antinuclear antibodies in infectious mononucleosis, 881 (Abst.)

KARAHASANOGLU, ALPASLAN M., AND ÖZAND, PINAR T. Rapid screening test for serum cholinesterase, 343

KARELITZ, S. (*See* Cabasso, Stebbins, Karelitz, Cerini, Ruegsegger, and Stillerman), 429

KARK, ROBERT M. (*See* Brodwall, Schwartz, Mattenheimer, and Kark), 985 (Abst.)

KATER, R. M. H., HARRISON, D. D., AND MISTILIS, S. P. Alterations in sulfobromophthalein sodium removal from blood in patients with pruritus of pregnancy, 1020 (Abst.)

KAUFFMAN, JANICE. (*See* Goodman, Rodgerson, and Kauffman), 57

KEFALIDES, NICHOLAS A. Chemical and immunologic identity between glomerular basement membrane and lens capsule, 1013 (Abst.)

KELLER, ALLEN I. (*See* Preuss, Keller, and Harrison), 997 (Abst.)

KELLERMEYER, ROBERT W. Inflammatory process in acute gouty arthritis. III. Vascular permeability-enhancing activity in normal human synovial fluid; induction by Hageman factor activators; and inhibition by Hageman factor antiserum, 372

—, AND RATNOFF, OSCAR D. Abolition of the permeability-enhancing properties of Hageman factor by specific antiserum, 365

KELLY, PATRICK J. Bone remodeling in puppies with experimental rickets, 94

KELLY, WILLIAM, LILLEHEI, RICHARD, MERKEL, FREDERICK, IDEZUKI, Y., CARPENTER, ANNA-MARY, AND GOETZ, FREDERICK. Pancreatic transplantation in human diabetes: clinical and histologic studies, 872 (Abst.)

KERBY, GRACE P. (*See* Roberts, McLees, and Kerby), 503

KIPNIS, DAVID M. (*See* Cornblath, Swiatek, Gentz, and Kipnis), 1001 (Abst.)

—. (*See* Eaton and Kipnis), 878 (Abst.)

—. (*See* Takahashi, Parker, Daughaday, and Kipnis), 1021 (Abst.)

KIRK, JOHN ESBEN. Transaldolase and aldose reductase activities of human vascular tissue, 889 (Abst.)

KIRKPATRICK, CHARLES H. (*See* Newberry, Chandler, Chin, and Kirkpatrick), 875 (Abst.)

KLAHR, SAULO, GUERRA, LEVI, YATES, JESSE T., BOURGOIGNIE, JACQUES, AND BRICKER, NEAL S. Effects of membrane ATPase inhibitors and dinitrophenol (DNP) on the coupling of anaerobic metabolism to anaerobic Na transport in the isolated epithelium of the turtle bladder, 1026 (Abst.)

KLASSEN, KARL P. (*See* Wooley, Klassen, Leighton, Goodwin, and Ryan), 999 (Abst.)

KLEEMAN, CHARLES R. (*See* Massry, Coburn, Chapman, and Kleeman), 563

KLEINMAN, LEONARD I., PETERING, HAROLD G., AND SUTHERLAND, JAMES M. Blood carbonic anhydrase activity and zinc concentration in infants with respiratory distress syndrome, 870 (Abst.)

KLINGLER, EUGENE L., JR. (*See* Vaamonde, Vaamonde, Morosi, Klingler, and Papper), 179

KNOPF, RALPH E., FLOYD, JOHN C., JR., SANBAR, SHAFEEK S., FAJANS, STEFAN S., PEK, SUMER, AND CONN, JEROME W. Plasma insulin response to arginine in patients with familial hyperlipoproteinemia, 1025 (Abst.)

KOMROWER, G. M. (*See* Wong, Schwarz, and Komrower), 858 (Abst.)

KOPITO, LOUIS, AND SHWACHMAN, HARRY. Determination of lead in urine by atomic absorption spectroscopy using coprecipitation with bismuth, 326

KOPP, WILLIAM L., TRIER, JERRY S., STIEHM, E. RICHARD, AND FOROOZAN, PARVIZ. Lymphopenic agammaglobulinemia in an adult, 884 (Abst.)

KOTTKE, BRUCE A. Differences in bile acid kinetics as a means of distinguishing two types of hyperlipidemia, 990 (Abst.)

KRAUSE, HELEN. (*See* Mufson, Krause, and Mocega), 1011 (Abst.)

KRIVIT, WILLIAM. (*See* Edson, Krivit, and White), 463

—. (*See* White and Krivit), 999 (Abst.)

KULAPONGS, PANJA. (*See* Wochner, Kulapongs, and Bachmann), 997 (Abst.)

KWAAN, HAU C. (*See* Bernik and Kwaan), 650

KYLE, ROBERT A., GLEICH, GERALD J., AND BAYRD, EDWIN D. Benign hypergammaglobulinemic purpura of Waldenström (BHPW): a clinical and immunologic study, 991 (Abst.)

KYNER, JOSEPH L., CORDELL, LARRY D., MEEK, JOSEPH C., JR., AND BOLINGER, ROBERT E. Plasma kinetics of labeled insulin A and B chains in diabetes and obesity, 1002 (Abst.)

L

LACY, WILLIAM. (*See* Ginn, Frost, Crews, and Lacy), 984 (Abst.)

LAFORET, MITSUKO T. (*See* Gabuzda, Laforet, and Gardner), 581

LAIL, SHEILA. (*See* McDonald and Lange), 48

LAING, GRANT H. (*See* Battifora, McCreary, Hahneman, Laing, and Hass), 858 (Abst.)

LANDAU, RICHARD L. Glucagon and amino acid metabolism in man, 1017 (Abst.)

LANG, KLAUS F. (*See* James, Bear, Lang, and Green), 876 (Abst.)

LANGE, R. D. (*See* McDonald and Lange), 48

LANGLEY, PAUL C. (*See* Burns and Langley), 1009 (Abst.)

LARKE, R. P. BRYCE. (*See* Wheelock and Larke), 877 (Abst.)

LASTER, JOEL. (*See* Randall, Singh, Laster, Belle, and Setter), 129

LAWRENCE, A. M. Effect of starvation on metabolic response to exercise, 1018 (Abst.)

LAXDAL, THROSTUR. (*See* Messner, Laxdal, Williams, and Quie), 869 (Abst.)
LEACH, B. E. (*See* Muirhead, Leach, Brown, Daniels, and Hinman), 986 (Abst.)
LEHMANN, JAMES. (*See* Bashour, Lehmann, and Prati), 893 (Abst.)
LEIGHTON, RICHARD F. (*See* Wooley, Klassen, Leighton, Goodwin, and Ryan), 999 (Abst.)
LEMANN, JACOB, JR., PIERING, WALTER F., AND LENNON, EDWARD J. Inhibition of renal tubular calcium and magnesium reabsorption during glucose combustion in normal man, 987 (Abst.)
LEMON, HENRY M. (*See* Paustian, Lemon, Haack, Passer, and Dunn), 890 (Abst.)
LENNON, EDWARD J. (*See* Lemann, Piering, and Lennon), 987 (Abst.)
LEPPER, MARK H. (*See* Bentley, Haque, Fiedler, and Lepper), 1006 (Abst.)
LERNER, A. MARTIN, AND MIRANDA, Q. R. Effect of borohydride reductions upon biologic functions of certain enteroviruses and reovirus, and hemagglutinating capacity of erythrocytes, 861 (Abst.)
LESTER, ROGER, DALY, JOHN S. F., LITTLE, JOANNA M., AND TROXLER, ROBERT F. Biosynthesis and metabolism of myoglobin-H^3, 1001 (Abst.)
LEUTZ, JANET C. (*See* Bole and Leutz), 880 (Abst.)
LEVIN, ARTHUR G. (*See* Salky, Di Luzio, Levin, and Goldsmith), 393
LEVIN, WILLIAM C. (*See* Alperin, Levin, Alexanian, and Houston), 983 (Abst.)
LEVY, RICHARD P. (*See* Marshall and Levy), 859 (Abst.)
LEWIS, JASPER P., ALFORD, DOROTHY A., DICKINSON, MARY M., MULHERIN, JOSEPH L., JR., WRIGHT, CLAUDE-STARR, GARDNER, EDWARD, JR., AND MOORES, RUSSELL R. Fractionation of erythropoietin by selective membrane permeability. II. Preparative aspects, 862 (Abst.)
LIEBERMAN, JACK. Inhibition of protease activity in purulent sputum by DNA, 595
LILLEHEI, RICHARD. (*See* Kelly, Lillehei, Merkel, Idezuki, Carpenter, and Goetz), 872 (Abst.)
LINDEMAN, ROBERT D., ADLER, SHELDON, YIENGST, MARVIN J., AND BEARD, ELSIE S. Influence of various nutrients on urinary divalent cation excretion, 236
LINDSTROM, FOLKE D., WILLIAMS, RALPH C., JR., SWAIM, WILLIAM R., AND FREIER, ESTHER F. The relationship of Bence-Jones protein to multiple myeloma—evidence for independent synthesis, 862 (Abst.)
LINMAN, JAMES W. (*See* O'Connell, Enriquez, Linman, Gleich, and McDuffie), 715
LITMAN, GARY W. (*See* Wong and Litman), 1003 (Abst.)
LITTLE, J. RUSSELL, BORDER, WAYNE, AND FREIDIN, RALPH. The binding reactions of antibodies specific for the 2,6-dinitrophenyl group, 874 (Abst.)
LITTLE, JOANN M. (*See* Lester, Daly, Little, and Troxler), 1001 (Abst.)
LITTMAN, ARMAND. (*See* Cady, Rhodes, Littman, and Crane), 279
LOBSENZ, IRVING L. (*See* Berumen, Lobsenz, and Utiger), 640
LOMANNO, V. (*See* Yam, Castoldi, and Mitus), 699
LONG, D. (*See* Steigmann, Long, and Mejicano), 893 (Abst.)
LOOMEIJER, F. J. (*See* Sie, Valkema, and Loomeijer), 121
LOUIS, LAWRENCE H., AND CONN, JEROME W. A diabetogenic polypeptide from hog and sheep pituitary glands, 1016 (Abst.)
LOWENSTEIN, LEAH M. (*See* Ning, Lowenstein, and Davidson), 554
LOWMAN, JAMES T. (*See* Walker, Ulstrom, and Lowman), 1000 (Abst.)
LUCENA, G. E., PATTERSON, R., AND METZ, R. Specificity of reagin antibody to insulin, 867 (Abst.)
LUTSKY, IRVING. (*See* Waisbren, Hensley, Lutsky, and Farmer), 989 (Abst.)
LYNCH, EDWARD C. (*See* Alfrey, Lynch, and Whitley), 419
LYSKO, HIRO. (*See* Ellman and Lysko), 518

M

MCADAMS, A. JAMES. (*See* Schiff, Schubert, McAdams, Spiegel, and O'Donnell), 1025 (Abst.)
MCCABE, W. R. (*See* Aoki, Merkel, Aoki, and McCabe), 204
MCCREARY, PATRICIA A. (*See* Battifora McCreary, Hahneman, Laing, and Hass), 858 (Abst.)
MCCURDY, PAUL R. (*See* George, Sears, McCurdy, and Conrad), 80
MCDONALD, T. P., AND LANGE, R. D. With the technical assistance of Lail, Sheila, and Cooper, Gail. Erythropoietin bioassays utilizing silicone rubber membrane enclosures, 48
MCDONOUGH, MARILYN. (*See* Bromberg and Jensen), 480
MCDUFFIE, FREDERIC C. (*See* O'Connell, Enriquez, Linman, Gleich, and McDuffie), 715
MCEWEN, CHARLES M., JR., AND CASTELL, DONALD O. Abnormalities of serum monoamine oxidase in chronic liver disease, 36
MCGIFF, JOHN C., AND BURNS, CYNTHIA R. Separation of dopamine natriuresis from vasodilation: evidence of dopamine receptors, 892 (Abst.)
MCGUIGAN, JAMES E. Measurement of the affinity of human gastric intrinsic factor for cyanocobalamin, 666
MCKEEVER, WILLIAM P., BRAUN, HILDEGARD, AND FARRELL, KATHLEEN. Role of pH on myocardial metabolism in hemorrhagic shock, 999 (Abst.)

McLEES, BYRON D. (*See* Roberts, McLees, and Kerby), 503

McNAMARA, JAMES V., FRISCHER, HENRI, RIECKMANN, KARL H., STOCKERT, THOMAS A., POWELL, ROBIN D., AND CARSON, PAUL E. Increased activity of erythrocyte glutathione reductase during administration of nicotinic acid, 989 (Abst.)

MAIS, R. F. (*See* Domingo, Mais, Weiskopf, and Fink), 865 (Abst.)

—. (*See* Fink and Mais), 868 (Abst.)

MANDAL, A. K., MUEHRCKE, ROBERT C., EPSTEIN, MICHAEL, AND VOLINI, FREDERICK I. Relationship of the renomedullary interstitial cells to experimental hypertension, 872 (Abst.)

MARSHALL, JAMES S., AND LEVY, RICHARD P. The antithyroid effect of gentisate, 859 (Abst.)

MARTIN, R. RUSSELL, AND WHITE, ARTHUR. The selective activity of lysostaphin in vivo, 1

MASSRY, SHAUL G., COBURN, JACK W., CHAPMAN, LLOYD W., AND KLEEMAN, CHARLES R. The acute effect of adrenal steroids on the interrelationship between the renal excretion of sodium, calcium, and magnesium, 563

MATTENHEIMER, HERMAN. (*See* Brodwall, Schwartz, Mattenheimer, and Kark), 985 (Abst.)

—. (*See* Möhr, Holmes, Deinhardt, and Mattenheimer), 860 (Abst.)

MAXTED, W. R. (*See* Dillon and Maxted), 1019 (Abst.)

MEADOWS, W. ROBERT. (*See* De La Paz, Demakis, Meadows, Sutton, and Tobin), 1006 (Abst.)

MEDINA, JOSE R. (*See* Gobel, Medina, Guenter, and Wang), 1011 (Abst.)

MEEK, JOSEPH C., JR. (*See* Kyner, Cordell, Meek, and Bolinger), 1002 (Abst.)

MEIER, DONALD W. (*See* Jackson and Meier), 993 (Abst.)

MEILMAN, EDWARD. (*See* Samuel and Meilman), 471

MEJICANO, R. (*See* Steigmann, Long, and Mejicano), 893 (Abst.)

MENGEL, CHARLES E. (*See* Kann, Mengel, Claney, and Timms), 150

MERKEL, FREDERICK. (*See* Kelly, Lillehei, Merkel, Idezuki, Carpenter, and Goetz), 872 (Abst.)

MERKEL, M. (*See* Aoki, Merkel, Aoki, and McCabe), 204

MERRITT, JOHN A., AND DESFORGES, JANE F. Effect of magnesium on reticulocyte maturation, 452

MESSER, MICHAEL J., AND HARRIS, JOHN W. Magnetic susceptibility and hepatic iron stores: the correlation between quantitative determinations of susceptibility and iron in human liver specimens, 1008 (Abst.)

MESSNER, RONALD P., LAXDAL, THROSTUR, WILLIAMS, RALPH C., JR., AND QUIE, PAUL G. Serum opsonin, bacteria, and polymorphonuclear leukocyte interaction in subacute bacterial endocarditis, 869 (Abst.)

METZ, R. (*See* Lucena, Patterson, and Metz), 867 (Abst.)

MEYERS, SANFORD. (*See* Chutkow and Meyers), 884 (Abst.)

MIRANDA, Q. R. (*See* Lerner and Miranda), 861 (Abst.)

MISTILIS, S. P. (*See* Kater, Harrison, and Mistilis), 1020 (Abst.)

MITUS, W. J. (*See* Yam, Castoldi, and Mitus), 699

MOCEGA, HILDA. (*See* Mufson, Krause, and Mocega), 1011 (Abst.)

MÖHR, J. R., HOLMES A. W., DEINHARDT, F., AND MATTENHEIMER, H. Enzyme studies in marmoset (nonhuman primate) hepatitis, 860 (Abst.)

MOIR, THOMAS W. Luminal (Thebesian) coronary flow in the left ventricle, 868 (Abst.)

MONTGOMERIE, JOHN Z., KALMANSON, GEORGE M., AND GUZE, LUCIEN B. Effect of osmotic stabilizer on protoplasts and bacterial forms of Streptococcus faecalis, 539

MOORE, DELMA. (*See* Wall, Haq, and Moore), 861 (Abst.)

MOORES, RUSSELL R. (*See* Lewis, Alford, Dickinson, Mulherin, Wright, Gardner, and Moores), 862 (Abst.)

MOORHOUSE, JOHN A. (*See* Heinrichs and Moorhouse), 998 (Abst.)

MOROSI, HUGO J. (*See* Vaamonde, Vaamonde, Morosi, Klingler, and Papper), 179

—. (*See* Whang, Morosi, Rodgers, and Reyes), 895

MORRISON, GEORGE R., AND BROCK, FRANCE E. Quantitative measurement of alcohol dehydrogenase in the lobule of normal livers, 116

MORSE, EDWARD E., JACKSON, DUDLEY P., AND CONLEY, C. LOCKARD. Effects of reptilase and thrombin on human blood platelets and observations on the molecular mechanism of clot retraction, 106

MOSCHOS, CHRISTOS B. (*See* Regan, Moschos, Oldewurtel, Weisse, and Asokan), 221

MUEHRCKE, ROBERT C. (*See* Mandal, Muehrcke, Epstein, and Volini), 872 (Abst.)

MUFSON, MAURICE A., KRAUSE, HELEN, AND MOCEGA, HILDA. Acquisition of parainfluenza virus infection by hospitalized children, 1011 (Abst.)

MUHRER, MERLE E. (*See* Bowie, Chan, Didisheim, Thompson, Muhrer, and Owen), 991 (Abst.)

MUIRHEAD, E. E., LEACH, B. E., BROWN, G. B., DANIELS, E. G., AND HINMAN, J. W. Antihypertensive effect of prostaglandin E_2 (PGE_2) in renovascular hypertension, 986 (Abst.)

MULHERIN, JOSEPH L. (*See* Lewis, Alford, Dickinson, Mulherin, Wright, Gardner, and Moores), 862 (Abst.)

MULLER-EBERHARD, U., AND ENGLISH, E. C. Purification and partial characterization of human hemopexin, 619

MURAO, HIROSHI. (*See* Rodbard and Murao), 996 (Abst.)

MURRAY, M. JOHN. A gastric factor potentiating iron absorption, 866 (Abst.)

—, AND STEIN, NELL. Effect of pancreas extract on Fe^{59} absorption by anemic rats, 361

—, AND —. The integrity of the stomach as a requirement for maximal iron absorption, 673

MUSTARD, J. F., PACKHAM, M. A., AND SENYI, A. The effect of DFP on platelet function in vitro and in vivo, 1003 (Abst.)

N

NADLER, HENRY L., AND HSIA, DAVID Y-Y. Enzyme studies during lymphocyte stimulation with phytohemagglutinin, 886 (Abst.)

NAFF, GEORGE B., AND RATNOFF, OSCAR D. The activation of the C'1s fragment of the first component of complement of its C'1r fragment, 873 (Abst.)

NAKAO, KIKU, WADA, OSAMU, TAKAKU, FUMIMARO, SASSA, SHIGERU, YANO, YUZO, AND URATA, GUMPEI. The origin of the increased protoporphyrin in erythrocytes of mice with experimentally induced porphyria, 923

NAMBA, TATSUJI, HIMEI, HAJIME, AND GROB, DAVID. Complement fixing and tissue binding serum globulins in patients with myasthenia gravis, and their relation to muscle ribonucleoprotein, 258

NATHAN, DAVID G. (*See* Schwartz and Nathan), 841

NAUGHTON, JOHN, AND WULFF, JOHAN. Effect of physical activity on carbohydrate metabolism, 996 (Abst.)

NEDOSS, B. (*See* Kalousek, Hlavacek, Nedoss, and Pollak), 1028 (Abst.)

NEMCHAUSKY, BERNARD. (*See* Stanley and Nemchausky), 627

NEWBERRY, W. MARCUS, JR., CHANDLER, JOHN W., JR., CHIN, TOM D. Y., AND KIRKPATRICK, CHARLES H. In vitro lymphocyte transformation in histoplasmosis, 875 (Abst.)

NIALL, H. D. (*See* Catt, Niall, and Tregear), 820

NING, MAY, LOWENSTEIN, LEAH M., AND DAVIDSON, CHARLES S. Serum amino acid concentrations in alcholic hepatitis, 554

NOLAN, JAMES P. (*See* Ali and Nolan), 295

NYBERG, ALF. (*See* Engstedt, Johansson, and Nyberg), 195

O

OATES, LARRY A., AND GANTT, CLARENCE L. Nonaldosterone renal sodium retaining mechanisms, 1017 (Abst.)

OBEID, ANIS I. (*See* Streeten, Eich, Smulyan, Dalakos, Obeid, and Stevenson), 1022 (Abst.)

OBERLEAS, DONALD. (*See* Prasad, Oberleas, Wolf, and Horwitz), 887 (Abst.)

O'CONNELL, EDWARD J., ENRIQUEZ, PABLO, LINMAN, JAMES W., GLEICH, GERALD J., AND MCDUFFIE, FREDERIC C. Absence of activity of first component of complement in man: association with thymic alymphoplasia and defective inflammatory response, 715

ODELL, W. D., RAYFORD, P. L., AND ROSS, G. T. Simplified, partially automated method for radioimmunoassay of human thyroid-stimulating, growth, luteinizing, and follicle stimulating hormones, 973

ODENTHAL, DIETHELM. (*See* Werner and Odenthal), 302

O'DONNELL, JAMES F. (*See* Schiff, Schubert, McAdams, Spiegel, and O'Donnell), 1025 (Abst.)

OGDEN, DAVID A. Donor and recipient function 2 to 4 years after renal transplantation, 891 (Abst.)

OLDEWURTEL, HENRY A. (*See* Regan, Moschos, Oldewurtel, Weisse, and Asokan), 221

ONSTAD, GERALD R. (*See* Wilson, Onstad, Williams, Carey, and Yount), 879 (Abst.)

OSKI, FRANK A., AND ROSE, IRWIN A. The role of $\alpha \rightleftharpoons \beta$ glucose-6-phosphate interconversion in erythrocyte carbohydrate metabolism, 535

OWEN, CHARLES A., JR. (*See* Bowie, Chan, Didisheim, Thompson, Muhrer, and Owen), 991 (Abst.)

ÖZAND, PINAR T. (*See* Karahasanğlu and Özand), 343

P

PACKHAM, M. A. (*See* Mustard, Packham, and Senyi), 1003 (Abst.)

PAGLIA, DONALD E., AND VALENTINE, WILLIAM N. Studies on the quantitative and qualitative characterization of erythrocyte glutathione peroxidase, 158

PAGTAKHAN, REYNALDO. (*See* Hernandez, Pagtakhan, and Goldring), 894 (Abst.)

PALLAVICINI, J. CHARLES. (*See* Schwartz and Pallavicini), 725

PALMER, ROBERT H., AND BOLT, MERRY G. Sulfate esters of lithocholic acid and its conjugates: a new pathway of bile acid metabolism in humans, 873 (Abst.)

PAPPER, SOLOMON. (*See* Vaamonde, Vaamonde, Morosi, Klingler, and Papper), 179

PARKER, MARY L. (*See* Takahashi, Parker, Daughaday, and Kipnis), 1021 (Abst.)

PASSER, DENNIS V. (*See* Paustian, Lemon, Haack, Passer, and Dunn), 890 (Abst.)

PATTERSON, R. (*See* Lucena, Patterson, and Metz), 867 (Abst.)

PAUSTIAN, FREDERICK F., LEMON, HENRY M., HAACK, DALE B., PASSER, DENNIS V., AND DUNN, F. LOWELL. A toilet monitor for measurement of Cr^{51} tagged erythrocyte excretion, 890 (Abst.)

PEK, SUMER. (*See* Knopf, Floyd, Sanbar, Fajans, Pek, and Conn), 1025 (Abst.)

PEREY, DANIEL Y., HERDMAN, ROGER C., VERNIER, ROBERT L., AND GOOD, ROBERT A. Experimental induction of cysts in the developing rabbit kidney, 881 (Abst.)

PERKINS, ROBERT L. (*See* Saslaw, Perkins, Carlisle, and Sparks), 885 (Abst.)

PERLMANN, PETER. (*See* Hinz, Perlmann, and Hammarström), 752

PERRY, ELIZABETH F. (*See* Perry Erlanger, Yunice, and Perry), 963

PERRY, H. MITCHELL, JR., ERLANGER, MARGARET, YUNICE, ANIECE, AND PERRY, ELIZABETH F. Mechanisms of the acute hypertensive effect of intra-arterial cadmium and mercury in anesthetized rats, 963

—, SAKAMOTO, ARTHUR, AND TAN, ENG M. Relationship of acetylating enzyme to hydralazine toxicity, 1020 (Abst.)

PETERING, HAROLD G. (*See* Kleinman, Petering, and Sutherland), 870 (Abst.)

PETERSDORF, ROBERT G. (*See* Wallace, Smith, Garcia, and Petersdorf), 408

PETERSON, RICHARD E. (*See* Armstrong, Fitz, and Peterson), 1004 (Abst.)

PETRÁSEK, P. (*See* Rath and Petrásek), 458

PETTIGROVE, JOHN R. (*See* Alexander and Pettigrove), 857 (Abst.)

PHILLIPS, SIDNEY F., AND SUMMERSKILL, W. H. J. Water and electrolyte transport during maintenance of isotonicity in human jejunum and ileum, 686

—. (*See* Devroede and Phillips), 990 (Abst.)

PIERING, WALTER F. (*See* Lemann, Piering, and Lennon), 987 (Abst.)

PISCIOTTA, ANTHONY V., WESTRING, DAVID W., AND DEPREY, CECLIA. Studies on agranulocytosis. VIII. Inhibition of mitosis in phytohemagglutinin-stimulated lymphocytes by chlorpromazine, 229

POLEY, J. RAINER, AND HOFMANN, ALAN F. Effective treatment of the diarrhea of cholerheic enteropathy with cholestyramine, 1024 (Abst.)

POLLAK, V. E. (*See* Kalousek, Hlavacek, Nedoss, and Pollack), 1028 (Abst.)

POTTER, ELIZABETH V. (*See* Gallo, Potter, and Herdson), 1015 (Abst.)

POTTER, LAURA. (*See* Schultz, Werner, Potter, and Grande), 63

POWELL, ROBIN D. (*See* McNamara, Frischer, Rieckmann, Stockert, Powell, and Carson), 989 (Abst.)

PRAGER, MORTON D., YOUNG, JOEL E., AND ATKINS, INA C. A study of the possible role of feedback inhibition of aspartate transcarbamylase in regulation of pyrimidine synthesis in human leukocytes, 768

PRASAD, ANANDA S., OBERLEAS, DONALD, WOLF, PAUL, AND HORWITZ, JEROME P. Studies on zinc deficiency: zinc and growth hormone interrelationship, 887 (Abst.)

PRATI, RONALD. (*See* Bashour, Lehmann, and Prati), 893 (Abst.)

PREUSS, HARRY G., KELLER, ALLEN I., AND HARRISON, CAROL A. In vivo inhibition of hippurate uptake in rat kidneys in the azotemic state, 997 (Abst.)

PREWITT, BRENDA. (*See* Alexanian, Vaughn, and Ruchelman), 777

PURI, PRITPAL S., AND BING, RICHARD J. Effect of drugs on myocardial force-velocity relation as basis for their use in cardiogenic shock, 864 (Abst.)

PUSZKIN, ELENA. (*See* Gorstein, Carroll, and Puszkin), 938

Q

QUIE, PAUL G. (*See* Messner, Laxdal, Williams, and Quie), 869 (Abst.)

R

RABINER, S. FREDERICK, AND HRODEK, OTTO. Studies of a specific assay of platelet factor 3 availability and content in patients with renal failure, 870 (Abst.)

RAHAL, DONE K. (*See* Clark, Braun, Hewson, Serafetinides, Colmore, and Rahal), 889 (Abst.)

RANDALL, RUSSELL E., JR., SINGH, RISHPAL, LASTER, JOEL, BELLE, CLYDE, AND SETTER, JOHN G. Increased intracranial pressure from unsustained levels of plasma mannitol during hemodialysis, 129

RANDOLPH, THERON G. An ecologic orientation in medicine, 859 (Abst.)

RATH, R., AND PETRÁSEK, P. Release of non-esterified fatty acids from adipose tissue in relation to obesity, 458

RATNOFF, OSCAR D. (*See* Kellermeyer and Ratnoff), 365

—. (*See* Naff and Ratnoff), 873 (Abst.)

RAYFORD, P. L. (*See* Odell, Rayford, and Ross), 973

REGAN, TIMOTHY J., MOSCHOS, CHRISTOS B., OLDEWURTEL, HENRY A., WEISSE, ALLEN B., AND ASOKAN, SANKARAN K. Dominance of lipid metabolism in the myocardium under the influence of 1-norepinephrine, 221

REISS, ERIC, AND CANTERBURY, JANET. A radioimmunoassay for circulating parathyroid hormone in man: preliminary results, 1012 (Abst.)

REYES, REBECCA. (*See* Whang, Morosi, Rodgers, and Reyes), 895

RHODES, JAMES B. (*See* Cady, Rhodes, Littman, and Crane), 279
RICHARDSON, B. L. (*See* Kalkhoff, Richardson, and Stoddard), 1007 (Abst.)
RIECKMANN, KARL H. (*See* McNamara, Frischer, Rieckmann, Stockert, Powell, and Carson), 989 (Abst.)
RIESELBACH, RICHARD E. (*See* Gutmann and Rieselbach), 1014 (Abst.)
RITCHIE, ROBERT F. A simple, direct and sensitive technique for measurement of specific protein in dilute solution, 512
ROBERTS, JESSE E., MCLEES, BYRON D., AND KERBY, GRACE P. Pathways of glucose metabolism in rheumatoid and nonrheumatoid synovial membrane, 503
ROBERTSON, ALEX. (*See* Sprecher and Robertson), 489
RODBARD, SIMON, AND MURAO, HIROSHI. Further studies on the role of bronchomotor tone on ventilatory-perfusion relationships in the lung, 996 (Abst.)
RODGERS, DONALD. (*See* Whang, Morosi, Rodgers, and Reyes), 895
RODGERSON, D. O. (*See* Goodman, Rodgerson, and Kauffman), 57
ROSE, IRWIN A. (*See* Oski and Rose), 535
ROSS, G. T. (*See* Odell, Rayford, and Ross), 973
ROSSI, ENNIO C. Ineffective resynthesis of ATP by platelets, 1010 (Abst.)
ROUSH, GEORGE. (*See* Hess, Schneider, and Roush), 1023 (Abst.)
ROWE, GEORGE G. (*See* Thomsen, Stenlund, and Rowe), 1009 (Abst.)
ROWLEY, PETER T., SIDDIQUI, WASIM A., AND GEIMAN, QUENTIN M. Separation of malarial parasites according to age by density gradient centrifugation, 933
RUCHELMAN, MARYON W. (*See* Alexanian, Vaughn, and Ruchelman), 777
RUDOFSKY, ULRICH. (*See* Steblay and Rudofsky), 1027 (Abst.)
RUEGSEGGER, J. M. (*See* Cabasso, Stebbins, Karelitz, Cerini, Ruegsegger, and Stillerman), 429
RISHPON-MEYERSTEIN, NAOMI. (*See* Fried, Rishpon-Meyerstein, and Gurney), 813
RYAN, JOSEPH M. (*See* Wooley, Klassen, Leighton, Goodwin, and Ryan), 999 (Abst.)

S

SAKAMOTO, ARTHUR. (*See* Perry, Sakamoto, and Tan), 1020 (Abst.)
SALKY, NATHAN K., DI LUZIO, NICHOLAS R., LEVIN, ARTHUR G., AND GOLDSMITH, HARRY S. Phagocytic activity of the reticuloendothelial system in neoplastic disease, 393
SAMAAN, N., AND STONE, D. Growth hormone and serum insulin in response to a glucose load in chronic hepatic cirrhosis, 986 (Abst.)
SAMUEL, PAUL, AND MEILMAN, EDWARD. With the technical assistance of Siil, Tea E. Dietary lipids and reduction of serum cholesterol levels by neomycin in man, 471
SANBAR, SHAFEEK S., AND SMET, GUIDO. Comparison of the hypolipidemic action of dextran and polyvinlpyrrolidone (PVP) in human subjects, 890 (Abst.)
—. (*See* Knopf, Floyd, Sanbar, Fajans, Pek, and Conn), 1025 (Abst.)
SANDERS, EUGENE. Evidence for differing mechanisms of antibacterial activity of sulfanilamide and sulfadiazine against Neisseria, 662
SAPSE, ALFRED T. (*See* Bonavida, Sapse, and Sercarz), 951
SASLAW, SAMUEL, PERKINS, ROBERT L., CARLISLE, HAROLD N., AND SPARKS, JOANN. Effect of single histoplasmin skin tests on serologic data, 885 (Abst.)
SASS, MARTIN D., CARUSO, CARMINE J., AND FARHANGI, MEHDI. TPNH-methemoglobin reductase deficiency: a new red-cell enzyme defect, 760
SASSA, SHIGERU. (*See* Nakao, Wada, Takaku, Sassa, Yano, and Urata), 923
SCHEDL, HAROLD P. (*See* Flores and Schedl), 865 (Abst.)
SCHEUER, JAMES, AND STEZOSKI, S. WILLIAM. The effects of high energy phosphate depletion and repletion on the isolated rat heart, 1007 (Abst.)
SCHIFF, LEON, SCHUBERT, WILLIAM K., MCADAMS, A. JAMES, SPIEGEL, EARL L., AND O'DONNELL, JAMES F. Hepatic cholesterol ester storage disease, a familial disorder, 1025 (Abst.)
SCHLATTER, JEAN E., DRUCKER, ROBERT P., AND DRUCKER, WILLIAM R. Metabolic factors associated with induced tolerance for hypovolemia, 983 (Abst.)
SCHNEIDER, HAROLD. (*See* Hess, Schneider, and Roush), 1023 (Abst.)
SCHUBERT, WILLIAM K. (*See* Ford, Bozian, and Schubert), 1027 (Abst.)
—. (*See* Schiff, Schubert, McAdams, Spiegel, and O'Donnell), 1025 (Abst.)
SCHULTZ, ALVIN L., WERNER, LAURA, POTTER, LAURA, AND GRANDE, FRANCISCO. Effect of ketone bodies on measurements of plasma 17-hydroxycorticosteroids as Porter-Silber chromogens, 63
SCHWARTZ, ELIAS, AND NATHAN, DAVID G. New methods of counting C^{14}-labeled hemoglobin and hemin, 841
SCHWARTZ, FRANKLIN D. (*See* Brodwall, Schwartz, Mattenheimer, and Kark), 985 (Abst.)
—. (*See* Wilson and Schwartz), 863 (Abst.)
SCHWARTZ, ROBERT H., AND PALLAVICINI, J. CHARLES. Immunologic and chemical studies of cystic fibrosis and normal urinary glycoprotein of Tamm and Horsfall, 725

SCHWARZ, V., SUTCLIFFE, C. H., AND STYLE, PATRICIA P. Biochemical studies of sweat secretion in cystic fibrosis, 859 (Abst.)

—. (*See* Wong, Schwarz, and Komrower), 858 (Abst.)

SCOTT, EDWARD M., AND WRIGHT, RITA C. Fluorometric determination of isonicotinic acid hydrazide in serum, 355

SCOTT, NANCY J. (*See* Hamburger, Garancis, Scott, Carleton, and Beasley), 786

SEARS, DAVID A. (*See* George, Sears, McCurdy, and Conrad), 80

SELTZER, HOLBROOKE S., AND BARZUNE, LAWRENCE S. Diazoxide-induced hyperglycemia in the pancreatectomized dog: a nonspecific response, 1004 (Abst.)

SENYI, A. (*See* Mustard, Packham, and Senyi), 1003 (Abst.)

SERAFETINIDES, E. A. (*See* Clark, Braun, Hewson, Serafetinides, Colmore, and Rahal), 889 (Abst.)

SERCARZ, ELI E. (*See* Bonavida, Sapse, and Sercarz), 951

SETTER, JOHN G. (*See* Randall, Singh, Laster, Belle, and Setter), 129

SHANE, S. R., JONES, J. E., AND FLINK, E. B. Thyrocalcitonin deficiency in hypothyroidism, 984 (Abst.)

SHEAR, LEROY. Increased hepatic protein synthesis in uremia, 874 (Abst.)

SHERRY, SOL. (*See* Fisher, Fletcher, Alkjaersig, and Sherry), 903

SHWACHMAN, HARRY. (*See* Kopito and Shwachman), 326

SIDDIQUI, WASIM A. (*See* Rowley, Siddiqui, and Geiman), 933

SIE, H. G., VALKEMA, A. J., AND LOOMEIJER, F. J. Re-evaluation of radio-iodinated triolein as a test fat in fat absorption studies, 121

SIIL, TEA E. (*See* Samuel and Meilman), 471

SINGH, RISHPAL. (*See* Randall, Singh, Laster, Belle, and Setter), 129

SKEITH, MAURICE D., HEALEY, L. A., AND CUTLER, RALPH E. Urate excretion during mannitol and glucose diuresis, 213

SLATOPOLSKY, EDUARDO. (*See* Avioli and Slatopolsky), 882 (Abst.)

SMET, GUIDO. (*See* Sanbar and Smet), 890 (Abst.)

SMITH, LLOYD H., JR. (*See* Williams, Wilson, and Smith), 494

SMITH, PAMELA. (*See* Tobian, Abraham, and Smith), 1019 (Abst.)

SMITH, RONALD H. (*See* Wallace, Smith, Garcia, and Petersdorf), 408

SMULYAN, HAROLD. (*See* Streeten, Eich, Smulyan, Dalakos, Obeid, and Stevenson), 1022 (Abst.)

SOLOMON, ALAN. Molecular heterogeneity among immunoglobulins, 876 (Abst.)

SOSMAN, ABE J. (*See* Fink, Barboriak, and Sosman), 880 (Abst.)

SPARKS, JOANN. (*See* Saslaw, Perkins, Carlisle, and Sparks), 885 (Abst.)

SPIEGEL, EARL L. (*See* Schiff, Schubert, McAdams, Spiegel, and O'Donnell), 1025 (Abst.)

SPIES, HAROLD W. (*See* Grieble, Bach, Spies, and Anderson), 1012 (Abst.)

SPRECHER, HOWARD, AND ROBERTSON, ALEX. Analysis of lecithin and cephalin fatty acids from human maternal and fetal blood, perfused placenta, chorion laeve, and amnion, 489

STANLEY, MALCOLM, AND NEMCHAUSKY, BERNARD. Fecal C^{14}-bile acid excretion in normal subjects and patients with steroid-wasting syndromes secondary to ileal dysfunction, 627

STEBBINS, M. R. (*See* Cabasso, Stebbins, Karelitz, Cerini, Ruegsegger, and Stillerman), 429

STEBLAY, RAYMOND W., AND RUDOFSKY, ULRICH. Further evidence in an experimental model for the pathogenesis of nephritis in Goodpasture's disease, 1027 (Abst.)

STEIGMANN, F., LONG, D., AND MEJICANO, R. Lymph flow disturbances in intractable ascites of cirrhotic patients, 893 (Abst.)

STEIN, NELL. (*See* Murray and Stein), 361, 673

STEINE, MARK. (*See* Clarke, Steine, and Bedell), 992 (Abst.)

STENLUND, ROGER R. (*See* Thomsen, Stenlund, and Rowe), 1009 (Abst.)

STEVENSON, CARLOS T. (*See* Streeten, Eich, Smulyan, Dalakos, Obeid, and Stevenson), 1022 (Abst.)

STEZOSKI, S. WILLIAM. (*See* Scheuer and Stezoski), 1007 (Abst.)

STIEHM, E. RICHARD. Radial diffusion technique for the quantitative estimation of precipitating antibody, 528

—. (*See* Kopp, Trier, Stiehm, and Foroozan), 884 (Abst.)

STILLERMAN, M. (*See* Cabasso, Stebbins, Karelitz, Cerini, Ruegsegger, and Stillerman), 429

STJERNHOLM, RUNE L. (*See* Dimitrov, Stjernholm, and Weir), 866 (Abst.)

STOCKERT, THOMAS A. (*See* McNamara, Frischer, Rieckmann, Stockert, Powell, and Carson), 989 (Abst.)

STODDARD, F. J. (*See* Kalkhoff, Richardson, and Stoddard), 1007 (Abst.)

STONE, D. (*See* Samaan and Stone), 986 (Abst.)

STREETEN, DAVID H. P., EICH, ROBERT H., SMULYAN, HAROLD, DALAKOS, THEODORE, OBEID, ANIS I., AND STEVENSON, CARLOS T. Hemodynamic and metabolic changes in idiopathic edema, 1022 (Abst.)

STUTMAN, OSIAS, AND YUNIS, EDMOND J. Immunologic capacities of neonatally thymectomized mice "restored" with an allogeneic functional thymoma, 987 (Abst.)

STYLE, PATRICIA P. (*See* Schwarz, Sutcliffe, and Style), 859 (Abst.)

SULLIVAN, JAMES F., WOODBURY, JAMES J., AND EGAN, JOHN D. Effect of ingestion of beer and cobalt in pigs, 894 (Abst.)
SUMMERSKILL, W. H. J. (*See* Phillips and Summerskill), 686
SUTCLIFFE, C. H. (*See* Schwarz, Sutcliffe, and Style), 859 (Abst.)
SUTHERLAND, JAMES M. (*See* Kleinman, Petering, and Sutherland), 870 (Abst.)
SUTTON, GEORGE C. (*See* De La Paz, Demakis, Meadows, Sutton, and Tobin), 1006 (Abst.)
SWAIM, WILLIAM R. (*See* Lindstrom, Williams, Swaim, and Freier), 862 (Abst.)
SWIATEK, KENNETH R. (*See* Cornblath, Swiatek, Gentz, and Kipnis), 1001 (Abst.)

T

TAKAHASHI, YASURO, PARKER, MARY L., DAUGHADAY, WILLIAM H., AND KIPNIS, DAVID M. Growth hormone (GH), glucose, and insulin in human plasma during sleep, 1021 (Abst.)
TAKAKU, FUMIMARO. (*See* Nakao, Wada, Takaku, Sassa, Yano, and Urata), 923
TAKEDA, Y., AND CHEN, ALAN Y. Fibrinogen metabolism and distribution in patients with the nephrotic syndrome, 678
TAN, ENG M. Relationship of nuclear staining patterns with precipitating antibodies in systemic lupus erythematosus, 800
—. (*See* Kaplan and Tan), 881 (Abst.)
—. (*See* Perry, Sakamoto, and Tan), 1020 (Abst.)
TARAZI, ROBERT C., DUSTAN, HARRIET P., AND FROHLICH, EDWARD D. Relationships of blood volume, hemodynamics, and neurogenic activity to plasma renin activity in essential hypertension, 994 (Abst.)
TAYLOR, C. BRUCE. (*See* Forestner, Forman, Garvin, and Taylor), 863 (Abst.)
TENGERDY, ROBERT P. Quantitative determination of antibody by fluorescence polarization, 707
THEIL, GEORGE B., AND BURKHALTER, EDWARD L. The effect of exercise on carbon dioxide metabolism, 994 (Abst.)
THEILEN, ERNEST O. (*See* Hoak, Wilson, Warner, and Theilen), 888 (Abst.)
THOMPSON, JOHN H., JR. (*See* Bowie, Chan, Didisheim, Thompson, Muhrer, and Owen), 991
THOMSEN, JAMES H., STENLUND, ROGER R., AND ROWE, GEORGE G. The hemodynamic effects of angiotensin amide (Hypertensin Ciba): a comparison of administration into the peripheral and portal venous systems, 1009 (Abst.)
THOR, D. E. In vitro human delayed hypersensitivity: migration index and transfer by an RNA extract, 1018 (Abst.)
TIMMS, RICHARD. (*See* Kann, Mengel, Clancy, and Timms), 150
TOBIAN, LOUIS, ABRAHAM, NANCY, AND SMITH, PAMELA. The importance of "leak" rather than "pump" in regulating net renal tubular transport of sodium, 1019 (Abst.)
TOBIN, JOHN R., JR. (*See* De La Paz, Demakis, Meadows, Sutton, and Tobin), 1006 (Abst.)
TOIGO, ANGELO, AND BEN-PORATH, MOSHE. Tracheobronchial clearance in rabbits, 892 (Abst.)
TRAVIS, RANDALL H. (*See* Bravo and Travis), 831
TREGEAR, G. W. (*See* Catt, Niall, and Tregear), 820
TRIER, JERRY S. (*See* Kopp, Trier, Stiehm, and Foroozan), 884 (Abst.)
TROXLER, ROBERT F. (*See* Lester, Daly, Little, and Troxler), 1001 (Abst.)
TRUSS, DOLORES. (*See* Fried, Rishpon-Meyerstein, and Gurney), 813

U

ULSTROM, ROBERT. (*See* Walker, Ulstrom, and Lowman), 1000 (Abst.)
URATA, GUMPEI. (*See* Nakao, Wada, Takaku, Sassa, Yano, and Urata), 923
UTIGER, ROBERT D. (*See* Berumen, Lobsenz, and Utiger), 640

V

VAAMONDE, CARLOS A., VAAMONDE, LILIANA S., MOROSI, HUGO J., KLINGLER, EUGENE L., JR., AND PAPPER, SOLOMON. Renal concentrating ability in cirrhosis. I. Changes associated with the clinical status and course of the disease, 179
VAAMONDE, LILIANA S. (*See* Vaamonde, Vaamonde, Morosi, Klingler, and Papper), 179
VALENTINE, WILLIAM N. (*See* Paglia and Valentine), 158
VALKEMA, A. J. (*See* Sie, Valkema, and Loomeijer), 121
VAN ALTEN, PIERSON J. (*See* Cain, Van Alten, Good, and Cooper), 882 (Abst.)
VAUGHN, WILLIAM K. (*See* Alexanian, Vaughn, and Ruchelman), 777
VEATCH, ROGER L. (*See* Kaplan, Graham, Kanabrochi, Cho, and Veatch), 867 (Abst.)
VERNIER, ROBERT L. (*See* Perey, Herdman, Vernier, and Good), 881 (Abst.)
VESTERGAARD, PER. (*See* Kahane and Vestergaard), 333
VOLINI, FREDERICK I. (*See* Mandal, Muehrcke, Epstein, and Volini), 872 (Abst.)

W

WADA, OSAMU. (*See* Nakao, Wada, Takaku, Sassa, Yano, and Urata), 923

WAISBREN, BURTON A., HENSLEY, GEORGE, LUTSKY, IRVING, AND FARMER, SILAS. Experimental interstitial nephritis in the dog, 989 (Abst.)

WALKER, W. ALLAN, ULSTROM, ROBERT, AND LOWMAN, JAMES T. The rate of albumin synthesis in hypoproteinemic patients, 1000 (Abst.)

WALKER, W. GORDON. (*See* Cohen and Walker), 571

WALL, ROBERT L., HAQ, ANWARUL, AND MOORE, DELMA. Anticoagulant specific for factor X (Stuart factor), 861 (Abst.)

WALLACE, JAMES F., SMITH, RONALD H., GARCIA, MANUEL, AND PETERSDORF, ROBERT G. Studies on the pathogenesis of meningitis. VI. Antagonism between penicillin and chloramphenicol in experimental pneumococcal meningitis, 408

WANG, YANG. (*See* Gobel, Medina, Guenter, and Wang), 1011 (Abst.)

WARNER, EMORY D. (*See* Hoak, Wilson, Warner, and Theilen), 888 (Abst.)

WARREN, KENNETH S., AND DOMINGO, ERNESTO O. Suppression of granuloma formation of anti-lymphocyte serum, 871 (Abst.)

WEIR, DAVID R. (*See* Dimitrov, Stjernholm, and Weir), 866 (Abst.)

WEISKOPF, R. (*See* Domingo, Mais, Weiskopf, and Fink), 865 (Abst.)

WEISSE, ALLEN B. (*See* Regan, Moschos, Oldewurtel, Weisse, and Asokan), 221

WELLER, JOHN M. (*See* Haig, Easterling, Gros, Greene, and Weller), 891 (Abst.)

WERNER, LAURA. (*See* Schultz, Werner, Potter, and Grande), 63

WERNER, MARIO, AND ODENTHAL, DIETHELM. Serum protein changes after gastrectomy as a model of acute phase reaction, 302

WESSLER, STANFORD, AND YIN, E. THYE. Comparative thrombogenicity of thrombin and activated Factor X, 864 (Abst.)

WESTERMAN, MAXWELL P. (*See* Balcerzak, Westerman, and Heinle), 1024 (Abst.)

WESTRING, DAVID W. (*See* Pisciotta, Westring, and De Prey), 229

WHANG, ROBERT, MOROSI, HUGO J., RODGERS, DONALD, AND REYES, REBECCA. The influence of sustained magnesium deficiency on muscle potassium repletion, 895

WHEELOCK, E. FREDERICK, AND LARKE, R. P. BRYCE. Efficacy of interferon in the treatment of established murine virus leukemia, 877 (Abst.)

WHITE, ARTHUR. (*See* Martin and White), 1

WHITE, JAMES G., AND KRIVIT, WILLIAM. The canalicular system of the platelet: a possible sarcoplasmic reticulum, 999 (Abst.)

—. (*See* Edson, Krivit, and White), 463

WHITLEY, CARL E. (*See* Alfrey, Lynch, and Whitley), 419

WILKES, EDWARD A. (*See* Chester, Baum, and Wilkes), 888 (Abst.)

WILLIAMS, HIBBARD E., WILSON, MARGARET, AND SMITH, LLOYD H., JR. Studies on primary hyperoxaluria. III. Transamination reactions of glyoxylate in human tissue preparations, 494

WILLIAMS, RALPH C., JR. (*See* Lindstrom, Williams, Swaim, and Freier), 862 (Abst.)

—. (*See* Messner, Laxdal, Williams, and Quie), 869 (Abst.)

—. (*See* Wilson, Onstad, Williams, Carey, and Yount), 879 (Abst.)

WILSON, D. M., AND SCHWARTZ, F. D. Incorporation of iodopyracet (Diodrast) into R.B.C. of normal and azotemic patients, 863 (Abst.)

WILSON, I. DODD, ONSTAD, GERALD R., WILLIAMS, RALPH C., JR., CAREY, JAMES B., JR., AND YOUNT, WILLIAM J. Changes in serum immunoglobulin class and subgroup concentrations in patients with alcoholic cirrhosis, 879 (Abst.)

WILSON, MARGARET. (*See* Williams, Wilson, and Smith), 494

WILSON, WILLIAM R. (*See* Hoak, Wilson, Warner, and Theilen), 888 (Abst.)

WOCHNER, R. DEAN, KULAPONGS, PANJA, AND BACHMANN, FEDOR. ^{125}I-fibrinogen turnover and coagulation studies in a patient with Kasabach-Merritt syndrome, 997 (Abst.)

WOLF, PAUL. (*See* Prasad, Oberleas, Wolf, and Horwitz), 887 (Abst.)

WOLF, PHILLIP S. (*See* Genton and Wolf), 311

WOLF, STEWART. (*See* Houk and Wolf), 1002 (Abst.)

WONG, EDWARD T., AND LITMAN, GARY W. In vitro studies of the interaction between the long-acting thyroid stimulator (LATS) and thyroid microsomes, 1003 (Abst.)

WONG, PAUL W. K., SCHWARZ, V., AND KOMROWER, G. M. The biosynthesis of cystathionine in patients with homocystinuria, 858 (Abst.)

WOOD, LEE, AND BEUTLER, ERNEST. Temperature dependence of sodium-potassium activated erythrocyte adenosine triphosphatase, 287

WOODBURY, JAMES J. (*See* Sullivan, Woodbury, and Egan), 894 (Abst.)

WOOLEY, CHARLES F., KLASSEN, KARL P., LEIGHTON, RICHARD F., GOODWIN, RICHARD S., AND RYAN, JOSEPH M. The left atrial pressure pulse in normal subjects and patients with mitral stenosis, 999 (Abst.)

WORTH, MELVIN H., JR., AND FLITMAN, ROBERT. Basic zinc test for urine bilirubin, 352

WRIGHT, CLAUDE-STARR. (*See* Lewis, Alford, Dickinson, Mulherin, Wright, Gardner, and Moores), 862 (Abst.)
WRIGHT, RITA C. (*See* Scott and Wright), 355
WULFF, JOHAN. (*See* Naughton and Wulff), 996 (Abst.)

Y

YAM, L. T., CASTOLDI, G. L., AND MITUS, W. J. With the technical assistance of Lomanno, V. Quantitative evaluation of phytohemagglutinin-stimulated lymphocyte cultures, 699
YANO, YUZO. (*See* Nakao, Wada, Takaku, Sassa, Yano, and Urata), 923
YATES, JESSE T. (*See* Klahr, Guerra, Yates, Bourgoignie, and Bricker), 1026 (Abst.)
YIENGST, MARVIN J. (*See* Lindeman, Adler, Yiengst, and Beard), 236
YIN, E. THYE. (*See* Wessler and Yin), 864 (Abst.)
YOUNG, JOEL E. (*See* Prager, Young, and Atkins), 768
YOUNT, WILLIAM J. (*See* Wilson, Onstad, Williams, Carey, and Yount), 879 (Abst.)
YUNICE, ANIECE. (*See* Perry, Erlanger, Yunice, and Perry), 963
YUNIS, EDMOND J. (*See* Stutman and Yunis), 987 (Abst.)
YUNIS, JORGE J. Human chromosome abnormalities and mammalian late replicating DNA, 857 (Abst.)

Z

ZAMCHECK, NORMAN. (*See* Broitman, Flint, and Zamcheck), 9
ZIEVE, LESLIE, AND DOIZAKI, WILLIAM. Evidence that postheparin lipase acts on phospholipids, 885 (Abst.)
ZSCHOCKE, RAINER H. (*See* Grieble, Zschocke, and Anderson), 1013 (Abst.)
ZWEIFLER, ANDREW J. Impairment of platelet function and thrombus growth in reserpine-treated rabbits, 16

Subject index*

A

Acetylating enzyme, relationship to hydralazine toxicity, 1020 (Abst.)
Acid(s), amino, neutral, absorption in humans: effect of side-chain length, 883 (Abst.)
serum, concentrations in alcoholic hepatitis, 554
bile, kinetics, differences in, as means of distinguishing two types of hyperlipidemia, 990 (Abst.)
fatty, lecithin and cephalin, analysis, from human maternal and fetal blood, perfused placenta, chorion laeve, and amnion, 489
nonesterified, release from adipose tissue in relation to obesity, 458
synthesis, and cholesterol, control mechanism in; ketosis 878 (Abst.)
triglyceride, specificity of plasma postheparin lipolytic activity in controls and hyperglyceridemic subjects, 998 (Abst.)
fecal C^{14}-bile, excretion in normal subjects and patients with steroid-wasting syndromes secondary to ileal dysfunction, 627
nicotinic, increased activity of erythrocyte glutathione reductase during administration, 989 (Abst.)
propionic, metabolism of polymorphonuclear leukocytes in rheumatoid arthritis, 866 (Abst.)
Acroosteolysis, occupational, clinical studies in; new disease, 1023 (Abst.)
Adenosine triphosphate, sodium-potassium activated erythrocyte, temperature dependence, 287
Adipose tissue cells, isolated human, effects of epinephrine and peptide hormones on, 1009 (Abst.)
release of nonesterified fatty acids from, in relation to obesity, 458
Adrenal steroids, acute effect, on interrelationship between renal excretion of sodium, calcium, and magnesium, 563
Adrenergic alpha receptor depressant activity in heart, evidence for, 876 (Abst.)
Agammaglobulinemia, lymphopenic, in adult, 884 (Abst.)
Agranulocytosis, studies on: inhibition of mitosis in phytohemagglutinin-stimulated lymphocytes by chlorpromazine, 229
Airway resistance parameters, dynamic measurement, 888 (Abst.)
Albumin synthesis, and lipoprotein, stimulation, by dietary monosaccharide in rat, 878 (Abst.)
Albumin synthesis—Cont'd
rate, in hypoproteinemic patients, 1000 (Abst.)
Alcohol dehydrogenase, quantitative measurement in lobule of normal livers, 116
induced depression of reticuloendothelial function in rat, 295
Alcoholic cirrhosis, changes in serum immunoglobulin class and subgroup concentrations in patients with, 879 (Abst.)
hepatitis, serum amino acid concentrations in, 554
Aldose reductase and transaldolase activities of human vascular tissue, 889 (Abst.)
Aldosterone, quantitative gas-liquid chromatographic method for, in human urine, 831
Allogenic functional thymoma, immunologic capacities of neonatally thymectomized mice "restored" with, 987 (Abst.)
Alloxan diabetic rat, normal and, intestinal transport of 3-O-methyl-D-glucose in, 865 (Abst.)
Alymphoplasia, thymic, and defective inflammatory response, association with; absence of activity of first component of complement in man, 715
Amino acid absorption, neutral, in humans: effect of side-chain length, 883 (Abst.)
and glucagon metabolism in man, 1017 (Abst.)
serum, concentrations in alcoholic hepatitis, 554
Ammonia tolerance in diagnosis of esophageal varices; comparison of endoscopic, radiologic, and biochemical techniques, 442
Amnion, human maternal and fetal blood, perfused placenta, chorion laeve, analysis of lecithin and cephalin fatty acids from, 489
Anaphylactic shock, cardiac mechanisms in, 1002 (Abst.)
Androgens, erythropoietin excretion in man following, 777
Anemia in Zieve's syndrome, mechanism, 1024 (Abst.)
Anemic rats, effect of pancreas extract on Fe^{59} absorption by, 361
Angiotensin amide, hemodynamic effects, 1009 (Abst.)
and measurement of renin activity, radioimmunoassay, 884 (Abst.)
Anhydrase activity, blood carbonic, and zinc concentration in infants with respiratory distress syndrome, 870 (Abst.)

*July, pp. 1-178; August, pp. 179-360; September, pp. 361-534; October, pp. 535-714; November, pp. 715-894; December, pp. 895-1064.

Antibacterial activity, evidence for differing mechanisms, of sulfanilamide and sulfadiazine against Neisseria, 662
Antibodies antinuclear, in infectious mononucleosis, 881 (Abst.)
anti-pigeon, in serum of pigeon breeders, 880 (Abst.)
B virus and herpes simplex virus, correlation in human sera, 170
precipitating, relationship of nuclear staining patterns with, in systemic lupus erythematosus, 800
specific for 2,6-dinitrophenyl group binding reactions, 874 (Abst.)
Antibody, precipitating, radial diffusion technique for quantitative estimation, 528
quantitative determination, by fluorescence polarization, 707
reagin, to insulin, specificity, 867 (Abst.)
Anticoagulant, acquired, studies directed against factor VIII, 384
specific for factor X (Stuart factor), 861 (Abst.)
Anticoagulants, low concentrations, high levels of procoagulants producing short clotting times or masking deficiencies of other procoagulants, 463
Antigen, bacterial, immunofluorescent localization in pyelonephritis: use of antisera against common enterobacterial antigen in experimental renal lesions, 204
Antinuclear antibodies in infectious mononucleosis, 881 (Abst.)
Anti-pigeon antibodies in serum of pigeon breeders, 880 (Abst.)
Antisera, use against common enterobacterial antigen in experimental renal lesions: immunofluorescent localization of bacterial antigen in pyelonephritis, 204
Antiserum, Hageman factor, inhibition by, vascular permeability-enhancing activity in normal human synovial fluid, and induction by Hageman factor activators, 372
specific, abolition of permability-enhancing properties of Hageman factor by, 365
Antithyroid effect of gentisate, 859 (Abst.)
Aortic abdominal, cholesterol deposition, and plasma lipoprotein in chick, thoracic versus, 1010 (Abst.)
Arginine in patients with familial hyperlipoproteinemia, plasma insulin response to, 1025 (Abst.)
Arthritis, gouty, acute, inflammatory process in: III, 372
rheumatoid, propionic acid metabolism of polymorphonuclear leukocytes in, 866 (Abst.)
Ascites, intractable, of cirrhotic patients, lymph flow disturbances in, 893 (Abst.)
Asparate transcarbamylase, feedback inhibition, study of possible role, in regulation of pyrimidine synthesis in human leukocytes, 768
Atomic absorption spectroscopy using coprecipitation with bismuth, determination of lead in urine by, 326
ATP, ineffective resynthesis, by platelets, 1010 (Abst.)
metabolism in thalassemic and iron-deficient erythrocytes, 1016 (Abst.)
ATPase inhibitors, membrane, and DNP effects on coupling of anaerobic metabolism to anaerobic Na transport in isolated epithelium of turtle bladder, 1026 (Abst.)
Atrial pressure pulse, left, in normal subjects and patients with mitral stenosis, 999 (Abst.)
Autoantibodies, intrinsic factor, chemical heterogeneity, 1008 (Abst.)
Azotemic state, in vivo inhibition of hippurate uptake in rat kidneys in, 997 (Abst.)

B

Bacteria, serum opsonin, and polymorphonuclear leukocyte interaction in subacute bacterial endocarditis, 869 (Abst.)
Bacterial antigen, immunofluorescent localization in pyelonephritis: use of antisera against common enterobacterial antigen in experimental renal lesions, 204
forms and protoplasts of Streptococcus faecalis, effect of osmotic stabilizer on, 539
and viral infections, C'1q, acute phase reactant to, 1012 (Abst.)
Basement membrane, glomerular, and lens capsule, chemical and immunologic identity between, 1013 (Abst.)
Beer and cobalt, effect of ingestion, in pigs, 894 (Abst.)
Bence-Jones protein, relationship to multiple myeloma—evidence for independent synthesis, 862 (Abst.)
Bile acid excretion, fecal, and serum cholesterol levels, effect of oral hydrophilic colloid on, 863 (Abst.)
kinetics, differences in, as means of distinguishing two types of hyperlipidemia, 990 (Abst.)
metabolism in humans, new pathway; sulfate esters of lithocholic acid and conjugates, 873
Bilirubin turnover, estimation of human erythrocyte life-span from, 195
urine, basic zinc test for, 352
Bioassays, erythropoietin, utilizing silicone rubber membrane enclosures, 48
Biochemical, endoscopic, and radiologic techniques, comparison; ammonia tolerance in diagnosis of esophageal varices, 442
studies of sweat secretion in cystic fibrosis, 859 (Abst.)
Biologic processes, role of magnesium in, 883 (Abst.)
value protein diets, high, in treatment of uremia, 891 (Abst.)
Biosynthesis, cholesterol, effect of trifluperidol on, in man, 889 (Abst.)

Biosynthesis—Cont'd
and metabolism of myoglobin-H^3, 1001 (Abst.)
Bismuth, determination of lead in urine by atomic absorption spectroscopy using coprecipitation with, 326
Bladder, turtle, effects of membrane ATPase inhibitors and DNP on coupling of anaerobic metabolism to anaerobic Na transport in isolated epithelium, 1026 (Abst.)
Bleeding mice: successful technique of cardiac puncture, 981
Blind diabetic subjects, sensory perception thresholds in, in relation to reading of Braille type, 998 (Abst.)
Blood, alterations in sulfobromophthalein sodium removal from, in patients with pruritus of pregnancy, 1020 (Abst.)
carbonic anhydrase activity and zinc concentration in infants with respiratory distress syndrome, 870 (Abst.)
cell, red, adenosine triphosphate, sodium-potassium activated, temperature dependence, 287
life-span, human, estimation from bilirubin turnover, 195
of normal and azotemic patients, incorporation of iodopyracet into, 863 (Abst.)
flow, coronary, luminal, in left vertricle, 868 (Abst.)
human maternal and fetal, perfused placenta, chorion laeve, and amnion, analysis of lecithin and cephalin fatty acids from, 489
oxygen dissociation curves in sickle cell disease, 480
and plasma, human, disulfide and sulfhydryl compounds in TCA extracts, 518
platelets, human, effects of reptilase and thrombin on, and observations on molecular mechanism of clot retraction, 106
potassium transport in, 69
pressure elevation, transient, hemodynamics in patients with, 1026 (Abst.)
volume, hemodynamics, and neurogenic activity, relationships to plasma renin activity in essential hypertension, 994 (Abst.)
Bone marrow activity, effect on regulation of plasma erythropoietin levels, 987 (Abst.)
remodeling in puppies with experimental rickets, 94
Borohydride reductions, effect upon biologic functions of certain enteroviruses and reovirus, and hemagglutinating capacity of erythrocytes, 861 (Abst.)
Braille type, sensory perception thresholds in blind diabetic subjects in relation to reading, 998 (Abst.)
Bronchomotor tone on ventilatory-perfusion relationships in lung, further studies on role, 996 (Abst.)

C

C^{14}-bile acid excretion, fecal, in normal subjects and patients with steroid-wasting syndromes secondary to ileal dysfunction, 627
-labeled hemoglobin and hemin, new methods of counting, 841
Cadmium and mercury, intra-arterial, in anesthetized rats, mechanism of acute hypertensive effect, 963
Calcium, renal tubular, and magnesium reabsorption, inhibition during glucose combustion, in normal man, 987 (Abst.)
sodium, and magnesium, interrelationship between renal excretion of, acute effect of adrenal steroids on, 563
Canalicular system of platelet: possible sarcoplasmic reticulum, 999 (Abst.)
Carbohydrate metabolism, effect of physical activity on, 996 (Abst.)
erythrocyte, role of alpha ⇆ beta glucose-6-phosphate interconversion in, 535
Carbon dioxide metabolism, effect of exercise on, 994 (Abst.)
Carcinoma, transplantable thyroid, precursor cytogenetic changes, in iodine deficient goiters, 1023 (Abst.)
Cardiac mechanism in anaphylactic shock, 1002 (Abst.)
puncture, successful technique in bleeding mice, 981
Cardiogenic shock, effect of drugs on myocardial force-velocity relation as basis for use in, 864 (Abst.)
Cardiomyopathy, postpartum: course of disease in 16 patients followed for 2 to 18 years, 1006 (Abst.)
Cation excretion, urinary divalent, influence of various nutrients on, 236
Cell(s), blood, red, effects of, in vivo hyperoxia on, 150
disease, sickle, blood oxygen dissociation curves in, 480
isolated fat, evidence for use of high energy intermediates for protein synthesis in, 1021 (Abst.)
human adipose tissue, effects of epinephrine and peptide hormones on, 1009 (Abst.)
red blood, adenosine triphosphate, sodium-potassium acitvated, temperature dependence, 287
life-span, human, estimation from bilirubin turnover, 195
of mice, origin of increased protoporphyrin in, with experimentally induced porphyria, 923
of normal and azotemic patients, incorporation of iodopyracet into, 863 (Abst.)
enzyme defect, new: TPNH-methemoglobin reductase deficiency, 760
renomedullary interstitial, to experimental hypertension, relationship, 872 (Abst.)
stem, proliferation, erythroid differentiation during, 23

Cell-mediated immune reaction to autologous colon, 868 (Abst.)
Centrifugation, density gradient, separation of malarial parasites according to age by, 933
Cephalin and lecithin fatty acids, analysis, from human maternal and fetal blood, perfused placenta, chorion laeve, and amnion, 489
Chemical and immunologic studies of cystic fibrosis and normal urinary glycoprotein of Tamm and Horsfall, 725
Chloramphenicol and penicillin, antagonism between, in experimental pneumococcal meningitis, 408
Chlorpromazine, inhibition of mitosis in phytohemagglutinin-stimulated lymphocytes by; studies on agranulocytosis, 229
Cholerheic enteropathy with cholestryamine, effective treatment of diarrhea, 1024 (Abst.)
Cholesterol biosynthesis, effect of trifulperidol on, in man, 889 (Abst.)
deposition, abdominal aortic, and plasma lipoproteins in chick, thoracic versus, 1010 (Abst.)
ester, hepatic, storage disease, 1025 (Abst.)
and fatty acid synthesis, control mechanism; ketosis, 878 (Abst.)
levels, serum, dietary lipids and reduction, by neomycin in man, 471
and fecal bile acid excretion, effect of oral hydrophilic colloid on, 863 (Abst.)
Cholestyramine, effective treatment of diarrhea of cholerheic enteropathy with, 1024 (Abst.)
Cholinesterase, serum, rapid screening test for, 343
Chorion laeve, human maternal and fetal blood, perfused placenta, and amnion, analysis of lecithin and cephalin fatty acids from, 489
Chromatographic method, quantitative gas-liquid, for aldosterone in human urine, 831
Chromium-51 tagged erythrocyte excretion, toilet monitor for measurement, 890 (Abst.)
Chromogens, Porter-Silber, plasma 17-hydroxycorticosteroids as, effect of ketone bodies on measurements, 63
Chromosome abnormalities, human, and mammalian late replicating DNA, 857 (Abst.)
in myeloproliferative disorders, 993 (Abst.)
Circadian rhythm of renal function in healthy pregnant women, 1028 (Abst.)
Cirrhosis, alcoholic, changes in serum immunoglobulin class and subgroup concentrations in patients with, 879 (Abst.)
hepatic, chronic, growth hormone and serum insulin in response to glucose load, 986 (Abst.)
renal concentrating ability in: changes associated with clinical status and course of disease, 179
Cirrhotic patients, lymph flow disturbances in intractable ascites, 893 (Abst.)
Clot retraction, observations on molecular mechanism, effects of reptilase and thrombin on human blood platelets and, 106
C'1q, acute phase reactant to viral and bacterial infections, 1012 (Abst.)
C'1s fragment, activation, first component of complement by C'1r fragment, 873 (Abst.)
Coagulase negative staphylococci, transmission patterns, 1006 (Abst.)
Cobalt and beer, effect of ingestion, in pigs, 894 (Abst.)
Colitis, ulcerative, reactivity in vitro of lymphocytes from patients with, 752
significance of lactase deficit in, 279
Colloid, oral hydrophilic, effect on fecal bile acid excretion and serum cholesterol levels, 863 (Abst.)
Colon, autologous, cell-mediated immune reaction to, 868 (Abst.)
human, conservation of electrolytes and water by, 990 (Abst.)
Complement, activation by monoclonal cryoglobulin associated with cold urticaria, 988 (Abst.)
first component, absence of activity in man: association with thymic alymphoplasia and defective inflammatory response, 715
activation of C'1s fragment, by C'1r fragment, 873 (Abst.)
fixing and tissue binding serum globulins in patients with myasthenia gravis, and their relation to muscle ribonucleoprotein, 258
Copper, serum, concentration, effect of serial venipuncture upon, 867 (Abst.)
Coprecipitation with bismuth, determination of lead in urine by atomic absorption spectroscopy using, 326
Coronary blood flow, luminal, in left ventricle, 868 (Abst.)
Cryoglobulin, monoclonal, activation of complement by, associated with cold urticaria, 988 (Abst.)
Cultures of human kidney, origin of fibrinolytic activity in, 650
phytohemagglutinin-stimulated lymphocyte quantitative evaluation, 699
Cyanocobalamin, measurement of affinity of human gastric intrinsic factor for, 666
Cycling and walking, energy cost, 992 (Abst.)
Cystathionine, biosynthesis, in patients with homocystinuria, 858 (Abst.)
Cystic fibrosis, biochemical studies of sweat secretion in, 859 (Abst.)
and normal urinary glycoprotein of Tamm and Horsfall, immunologic and chemical studies, 725
Cysts, experimental induction, in developing rabbit kidney, 881 (Abst.)
Cytogenetic changes, precursor, of transplantable thyroid carcinoma in iodine deficient goiters, 1023 (Abst.)

D

Dehydrogenase, alcohol, quantitative measurement in lobule of normal livers, 116
Density gradient centrifugation, separation of malarial parasites according to age by, 933
Deoxycorticosterone privalate, characteristics of hypertensive state produced by, 1004 (Abst.)
Dextran and polyvinylpyrrolidone in human subjects, comparison of hypolipidemic action, 890 (Abst.)
DFP on platelet function, effect, in vitro and in vivo, 1003 (Abst.)
Diabetes, human, pancreatic transplantation in, 872 (Abst.)
and obesity, plasma kinetics of labeled insulin A and B chains in, 1002 (Abst.)
Diabetic mothers, subclinical, of heavy infants, defective plasma insulin response during steroid glucose tolerance in, 1007 (Abst.)
rat, alloxan, normal and, intestinal transport of 3-0-methyl-D-glucose, 865 (Abst.)
subjects, blind, sensory perception thresholds in, in relation to reading Braille type, 998 (Abst.)
Diabetogenic polypeptide from hog and sheep pituitary glands, 1016 (Abst.)
Diarrhea of cholerheic enteropathy with cholestyramine, effective treatment, 1024 (Abst.)
Diazoxide-induced hyperglycemia in pancreatectomized dog, 1004 (Abst.)
Diets, protein, high biologic value, in treatment of uremia, 891 (Abst.)
Diffusion technique, radial, for quantitative estimation of precipitating antibody, 528
Digoxin, effects upon fetal lamb, 894 (Abst.)
Dilantin in acute myocardial infarction, prophylactic use, 893 (Abst.)
2,6-Dinitrophenyl group, binding reactions of antibodies specific for, 874 (Abst.)
and membrane ATPase inhibitors, effects on coupling of anaerobic metabolism to anaerobic Na transport in isolated epithelium of turtle bladder, 1026 (Abst.)
Diodrast, incorporation in R.B.C. of normal and azotemic patients, 863 (Abst.)
Disulfide and sulfhydryl compounds in TCA extracts of human blood and plasma, 518
Diuresis, mannitol and glucose, urate excretion during, 213
DNA, inhibition of protease activity in purulent sputum by, 595
late replicating, mammalian, human chromosome abnormalities and, 857 (Abst.)
Donor and recipient function 2 to 4 years after renal transplantation, 891 (Abst.)
Dopamine natriuresis, separation from vasodilation: evidence for dopamine receptors, 892 (Abst.)
Drug induced hypermetabolism, production of factor VIII and fibrinogen in subjects with, 888 (Abst.)
Drugs, effect on myocardial force-velocity relation as basis for their use in cardiogenic shock, 864 (Abst.)
Dysgammaglobulinemia produced by developmental arrest, 882 (Abst.)
Dysfunction, ileal, fecal C^{14}-bile excretion in normal subjects and patients with steroid-wasting syndromes secondary to, 627

E

Ecologic orientation in medicine, 859 (Abst.)
Edema, idiopathic, hemodynamic and metabolic changes in, 1022 (Abst.)
Electrical pacing, hemodynamic response to, 1011 (Abst.)
Electrolyte concentrations, potassium flux kinetics, and metabolic dependence of potassium transport in human platelets, 938
and water transport during maintenance of isotonicity in human jejunum and ileum, 686
Electrolytes and water, conservation, by human colon, 990 (Abst.)
Electronic counter, size determination of human erythrocytes with, 849
Embolism, pulmonary, experimental; effects of urokinase therapy on organizing thrombi, 311
Endocarditis, staphylococcal, experimental, studies in dogs; treatment with oxacillin, 786
subacute bacterial, serum opsonin, bacteria and polymorphonuclear leukocyte interaction in, 869 (Abst.)
Endoscopic, radiologic, and biochemical techniques, comparison; ammonia tolerance in diagnosis of esophageal varices, 442
Energy cost of cycling and walking, 992 (Abst.)
Enterobacterial antigen, common, use of antisera against, in experimental renal lesions: immunofluorescent localization of bacterial antigen in pyelonephritis, 204
Enteropathy, cholerheic, with cholestyramine, effective treatment of diarrhea, 1024 (Abst.)
Enteroviruses and reovirus, certain, effect of borohydride reductions upon biologic functions, and hemagglutinating capacity of erythrocytes, 861 (Abst.)
Enzyme, acetylating, relationship to hydralazine toxicity, 1020 (Abst.)
activity, oxygen consumption, sodium reabsorption, and renal function, relations among, in diseased kidneys, 985 (Abst.)
defect, new red-cell; TPNH-methemoglobin reductase deficiency, 760
as indicator of selective permeability of renal glomerulus, use of renal clearances, 571

Enzyme—Cont'd
studies during lymphocyte stimulation with phytohemagglutinin, 886 (Abst.)
in marmoset hepatitis, 860 (Abst.)
Epinephrine and peptide hormones, effects on isolated human adipose tissue cells, 1009 (Abst.)
Epithelium, isolated, of turtle bladder, effects of membrane ATPase inhibitors and DNP on coupling of anaerboic metabolism to anaerobic Na transport in, 1026 (Abst.)
Erythematosus, lupus, systemic, relationship of nuclear staining patterns with precipitating antibodies in, 800
Erythrocyte(s) adenosine triphosphate, sodium-potassium activated, temperature dependence, 287
carbohydrate metabolism, role of alpha ⇆ beta glucose-6-phosphate interconversion in, 535
effects of in vivo hyperoxia on; hemolysis occurring after exposure to oxygen under high pressure, 150
excretion, Cr^{51} tagged, toilet monitor for measurement, 890 (Abst.)
glutathione peroxidase, studies on quantitative and qualitative characterization, 158
reductase, increased activity, during administration of nicotinic acid, 989 (Abst.)
and hemagglutinating capacity, effect of borohydride reductions upon biologic functions of certain enteroviruses and reovirus, 861 (Abst.)
human, size determination with electronic counter, 849
life-span, human, estimation from bilirubin turnover, 195
of mice, origin of increased protoporphyrin in, with experimentally induced porphyria, 923
thalassemic and iron-deficient, metabolism of ATP in, 1016 (Abst.)
Erythrocytosis, familial: disorder due to increased erythropoietin production, 983 (Abst.)
Erythroid differentiation during stem cell proliferation, 23
Erythropoiesis, effect of erythropoietin on recovery after partial-body irradiation, 869 (Abst.)
of W/W_v mice, effect of testosterone on, 813
Erythopoietin bioassays utilizing silicone rubber membrane enclosures, 48
effect on recovery of erythropoiesis after partial-body irradiation, 869 (Abst.)
excretion in man following androgens, 777
fractionation by selective membrane permeability, 862
plasma, levels, effect of bone marrow activity on regulation, 987 (Abst.)
production, increased, disorder due to; familial erythrocytosis, 983 (Abst.)
Esophageal varices, ammonia tolerance in diagnosis; comparison of endoscopic, radiologic, and biochemical techniques, 442
Extrathyroidal origin, possible, circulating iodoprotein, 1017 (Abst.)

F

Factor VIII and fibrinogen, production, in subjects with drug induced hypermetabolism, 888 (Abst.)
stimulating factor in porcine von Willebrand's disease, 991 (Abst.)
studies on acquired anticoagulant directed against, 384
X, activated, and thrombin, comparative thrombogenicity, 864 (Abst.)
(Stuart factor), anticoagulant specific for, 861 (Abst.)
Fat cells, isolated, evidence for use of high energy intermediates for protein synthesis in, 1021 (Abst.)
test, in fat absorption studies, re-evaluation of radio-iodinated triolein as, 121
Fatty acid, lecithin and cephalin, analysis, from human maternal and fetal blood, perfused placenta, chorion laeve, and amnion, 489
nonesterified, release from adipose tissue in relation to obesity, 458
Fe^{59} absorption by anemic rats, effect of pancreas extract on, 361
Feedback inhibition of aspartate transcarbamylase, study of possible role, in regulation of pyrimidine synthesis in human leukocytes, 768
Fecal bile acid excretion and serum cholesterol levels, effect of oral hydrophilic colloid on, 863 (Abst.)
C^{14}-bile acid excretion in normal subjects and patients with steroid-wasting syndromes secondary to ileal dysfunction, 627
Ferritin, characteristics, isolated from human marrow, spleen, liver, and reticulocytes, 419
Fibrinogen derivatives, plasma, immunoelectrophoretic characterization, in patients with pathological plasma proteolysis, 903
and factor VIII, production, in subjects with drug induced hypermetabolism, 888 (Abst.)
^{125}I-, turnover, and coagulation studies in patient with Kasabach-Merritt syndrome, 997 (Abst.)
metabolism and distribution in patients with nephrotic syndrome, 678
Fibrinolytic activity, origin, in cultures of human kidney, 650
Fibrocystic disease, adolescent, effect of pancreatic replacement therapy on metabolic balance in, 1005 (Abst.)
structure of Tamm-Horsfall mucoprotein in, 404
Fibrosis, cystic, biochemical studies of sweat secretion in, 859 (Abst.)
Fluorescence microscopy, detection of Schistosome ova by, 865 (Abst.)
polarization, quantitative determination of antibody by, 707
Fluorometric assay for metanephrine and normetanephrine in urine, 333

Fluorometric—Cont'd
determination of isonicotinic acid hydrazide in serum, 355

G

G-6-PD deficient subjects, hemolytic reactions induced by primaquine in, 80
Gas-liquid chromatographic method, quantitative, for aldosterone in human urine, 831
Gastrectomy, serum protein changes after, as model of acute phase reaction, 302
Gastric factor potentiating iron absorption, 866 (Abst.)
intrinsic factor, human, measurement of affinity, for cyanocobalamin, 666
Gentisate, antithyroid effect, 859 (Abst.)
Glands, pituitary, hog and sheep, diabetogenic polypeptide from, 1016 (Abst.)
γA-Globulin from pooled normal human plasma, isolation and characterization, 1013 (Abst.)
Globulins, serum, complement fixing and tissue binding, in patients with myasthenia gravis, and their relation to muscle ribonucleoprotein, 258
Glomerular basement membrane and lens capsule, chemical and immunologic identity between, 1013 (Abst.)
Glomerulonephritis, acute, and skin infections, role of 25/Imp.19, M-2 streptococcus in, 1019 (Abst.)
Glomerulus, renal, use of renal clearances of enzymes as indicator of selective permeability, 571
Glucagon and amino acid metabolism in man, 1017 (Abst.)
Glucose combustion, inhibition of renal tubular calcium and magnesium reabsorption during, in normal man, 987 (Abst.)
growth hormone, and insulin in human plasma during sleep, 1021 (Abst.)
load, in chronic hepatic cirrhosis, growth hormone and serum insulin in response to, 986 (Abst.)
and mannitol diuresis, urate excretion during, 213
metabolism, pathways in rheumatoid and nonrheumatoid synovial membrane, 503
-6-phosphate, alpha ⇆ beta, intereonversion, role in erythrocyte carbohydrate metabolism, 535
steroid, tolerance tests in subelinical diabetic mothers of heavy infants, defective plasma insulin response during, 1007 (Abst.)
3-0-methyl-D-, in normal and alloxan diabetic rat, intestinal transport, 865 (Abst.)
and xylose, studies of intestinal absorption; neomycin feeding in rat, 9
Glucuronyl transferase deficient rats, effect of phenobarbital on hyperbilirubinemia in, 273
Glutathione peroxidase, erythrocyte, studies on quantitative and qualitative characterization, 158
Glutathione—Cont'd
reductase, erythrocyte, increased activity, during administration of nicotinic acid, 989 (Abst.)
oxidative precipitation of hemoglobin H and its relation to, 581
Glycoprotein, normal urinary, of Tamm and Horsfall, and cystic fibrosis, immunologic and chemical studies, 725
Glycoproteins, serum, acute phase, participation of inflammatory connective tissue in synthesis, 880 (Abst.)
Glyoxylate, transamination reactions in human tissue preparations; studies on primary hyperoxaluria, 494
Goiters, iodine deficient, precursor cytogenetic changes of transplantable thyroid carcinoma in, 1023 (Abst.)
Goodpasture's disease, evidence in experimental model for pathogenesis of nephritis in, 1027 (Abst.)
Gouty arthritis, acute, inflammatory process in: III, 372
Granulocytic leukemia, chronic, induced in rat by magnesium deficiency, 858 (Abst.)
Granuloma formation, suppression, by antilymphocyte serum, 871 (Abst.)

H

Hageman factor, abolition of permeability-enhancing properties, by specific antiserum, 365
activators, induction by, vascular permeability-enhancing activity in normal human synovial fluid, and inhibition by Hageman factor antiserum, 372
Haptoglobin, hemoglobin to, human, effect of sulfhydryl reagents on binding, 606
Heart, evidence for adrenergic alpha receptor depressant activity in, 876 (Abst.)
failure, congestive, obesity and, 857 (Abst.)
perfused rat, isolated, mechanisms of oxygen utilization as related to work function in, 995 (Abst.)
rat, isolated, effects of high energy phosphate depletion and repletion on, 1007 (Abst.)
Hemagglutinating capacity of erythrocytes, effect of borohydride reductions upon biologic functions of certain enteroviruses and reovirus and, 861 (Abst.)
Hemin, and hemoglobin, C^{14}-labeled, new methods of counting, 841
Hemodialysis, increased intracranial pressure from unsustained levels of plasma mannitol during, 129
intermittent, nitrogen balance during, 984 (Abst.)
Hemodynamic and metabolic changes in idiopathic edema, 1022 (Abst.)
response to electrical pacing, 1011 (Abst.)
Hemodynamics, blood volume, and neurogenic activity, relationships to plasma renin activity in essential hypertension, 994 (Abst.)
in patients with transient blood pressure elevation, 1026 (Abst.)

Hemoglobin H, oxidative precipitation, and its relation to reduce glutathione, 581
to haptoglobin, human, effect of sulfhydryl reagents on binding, 606
and hemin, C^{14}-labeled, new methods of counting, 841
Hemolysis occurring after exposure to oxygen under high pressure; effects of in vivo hyperoxia on erythrocytes, 150
Hemolytic reactions induced by primaquine in G-6-PD deficient subjects, 80
Hemopexin, human, purification and partial characterization, 619
Hemorrhage, control with combination of norethynodrel-mestranol, 877 (Abst.)
Hemorrhagic shock, role of pH on myocardial metabolism in, 999 (Abst.)
Hepatic cirrhosis, chronic growth hormone and serum insulin in response to glucose load in, 986 (Abst.)
cholesterol ester storage disease, 1025 (Abst.)
disease, chronic, abnormalities of serum monoamine oxidase in, 36
iron stores, estimation by in vivo measurement of magnetic susceptibility, 246
and magnetic susceptibility: correlation between quantitative determinations of susceptibility and iron in human liver specimens, 1008 (Abst.)
protein synthesis, increased, in uremia, 874 (Abst.)
Hepatitis, alcoholic, serum amino acid concentrations in, 554
marmoset, enzyme studies in, 860 (Abst.)
Herpes simplex virus and B virus antibodies, correlation in human sera, 170
Hippurate, para-amino-, transport, inhibitory effect of advanced uremia on adaptive increase in maximum rate, by residual nephrons of severely diseased dog kidney, 1014 (Abst.)
uptake, in vivo inhibition, in rat kidneys in azotemic state, 997 (Abst.)
Histoplasmin skin tests, single, effect on serologic data, 885 (Abst.)
Histoplasmosis, in vitro lymphocyte transformation in, 875 (Abst.)
Homocystinuria, biosynthesis of cystathionine in patients with, 858 (Abst.)
Hormone(s), circulating parathyroid, radioimmunoassay for, in man, 1012 (Abst.)
growth, glucose, and insulin in human plasma during sleep, 1021 (Abst.)
human, solid phase disc radioimmunoassay for, 820
and serum insulin in response to glucose load in chronic hepatic cirrhosis, 986 (Abst.)
and zinc interrelationship; studies on zinc deficiency, 887 (Abst.)
human thyroid-stimulating, growth, luteinizing, and follicle stimulating, simplified, partially automated method for radioimmunoassay, 973
Hormone(s)—Cont'd
peptide, epinephrine and, effects on isolated human adipose tissue cells, 1009 (Abst.)
Hydralazine toxicity, relationship of acetylating enzyme to, 1020 (Abst.)
Hydrazide, isonicotinic acid, in serum, fluorometric determination, 355
Hydrophilic colloid, oral, effect on fecal bile acid excretion and serum cholesterol levels, 863 (Abst.)
17-Hydroxycorticosteroids, plasma, as Porter-Silber chromogens, effect of ketone bodies on measurements, 63
Hyperbilirubinemia, effect of phenobarbital on, in glucuronyl transferase deficient rats, 273
Hypercupremia in patient with multiple myeloma, 57
Hypergammaglobulinemic purpura, benign, of Waldenström: clinical and immunologic study, 991 (Abst.)
Hyperglycemia, diazoxide-induced, in pancreatectomized dog, 1004 (Abst.)
Hyperglyceridemic subjects and controls, triglyceride-fatty acid specificity of plasma postheparin lipolytic activity in, 998 (Abst.)
Hyperlipidemia, two types, differences in bile acid kinetics as means of distinguishing, 990 (Abst.)
Hyperlipoproteinemia, familial, plasma insulin response to arginine in patients with, 1025 (Abst.)
Hypermetabolism, drug induced, production of factor VIII and fibrinogen in subjects with, 888 (Abst.)
Hyperoxaluria, primary, studies on: transamination reactions of glyoxylate in human tissue preparations, 494
Hyperoxia, in vivo, effects on erythrocytes; hemolysis occurring after exposure to oxygen under high pressure, 150
Hypersensitivity, human delayed, in vitro: migration index and transfer by RNA extract, 1018 (Abst.)
Hypersplenic thrombocytopenia, studies of mechanism, in rats, 736
Hypertension, experimental, relationship of renomedullary interstitial cells to, 872 (Abst.)
Hypertensive effect, acute, mechanisms of intra-arterial cadmium and mercury in anesthetized rats, 963
Hypertriglyceridemia, physiological significance of lipoprotein lipase in: enzymic and kinetic studies in kindred with familial hyperchylomicronemia, 1027 (Abst.)
Hypoglycemia, starvation, in newborn pigs, 1001 (Abst.)
Hypolipidemic action, comparison, of dextran and polyvinylpyrrolidone in human subjects, 890 (Abst.)
Hypoproteinemic patients, rate of albumin synthesis in, 1000 (Abst.)
Hypothyroidism, thyrocalcitonin deficiency in, 984 (Abst.)

Hypovolemia, metabolic factors associated with induced tolerance for, 983 (Abst.)

I

Idiopathic edema, hemodynamic and metabolic changes in, 1022 (Abst.)
^{125}I-fibrinogen turnover and coagulation studies in patient with Kasabach-Merritt syndrome, 997 (Abst.)
Ileal dysfunction, fecal C^{14}-bile acid excretion in normal subjects and patients with steroid-wasting syndromes secondary to, 627
Ileum and jejunum, human, water and electrolyte transport during maintenance of isotonicity in, 686
Immune reaction, cell-mediated, to autologous colon, 868 (Abst.)
Immunochemical, purification, and physicochemical characterization; human tear lysozyme, 951
Immunoelectrophoretic characterization of plasma fibrinogn derivatives in patients with pathological plasma proteolysis, 903
Immunofluorescent deposits in renal diseases, localization, 1015 (Abst.)
localization of bacterial antigen in pyelonephritis: use of antisera against common enterobacterial antigen in experimental renal lesions, 204
Immunoglobulin class, serum, and subgroup concentrations, changes, in patients with alcoholic cirrhosis, 879 (Abst.)
Immunoglobulins, molecular heterogeneity among, 876 (Abst.)
Immunologic capacities of neonatally thymectomized mice "restored" with allogeneic functional thymoma, 987 (Abst.)
and chemical studies of cystic fibrosis and normal urinary glycoprotein of Tamm and Horsfall, 725
Infarction, acute myocardial, prophylactic use of Dilantin in, 893 (Abst.)
Inflammatory connective tissue, participation, in synthesis of acute phase serum glycoproteins, 880 (Abst.)
process in acute gouty arthritis; vascular permeability-enhancing activity in normal human synovial fluid; induction by Hageman factor activators; and inhibition by Hageman factor antiserum, 372
Insulin A and B chains, labeled, plasma kinetics, in diabetes and obesity, 1002 (Abst.)
growth hormone, and glucose in human plasma during sleep, 1021 (Abst.)
plasma, response, defective, during steroid glucose tolerance tests in subclinical diabetic mothers of heavy infants, 1007 (Abst.)
response, plasma, to arginine in patients with familial hyperlipoproteinemia, 1025 (Abst.)
Insulin—Cont'd
serum, and growth hormone in response to glucose load in chronic hepatic cirrhosis, 986 (Abst.)
specificity of reagin antibody to, 867 (Abst.)
Interferon, efficacy, in treatment of established murine virus leukemia, 877 (Abst.)
Interstitial cells, renomedullary, to experimental hypertension, relationship, 872 (Abst.)
nephritis, experimental, in dog, 989 (Abst.)
Intestinal absorption of glucose and xylose, studies; neomycin feeding in rat, 9
iron absorption by neonates and some factors affecting it, 138
transport of 3-0-methyl-D-glucose in normal and alloxan diabetic rat, 865 (Abst.)
Intracranial pressure, increased, from unsustained levels of plasma mannitol during hemodialysis, 129
Intrinsic factor autoantibodies, chemical heterogeneity, 1008 (Abst.)
human gastric, measurement of affinity, for cyanocobalamin, 666
Iodoprotein, circulating, of possible extrathyroidal origin, 1017 (Abst.)
Iodopyracet, incorporation into R.B.C. of normal and azotemic patients, 863 (Abst.)
Iron absorption, gastric factor potentiating, 866 (Abst.)
intestinal, by neonates and some factors affecting it, 138
maximal, integrity of stomach as requirement for, 673
stores, hepatic, estimation by in vivo measurement of magnetic susceptibility, 246
and magnetic susceptibility: correlation between quantitative determinations of susceptibility and iron in human liver specimens, 1008 (Abst.)
Iron-deficient and thalassemic erythrocytes, metabolism of ATP in, 1016 (Abst.)
Irradiation, partial-body, effect of erythropoietin on recovery of erythropoiesis after, 869 (Abst.)
Isonicotinic acid hydrazide in serum, fluorometric determination, 355
Isotonicity, water and electrolyte transport during maintenance, in human jejunum and ileum, 686

J

Jejunum and ileum, human, water and electrolyte transport during maintenance of isotonicity in, 686

K

Kaolin partial thromboplastin time: high levels of procoagulants producing short clotting times or masking deficiencies of other procoagulants or low concentrations of anticoagulants, 463

Kasabach-Merritt syndrome, ^{125}I-fibrinogen turnover and coagulation studies in patient with, 997 (Abst.)
Ketone bodies, effect on measurements of plasma 17-hydroxycorticosteroids as Porter-Silber chromogens, 63
Ketosis: control mechanism in cholesterol and fatty acid synthesis, 878 (Abst.)
Kidney(s), diseased, relations among oxygen consumption, sodium reabsorption, renal function, and enzyme activity in, 985 (Abst.)
developing rabbit, experimental induction of cysts in, 881 (Abst.)
human, origin of fibrinolytic activity in cultures, 650
rat, in vivo inhibition of hippurate uptake in, in azotemic state, 997 (Abst.)
severely diseased dog, inhibitory effect of advanced uremia on adaptive increase in maximum rate of para-aminohippurate transport by residual nephrons, 1014 (Abst.)
Kinetics, potassium flux, electrolyte concentrations, and metabolic dependence of potassium transport in human platelets, 938

L

Lactase deficit, significance in ulcerative colitis, 279
Lead, determination in urine by atomic absorption spectroscopy using coprecipitation with bismuth, 326
Lecithin and cephalin fatty acids, analysis, from human maternal and fetal blood, perfused placenta, chorion laeve, and amnion, 489
Lens capsule and glomerular basement membrane, chemical and immunologic identity between, 1013 (Abst.)
Leukemia, chronic granulocytic, induced in rat by magnesium deficiency, 858 (Abst.)
established murine virus, efficacy of interferon in treatment, 877 (Abst.)
Leukocytes, human, study of possible role of feedback inhibition of aspartate transcarbamylase in regulation of pyrimidine synthesis in, 768
polymorphonuclear, in rheumatoid arthritis, propionic acid metabolism, 866 (Abst.)
serum opsonin, and bacteria interaction in subacute bacterial endocarditis, 869
Lipase, lipoprotein in hypertriglyceridemia, physiological significance; enzymic and kinetic studies in kindred with familial hyperchylomicronemia, 1027 (Abst.)
postheparin, acts on phospholipids, evidence that, 885 (Abst.)
Lipid metabolism, dominance in myocardium under influence of l-norepinephrine, 221
Lipids, dietary, and reduction of serum cholesterol levels by neomycin in man, 471
Lipolytic activity, plasma postheparin, in controls and hyperglyceridemic subjects, triglyceride-fatty acid specificity, 998 (Abst.)
Lipoprotein and albumin synthesis, stimulation by dietary monosaccharide in rat, 878 (Abst.)
lipase in hypertriglyceridemia, physiological significance; enzymic and kinetic studies in kindred with familial hyperchylomicronemia, 1027 (Abst.)
Lipoproteins, plasma, thoracic versus abdominal aortic cholesterol deposition and, in chick, 1010 (Abst.)
Lithocholic acid, sulfate esters, and conjugates; new pathway of bile acid metabolism in humans, 873 (Abst.)
Liver disease, chronic, abnormalities of serum monoamine oxidase in, 36
human marrow, spleen, and reticulocytes, characteristics of ferritin isolated from, 419
Livers, normal, quantitative measurement of alcohol dehydrogenase in lobule, 116
Lung, studies on role of bronchomotor tone on ventilatory-perfusion relationships in, 996 (Abst.)
Lupus erythematosus, systemic, relationship of nuclear staining patterns with precipitating antibodies in, 800
Lymph flow disturbances in intractable ascites of cirrhotic patients, 893 (Abst.)
Lymphocyte(s), anti-, serum, suppression of granuloma formation by, 871 (Abst.)
cultures, phytohemagglutinin-stimulated, quantitative evaluation, 699
from patients with ulcerative colitis, reactivity in vitro, 752
phytohemagglutinin-stimulated, by chlorpromazine, inhibition of mitosis in; studies on agranulocytosis, 229
stimulation with phytohemagglutinin, enzyme studies during, 886 (Abst.)
transformation in histoplasmosis, in vitro, 875 (Abst.)
Lymphopenic agammaglobulinemia in adult, 884 (Abst.)
Lysostaphin, selective activity in vivo, 1
Lysozyme, human tear: purification, physicochemical, and immunochemical characterization, 951

M

Magnesium deficiency, chronic granulocytic leukemia induced in rat by, 858 (Abst.)
and nervous system, 884 (Abst.)
sustained, influence on muscle potassium repletion, 895
effect on reticulocyte maturation, 452
reabsorption, renal tubular calcium and, inhibition during glucose combustion in normal man, 987 (Abst.)
role in biologic processes, 883 (Abst.)
serum, analysis, routine: correlation with clinical state in 5,100 patients, 993 (Abst.)

Magnesium—Cont'd
sodium, and calcium, interrelationship between renal excretion of, acute effect of adrenal steroids on, 563
Magnetic susceptibility, estimation of hepatic iron stores by in vivo measurement, 246
and hepatic iron stores: correlation between quantitative determinations of susceptibility and iron in human liver specimens, 1008 (Abst.)
Malarial parasites, separation, according to age by density gradient centrifugation, 933
Mannitol and glucose diuresis, urate excretion during, 213
plasma, unsustained levels during hemodialysis, increased intracranial pressure from, 129
Marrow, human, spleen, liver, and reticulocytes, characteristics of ferritin isolated from, 419
Medicine, ecologic orientation in, 859 (Abst.)
Membrane ATPase inhibitors and DNP on coupling of anaerobic metabolism to anaerobic Na transport in isolated epithelium of turtle bladder, 1026 (Abst.)
enclosures, silicone rubber, erythropoietin bioassays utilizing, 48
glomerular basement, and lens capsule, chemical and immunologic identity between, 1013 (Abst.)
permeability, selective, fractionation of erythropoietin by, 862 (Abst.)
synovial, rheumatoid and nonrheumatoid, pathways of glucose metabolism in, 503
Meningitis, studies on pathogenesis: antagonism between penicillin and chloramphenicol in experimental pneumococcal meningitis, 408
Mercury and cadmium, intra-arterial, in anesthetized rats, mechanisms of acute hypertensive effect, 963
Metabolic balance in adolescent fibrocystic disease, effect of pancreatic replacement therapy on, 1005 (Abst.)
dependence of potassium transport, electrolyte concentrations, and potassium flux kinetics, in human platelets, 938
factors associated with induced tolerance for hypovolemia, 983 (Abst.)
and hemodynamic changes in idiopathic edema, 1022 (Abst.)
response to exercise, effect of starvation on, 1018 (Abst.)
Metabolism, anaerobic, to anaerobic Na transport in isolated epithelium of turtle bladder, effects of membrane ATPase inhibitors and DNP on coupling, 1026 (Abst.)
of ATP in thalassemic and iron-deficient erythrocytes, 1016 (Abst.)
bile acid, in human, new pathway; sulfate esters of lithocholic acid and conjugates, 873 (Abst.)
and biosynthesis of myoglobin-H^3, 1001 (Abst.)
Metabolism—Cont'd
carbohydrate, effect of physical activity on, 996 (Abst.)
carbon dioxide, effect of exercise on, 994 (Abst.)
erythrocyte carbohydrate, role of alpha ⇄ beta glucose-6-phosphate interconversion in, 535
fibrinogen, and distribution in patients with nephrotic syndrome, 678
glucagon and amino acid, in man, 1017 (Abst.)
glucose, pathways in rheumatoid and nonrheumatoid synovial membrane, 503
lipid, dominance in myocardium under influence of l-norepinephrine, 221
myocardial, in hemorrhagic shock, role of pH on, 999 (Abst.)
propionic acid, of polymorphonuclear leukocytes in rheumatoid arthritis, 866 (Abst.)
Metanephrine and normetanephrine in urine, fluorometric assay for, 333
Methemoglobin, TPNH-, reductase deficiency; new red-cell enzyme defect, 760
Microsomes, thyroid, and long-acting thyroid stimulator, in vitro studies of interaction between, 1003 (Abst.)
Mitosis, inhibition in phytohemagglutinin-stimulated lymphocytes by chlorpromazine; studies on agranulocytosis, 229
Mitral stenosis, left atrial pressure pulse in normal subjects and patients with, 999 (Abst.)
Molecular heterogeneity among immunoglobulins, 876 (Abst.)
Monitor, toilet, for measurement of Cr^{51} tagged erythrocyte excretion, 890 (Abst.)
Monoamine oxidase, serum, abnormalities in chronic liver disease, 38
Mononucleosis, infectious, antinuclear antibodies in, 881 (Abst.)
Monosaccharide, dietary, stimulation of lipoprotein and albumin synthesis by, in rat, 878 (Abst.)
Mucoprotein, Tamm-Horsfall, structure in fibrocystic disease, 404
Multiple myeloma, hypercupremia in patient with, 57
Murine virus leukemia, established, efficacy of interferon in treatment, 877 (Abst.)
Muscle potassium repletion, influence of sustained magnesium deficiency on, 895
ribonucleoprotein, their relation to, complement fixing and tissue binding serum globulins in patients with myasthenia gravis and, 258
Myasthenia gravis, complement fixing and tissue binding serum globulins in patients with, and their relation to muscle ribonucleoprotein, 258
Myeloma, multiple, hypercupremia in patient with, 57
relationship of Bence-Jones protein to, evidence for independent synthesis, 862 (Abst.)

Myeloproliferative disorders, chromosome abnormalities in, 993 (Abst.)
Myocardial force-velocity relation, effect of drugs on, as basis for use in cardiogenic shock, 864 (Abst.)
infarction, acute, prophylactic use of Dilantin in, 893 (Abst.)
mechanics, altered, following left ventricular contrast medium injection, 1015 (Abst.)
metabolism in hemorrhagic shock, role of pH on, 999 (Abst.)
Myocardium, dominance of lipid metabolism in, under influence of 1-norepinephrine, 221
Myoglobin-H^3, biosynthesis and metabolism, 1001 (Abst.)

N

Natriuresis, dopamine, separation from vasodilation: evidence for dopamine receptors, 892 (Abst.)
Neisseria, evidence for differing mechanisms of antibacterial activity of sulfanilamide and sulfadiazine against, 662
Neomycin feeding in rat: studies of intestinal absorption of glucose and xylose, 9
in man, dietary lipids and reduction of serum cholesterol levels by, 471
Neoplastic disease, phagocytic activity of reticuloendothelial system in, 393
Nephritis in Goodpasture's disease, evidence in experimental model for pathogenesis, 1027 (Abst.)
interstitial, experimental, in dog, 989 (Abst.)
Nephrons, residual, of severely diseased dog kidney, inhibitory effect of advanced uremia on adaptive increase in maximum rate of para-aminohippurate transport by, 1014 (Abst.)
Nephrotic syndrome, fibrinogen metabolism and distribution in patients with, 678
Nervous system, magnesium deficiency and, 884 (Abst.)
Neurogenic activity, blood volume, and hemodynamics, relationships to plasma renin activity in essential hypertension, 994 (Abst.)
Nicotinic acid, increased activity of erythrocyte glutathione reductase during administration, 989 (Abst.)
Nitrogen balance during intermittent hemodialysis, 984 (Abst.)
Nonaldosterone renal sodium retaining mechanisms, 1017 (Abst.)
Nonesterified fatty acids, release from adipose tissue in relation to obesity, 458
1-Norepinephrine, dominance of lipid metabolism in myocardium under influence, 221
Norethynodrel-mestranol, control of hemorrhage with combination, 877 (Abst.)
Normetanephrine and metanephrine in urine, fluorometric assay for, 333
Nuclear staining patterns, relationship with precipitating antibodies in systemic lupus erythematosus, 800
Nutrients, various, influence on urinary divalent cation excretion, 236

O

Obesity and congestive heart failure, 857 (Abst.)
and diabetes, plasma kinetics of labeled insulin A and B chains in, 1002 (Abst.)
release of nonesterified fatty acids from adipose tissue in relation to, 458
Osmotic stabilizer, effect on protoplasts and bacterial forms of Streptococcus faecalis, 539
Oxacillin, treatment with; studies in experimental staphylococcal endocarditis in dogs, 786
Oxidative precipitation of hemoglobin H and its relation to reduced glutathione, 581
Oxygen, blood, dissociation curves in sickle cell disease, 480
consumption, sodium reabsorption, renal function, and enzyme activity, relations among, in diseased kidneys, 985 (Abst.)
under high pressure, hemolysis occurring after exposure to; effects of in vivo hyperoxia on erythrocytes, 150
utilization, mechanisms, as related to work function in isolated perfused rat heart, 995 (Abst.)

P

Pancreas extract, effect on Fe^{59} absorption by anemic rats, 361
Pancreatectomized dog, diazoxide-induced hyperglycemia in, 1004 (Abst.)
Pancreatic replacement therapy, effect on metabolic balance in adolescent fibrocystic disease, 1005 (Abst.)
transplantation in human diabetes, 872 (Abst.)
Parainfluenza virus infection, acquisition, by hospitalized children, 1011 (Abst.)
Parameters, airway resistance, dynamic measurement, 888 (Abst.)
Parasites, malarial, separation, according to age by density gradient centrifugation, 933
Parathyroid hormone, circulating, radioimmunoassay for, in man, 1012 (Abst.)
Penicillin and chloramphenicol, antagonism between, in experimental pneumococcal meningitis, 408
Peptide hormones, and epinephrine, effects on isolated human adipose tissue cells, 1009 (Abst.)
Permeability-enhancing properties of Hageman factor, abolition by specific antiserum, 365
Peroxidase, glutathione, erythrocyte, studies on quantitative and qualitative characterization, 158
Phagocytic activity of reticuloendothelial system in neoplastic disease, 393
Phase reaction, acute, serum protein changes after gastrectomy as model, 302

Phenobarbital, effect on hyperbilirubinemia in glucuronyl transferase deficient rats, 273
Phosphate depletion and repletion, high energy, effects on isolated rat heart, 1007 (Abst.)
glucose-6-, alpha ⇄ beta, interconversion, role in erythrocyte carbohydrate metabolism, 535
Phospholipids, evidence that postheparin lipase acts on, 885 (Abst.)
Physicochemical, purification, and immunochemical characterization; human tear lysozyme, 951
Phytohemagglutinin, enzyme studies during lymphocyte stimulation with, 886 (Abst.)
Phytohemagglutinin-stimulated lymphocyte cultures, quantitative evaluation, 699
by chlorpromazine, inhibition of mitosis in; studies on agranulocytosis, 229
Pigeon breeders, anti-pigeon antibodies in serum, 880 (Abst.)
Pituitary glands, hog and sheep, diabetogenic polypeptide from, 1016 (Abst.)
Placenta, perfused, human maternal and fetal blood, chorion laeve, and amnion, analysis of lecithin and cephalin fatty acids from, 489
Plasma and blood, human, disulfide and sulfhydryl compounds in TCA extracts, 518
erythropoietin levels, effect of bone marrow activity on regulation, 987 (Abst.)
fibrinogen derivatives, immunoelectrophoretic characterization, in patients with pathological plasma proteolysis, 903
human, during sleep, growth hormone, glucose, and insulin in, 1021 (Abst.)
17-hydroxycorticosteroids as Porter-Silber chromogens, effect of ketone bodies on measurements, 63
insulin response to arginine in patients with familial hyperlipoproteinemia, 1025 (Abst.)
defective, during steroid glucose tolerance tests in subclinical diabetic mothers of heavy infants, 1007 (Abst.)
kinetics of labeled insulin A and B chains in diabetes and obesity, 1002 (Abst.)
lipoproteins, thoracic versus abdominal aortic cholesterol deposition and, in chick, 1010 (Abst.)
mannitol, unsustained levels during hemodialysis, increased intracranial pressure from, 129
pooled normal human, isolation and characterization of γA-globulin from, 1013 (Abst.)
postheparin lipolytic activity in controls and hyperglyceridemic subjects, triglyceride-fatty acid specificity, 998 (Abst.)
renin activity, relationships of blood volume, hemodynamics, and neurogenic activity to, in essential hypertension, 994 (Abst.)
Platelet(s), blood, human, effects of reptilase and thrombin on, and observations on molecular mechanism of clot retraction, 106
potassium transport in, 69
canalicular system: possible sarcoplasmic reticulum, 999 (Abst.)
factor 3 availability and content in patients with renal failure, studies of specific assay, 870 (Abst.)
function, effect of DFP on, in vitro and in vivo, 1003 (Abst.)
and thrombus growth, impairment in reserpine-treated rabbits, 16
human, electrolyte concentrations, potassium flux kinetics, and metabolic dependence of potassium transport in, 938
ineffective resynthesis of ATP by, 1010 (Abst.)
Pneumococcal meningitis, experimental, antagonism between penicillin and chloramphenicol, 408
Polarization, fluorescence, quantitative determination of antibody by, 707
Polypeptide, diabetogenic, from hog and sheep pituitary glands, 1016 (Abst.)
Polyvinylpyrrolidone and dextran in human subjects, comparison of hypolipidemic action, 890 (Abst.)
Porphyria, experimentally induced, origin of increased protoporphyrin in erythrocytes of mice with, 923
Porter-Silber chromogens, plasma 17-hydroxycorticosteroids as, effect of ketone bodies on measurements, 63
Postheparin lipase acts on phospholipids, evidence that, 885 (Abst.)
Potassium flux, kinetics, electrolyte concentrations, and metabolic dependence of potassium transport in human platelets, 938
repletion, muscle, influence of sustained magnesium deficiency on, 895
transport in human blood platelets, 69
Precipitation, oxidative, of hemoglobin H and its relation to reduced glutathione, 581
Pregnancy, pruritus, alterations in sulfobromphthalein sodium removal from blood in patients with, 1020 (Abst.)
Pressure, blood, transient elevation, hemodynamics in patients with, 1026 (Abst.)
pulse, left atrial, in normal subjects and patients with mitral stenosis, 999 (Abst.)
Primaquine sensitivity in Caucasians: hemolytic reactions induced by primaquine in G-6-PD deficient subjects, 80
Procoagulants, high levels, producing short clotting times or masking deficiencies of other procoagulants or low concentrations of anticoagulants; kaolin partial thromboplastin time, 463
Prophylactic use of Dilantin in acute myocardial infarction, 893 (Abst.)
Propionic acid metabolism of polymorphonuclear leukocytes in rheumatoid arthritis, 866 (Abst.)

Prostaglandin E_2 (PGE_2) in renovascular hypertension, antihypertensive effect, 986 (Abst.)
Protease activity, inhibition in purulent sputum by DNA, 595
Protein, Bence-Jones, relationship to multiple myeloma—evidence for independent synthesis, 862 (Abst.)
diets, high biologic value, in treatment of uremia, 891 (Abst.)
hepatic, synthesis, increased, in uremia, 874 (Abst.)
serum, changes after gastrectomy as model of acute phase reaction, 302
specific, measurement in dilute solution, simple, direct, and sensitive technique for, 512
synthesis in isolated fat cells, evidence for use of high energy intermediates for, 1021 (Abst.)
Proteolysis, pathological plasma, immunoelectrophoretic characterization of plasma fibrinogen derivatives in patients with, 903
Protoplasts and bacterial forms of Streptococcus faecalis, effect of osmotic stabilizer on, 539
Protoporphyrin, increased, origin in erythrocytes of mice with experimentally induced porphyria, 923
Pruritus of pregnancy, alterations in sulfobromophthalein sodium removal from blood in patients with, 1020 (Abst.)
Pulmonary embolism, experimental; effects of urokinase therapy on organizing thrombi, 311
Purification, physicochemical, and immunochemical characterization; human tear lysozyme, 951
Purpura, benign hypergammaglobulinemic, of Waldenström: clinical and immunologic study, 991 (Abst.)
Purulent sputum, inhibition of protease activity in, by DNA, 595
Pyelonephritis, immunofluorescent localization of bacterial antigen in: use of antisera against common enterobacterial antigen in experimental renal lesions, 204
Pyrimidine synthesis in human leukocytes, study of possible role of feedback inhibition of aspartate transcarbamylase in regulation, 768

R

Radioimmunoassay of angiotensin and measurement of renin activity, 884 (Abst.)
for circulating parathyroid hormone in man, 1012 (Abst.)
of human thyroid-stimulating, growth, luteinizing, and follicle stimulating hormones, simplified, partially automated method for, 973
solid phase disc, for human growth hormone, 820
Radio-iodinated triolein, as test fat in fat absorption studies, re-evaluation, 121
Radiologic, endoscopic, and biochemical techniques, comparison; ammonia tolerance in diagnosis of esophageal varices, 442
Reagin antibody to insulin, specificity, 867 (Abst.)
Recipient and donor function 2 to 4 years after renal transplantation, 891 (Abst.)
Red-cell enzyme defect, new: TPNH-methemoglobin reductase deficiency, 760
Reductase, aldose, and transaldolase activities of human vascular tissue, 889 (Abst.)
Renal clearances of enzymes, use as indicator of selective permeability of renal glomerulus, 571
concentrating ability in cirrhosis: changes associated with clinical status and course of disease, 179
disease, chronic, explanation for apparent vitamin D resistance in, 882 (Abst.)
localization of immunofluorescent deposits in, 1015 (Abst.)
excretion, interrelationship between sodium, calcium, and magnesium, acute effect of adrenal steroids on, 563
failure, studies of specific assay of platelet factor 3 availability and content in patients with, 870 (Abst.)
function, circadian rhythm, in healthy pregnant women, 1028 (Abst.)
oxygen consumption, sodium reabsorption, and enzyme activity, relations among, in diseased kidneys, 985 (Abst.)
lesions, experimental, use of antisera against common enterobacterial antigen in: immunofluorescent localization of bacterial antigen in pyelonephritis, 204
sodium, nonaldosterone, retaining mechanisms, 1017 (Abst.)
transplantation, donor and recipient function 2 to 4 years after, 891 (Abst.)
tubular calcium and magnesium reabsorption, inhibition during glucose combustion in normal man, 987 (Abst.)
transport, net, of sodium, importance of leak rather than pump in regulating, 1019 (Abst.)
Renin activity, radioimmunoassay of angiotensin and measurement, 884 (Abst.)
plasma activity, relationships of blood volume, hemodynamics, and neurogenic activity to, in essential hypertension, 994 (Abst.)
Renomedullary interstitial cells to experimental hypertension, relationship, 872 (Abst.)
Renovascular hypertension, antihypertensive effect of prostaglandin E_2 in, 986 (Abst.)
Reovirus, certain enteroviruses and, effect of borohydride reductions upon biologic functions, and hemagglutinating capacity of erythrocytes, 861 (Abst.)

Reptilase and thrombin, effects on human blood platelets and observations on molecular mechanism of clot retraction, 106
Reserpine-treated rabbits, impairment of platelet function and thrombus growth in, 16
Respiratory distress syndrome, blood carbonic anhydrase activity and zinc concentration in infants with, 870 (Abst.)
Reticulocyte maturation, effect of magnesium on, 452
Reticulocytes, human marrow, spleen, and liver, characteristics of ferritin isolated from, 419
Reticuloendothelial function, alcohol induced depression, in rat, 295
system, phagocytic activity in neoplastic disease, 393
Reticulum, sarcoplasmic, possible; canalicular system of platelet, 999 (Abst.)
Rheumatoid arthritis, propionic acid metabolism of polymorphonuclear leukocytes in, 866 (Abst.)
and nonrheumatoid synovial membrane, pathways of glucose metabolism in, 503
Ribonucleoprotein, muscle, their relation to, complement fixing and tissue binding serum globulins in patients with myasthenia gravis and, 258
Rickets, experimental, bone remodeling in puppies with, 94
RNA extract, migration index and transfer by; in vitro human delayed hypersensitivity, 1018 (Abst.)
Rubella virus, attenuation: studies in monkeys and man, 429

S

Schistosome ova, detection by fluorescence microscopy, 865 (Abst.)
Sensory perception thresholds in blind diabetic subjects in relation to reading of Braille type, 998 (Abst.)
Sera, human, correlation of B virus and herpes simplex virus antibodies in, 170
Serologic data, effect of single histoplasmin skin tests on, 885 (Abst.)
Serum amino acid concentrations in alcoholic hepatitis, 554
anti-lymphocyte, suppression of granuloma formation by, 871 (Abst.)
cholesterol levels, dietary lipids and reduction, by neomycin in man, 471
and fecal bile acid excretion, effect of oral hydrophilic colloid on, 863 (Abst.)
cholinesterase, rapid screening test for, 343
copper concentration, effect of serial venipuncture upon, 867 (Abst.)
fluorometric determination of isonicotinic acid hydrazide in, 355
globulins, complement fixing and tissue binding, in patients with myasthenia gravis, and their relation to muscle ribonucleoprotein, 258
Serum—Cont'd
glycoproteins, acute phase, participation of inflammatory connective tissue in synthesis, 880 (Abst.)
immunoglobulin class and subgroup concentrations changes in patients with alcoholic cirrhosis, 879 (Abst.)
insulin and growth hormone in response to glucose load in chronic hepatic cirrhosis, 986 (Abst.)
magnesium analysis, routine: correlation with clinical state in 5,100 patients, 993 (Abst.)
monoamine oxidase, abnormalities in chronic liver disease, 36
opsonin, bacteria, and polymorphonuclear leukocyte interaction in subacute bacterial endocarditis, 869 (Abst.)
of pigeon breeders, anti-pigeon antibodies in, 880 (Abst.)
protein changes after gastrectomy as model of acute phase reaction, 302
Sickle cell disease, blood oxygen dissociation curves, 480
Side-chain length, effect: neutral amino acid absorption in humans, 883 (Abst.)
Silicone rubber membrane enclosures, erythropoietin bioassays utilizing, 48
Skin infections and acute glomerulonephritis, role of 25/Imp. 19, M-2 streptococcus in, 1019 (Abst.)
tests, single histoplasmin, effect on serologic data, 885 (Abst.)
Sodium, calcium, and magnesium, interrelationship between renal excretion of, acute effect of adrenal steroids on, 563
importance of leak rather than pump in regulating net renal tubular transport, 1019 (Abst.)
nonaldosterone renal, retaining mechanisms, 1017 (Abst.)
reabsorption, renal function, oxygen consumption, and enzyme activity, relations among, in diseased kidneys, 985 (Abst.)
sulfobromophthalein, alterations in, removal from blood in patients with pruritus of pregnancy, 1020 (Abst.)
transport, anaerobic, coupling of anaerobic metabolism to, in isolated epithelium of turtle bladder, effects of membrane ATPase inhibitors and DNP on, 1026 (Abst.)
Sodium-potassium activated erythrocyte adenosine triphosphatase, temperature dependence, 287
Spectroscopy, atomic absorption, using coprecipitation with bismuth, determination of lead in urine by, 326
Spleen, liver, human marrow, and reticulocytes, characteristics of ferritin from, 419
Sputum, purulent, inhibition of protease activity in, by DNA, 595
Staphylococcal endocarditis, experimental, studies in dogs; treatment with oxacillin, 786

Staphylococci, coagulase negative, transmission patterns, 1006 (Abst.)
Staphylococcus, lysostaphin, selective activity in vivo, 1
Starvation, effect on metabolic response to exercise, 1018 (Abst.)
hypoglycemia in newborn pigs, 1001 (Abst.)
Stem cell proliferation, erythroid differentiation during, 23
Steroid glucose tolerance tests in subclinical diabetic mothers of heavy infants, defective plasma insulin response during, 1007 (Abst.)
Steroids, adrenal, acute effect on interrelationship between renal excretion of sodium, calcium, and magnesium, 563
Steroid-wasting syndromes secondary to ileal dysfunction, fecal C^{14}-bile excretion in normal subjects and patients with, 627
Stomach, integrity, as requirement for maximal iron absorption, 673
Storage disease, hepatic cholesterol ester, a familial disorder, 1025 (Abst.)
Streptococcus faecalis, effect of osmotic stabilizer on protoplasts and bacterial forms, 539
25/Imp. 19, M-2, role in skin infections and acute glomerulonephritis, 1019 (Abst.)
Stuart factor (factor X), anticoagulant specific for, 861 (Abst.)
Subcellular fractions, thyroid, neutralization of long-acting thyroid stimulator by, 640
Sulfadiazine and sulfanilamide against Neisseria, evidence for differing mechanisms of antibacterial activity, 662
Sulfanilamide and sulfadiazine against Neisseria, evidence for differing mechanisms of antibacterial activity, 662
Sulfate esters of lithocholic acid and conjugates; new pathway of bile acid metabolism in human, 873 (Abst.)
Sulfhydryl and disulfide compounds in TCA extracts of human blood and plasma, 518
reagents, effect on binding of human hemoglobin to haptoglobin, 606
Sulfobromophthalein sodium, alterations in, removal from blood in patients with pruritus of pregnancy, 1020 (Abst.)
Sweat secretion, biochemical studies in cystic fibrosis, 859 (Abst.)
Synovial fluid, human, normal, vascular permeability activity in, induction by Hageman factor activators, and inhibition by Hageman factor antiserum, 372
membrane, rheumatoid and nonrheumatoid, pathways of glucose metabolism in, 503
Systemic lupus erythematosus, relationship of nuclear staining patterns with precipitating antibodies in, 800

T

Tamm and Horsfall, cystic fibrosis and normal urinary glycoprotein, immunologic and chemical studies, 725
mucoprotein, structure in fibrocystic disease, 404
TCA extracts of human blood and plasma, disulfide and sulhydryl compounds in, 518
Tear lysozyme, human: purification, physicochemical, and immunochemical characterization, 951
Testosterone, effect on erythropoiesis of W/W_v mice, 813
Thalassemic and iron-deficient erythrocytes, metabolism of ATP in, 1016 (Abst.)
Thrombi, organizing, effects of urokinase therapy on; experimental pulmonary embolism, 311
Thrombin and activated factor X, comparative thrombogenicity, 864 (Abst.)
and reptilase, effects on human blood platelets and observations on molecular mechanism of clot retraction, 106
Thrombocytopenia, hypersplenic, studies of mechanism, in rats, 736
Thrombogenicity, comparative of thrombin and activated factor X, 864 (Abst.)
Thromboplastin time, partial, kaolin: high levels of procoagulants producing short clotting times or masking deficiencies of other procoagulants or low concentrations of anticoagulants, 463
Thrombus growth and platelet function, impairment in reserpine-treated rabbits, 16
Thymectomized mice, neonatally, "restored" with allogeneic functional thymoma, immunologic capacities, 987 (Abst.)
Thymic alymphoplasia and defective inflammatory response, association with; absence of activity of first component of complement in man, 715
Thymoma, allogeneic functional, immunologic capacities of neonatally thymectomized mice "restored" with, 987 (Abst.)
Thyrocalcitonin deficiency in hypothyroidism, 984 (Abst.)
Thyroid carcinoma, transplantable, precursor cytogenetic changes, in iodine deficient goiters, 1023 (Abst.)
stimulator, long-acting, neutralization by thyroid subcellular fractions, 640
and thyroid microsomes, in vitro studies of interaction between, 1003 (Abst.)
Thyroid-stimulating, human, growth, luteinizing, and follicle stimulating hormones, simplified, partially automated method for radioimmunoassay, 973
Thyroxin, some effects in rat of neonatal administration, 887 (Abst.)
Tissue, adipose, release of nonesterified fatty acids from, in relation to obesity, 458
binding and complement fixing serum globulins in patients with myasthenia

Tissue—Cont'd
gravis, and their relation to muscle ribonucleoprotein, 258
connective, inflammatory, participation, in synthesis of acute phase serum glycoproteins, 880 (Abst.)
human vascular, transaldolase and aldose reductase activities, 889 (Abst.)
preparations, human, transamination reactions of glyoxylate in; studies on primary hyperoxaluria, 494
TPNH-methemoglobin reductase deficiency: new red-cell enzyme defect, 760
Tracheobronchial clearance in rabbits, 892 (Abst.)
Transaldolase and aldose reductase activities of human vascular tissue, 889 (Abst.)
Transferase, glucuronyl, deficient rats, effect of phenobarbital on hyperbilirubinemia in, 273
Transplantation, renal, donor and recipient function 2 to 4 years after, 891 (Abst.)
Trifluperidol, effect on cholesterol biosynthesis in man, 889 (Abst.)
Triglyceride-fatty acid specificity of plasma postheparin lipolytic activity in controls and hyperglyceridemic subjects, 998 (Abst.)
Triolein, radio-iodinated, as test fat in fat absorption studies, re-evaluation, 121

U

Ulcerative colitis, reactivity in vitro of lymphocytes from patients with, 752
significance of lactase deficit in, 279
Urate excretion during mannitol and glucose diuresis, 213
Uremia, advanced, inhibitory effect on adaptive increase in maximum rate of para-aminohippurate transport by residual nephrons of severely diseased dog kidney, 1014 (Abst.)
high biologic value protein diets in treatment, 891 (Abst.)
increased hepatic protein synthesis in, 874 (Abst.)
Urinary divalent cation excretion, influence of various nutrients on, 236
glycoprotein, normal, of Tamm and Horsfall, and cystic fibrosis, immunologic and chemical studies, 725
Urine bilirubin, basic zinc test for, 352
determination of lead in, by atomic absorption spectroscopy using coprecipitation with bismuth, 326
fluorometric assay for metanephrine and normetanephrine in, 333
human, quantitative gas-liquid chromatographic method for aldosterone in, 831
Urokinase therapy, effects on organizing thrombi; experimental pulmonary embolism, 311
Urticaria, cold, activation of complement by monoclonal cryoglobulin associated with, 988 (Abst.)

V

Varices, esophageal, ammonia tolerance in diagnosis; comparison of endoscopic, radiologic and biochemical techniques, 442
Vascular permeability-enhancing activity in normal human synovial fluid; induction by Hageman factor activators; and inhibition by Hageman factor antiserum, 372
tissue, human, transaldolase and aldose reductase activities, 889 (Abst.)
Vasodilation, separation of dopamine natriuresis from: evidence for dopamine receptors, 892 (Abst.)
Venipuncture, serial, effect upon serum copper concentration, 867 (Abst.)
Venous systems, peripheral and portal, comparison of administration into: hemodynamic effects of angiotensin amide, 1009 (Abst.)
Ventilatory-perfusion relationships in lung, studies on role of bronchomotor tone on, 996 (Abst.)
Ventricle, left, luminal coronary blood flow in, 868 (Abst.)
Ventricular contrast medium injection, left, altered myocardial mechanics following, 1015 (Abst.)
Viral and bacterial infections, C'1q, acute phase reactant to, 1012 (Abst.)
Virus, B, and herpes simplex virus antibodies, correlation in human sera, 170
infection, parainfluenza, acquisition, by hospitalized children, 1011 (Abst.)
leukemia, murine, established, efficacy of interferon in treatment, 877 (Abst.)
rubella, attenuation: studies in monkeys and man, 429
Vitamin D resistance, apparent, explanation for, in chronic renal disease, 882 (Abst.)

W

Waldenström, benign hypergammaglobulinemic purpura: clinical and immunologic study, 991 (Abst.)
Walking and cycling, energy cost, 992 (Abst.)
Water and electrolytes, conservation, by human colon, 990 (Abst.)
transport during maintenance of isotonicity in human jejunum and ileum, 686
von Willebrand's disease, porcine factor VIII stimulating factor in, 991 (Abst.)

X

Xylose and glucose, studies of intestinal absorption; neomycin feeding in rat, 9

Z

Zieve's syndrome, mechanism of anemia in, 1024 (Abst.)
Zinc concentration and blood carbonic anhydrase activity in infants with respiratory distress syndrome, 870 (Abst.)
deficiency, studies on: zinc and growth hormone interrelationship, 887 (Abst.)
test, basic, for urine bilirubin, 352